



Dimensions

Scale Size	3 × 3 ft	4 × 4 ft	4 × 5 ft	4 × 6 ft	5 × 5 ft
Α	36.75	48.75	60.75	72.75	60.75
В	36.75	48.75	48.75	48.75	60.75
С	39.92	51.92	51.92	51.92	63.92
D	39.92	51.92	63.92	75.92	63.92
Е	47.92	59.92	71.92	83.92	71.92
F	47.92	59.92	59.92	59.92	71.92

All dimensions are shown in inches. Drawing #S77687.

- 1. Use concrete of minimum yield strength 5,000 PSI or 6-bag mix
- 2. Allow 7 days to cure (wet concrete periodically during this time)
- 3. Dimensions shown assume firm, stable soil conditions. When soil conditions are not adequate, place foundation at sufficient depth.
- 4. In wet or washdown applications, we recommend the use of hermetically sealed load cells and that the junction box be mounted remotely in a dry location
- 5. Wire mesh to have minimum 0.75 in cover bottom and sides

^{*} Drawings are for standard catalog part numbered scales.