Uni-7 Series

PRICE COMPUTING SCALE WITH PRINTER AND COLOR TOUCHSCREEN





All kinds of spaces? Unify and Unite

Standardize retail price-computing with the many variations of Ishida's Uni-7 Series.

Whether operated from a back room, poised on a deli counter, or suspended somewhere in between, Ishida's Uni-7 is a must for today's modern retail settings. The complete Uni-7 Series showcases models for every station type, each a completely networkable scale base and printer, and each a variation on the same highly functional Uni-7 interface.

Front and center is the Uni-7's sleek titanium appearance and one-of-a-kind color touchscreen. Users can customize the display with their own unique product catagories and PLUs. But that's just the beginning. Uni-7 is equipped with a quick-change, front-loading label cassette, and multilingual capability. Easily manage everything from frequent price changes to future meat and nutrition-labeling tasks. Innovation at its best, Ishida's Uni-7 Series is the tool of choice for unifying workspaces everywhere.



Quickly change Uni-7's label cassettes from the front, saving time for operators and customers alike.

ScaleLink Pro 5 scale management software includes label design.

DDICE-COMPLITING SCALE/DDINTED/

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

A perfect counter-level or bench-top device, this all-in-one scale offers weighing, printing and price computing. Advertise directly to your customers on their own full-color display, housed within the scale itself (bench model) or on an elevated pole.





UNI-7 SELF-SERVE

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

Thanks to a simple, customized large-button keypad and pole-mounted color display, self-service applications are more feasible than ever. Customers view images for each PLU and follow instructions to weigh and print labels for their own merchandise.



UNI-7 HANGING

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

The only hanging scale on the market with a full-color touchscreen. This space-saving, suspended design cradles product in its bowl-shaped pan. Keypad and display remain at eye level, away from busy work areas or moisture.

Uni-7 Series

PRICE COMPUTING SCALE WITH PRINTER AND COLOR TOUCHSCREEN



Customer-side Color Graphics

STANDARD FEATURES

- · Large color touchscreen
- Dual-range weighing (0-15 lb \times 0.005 lb/15-30 lb \times 0.01 lb)
- · Front-load label cassettes
- Internal wireless communications (WEP, WPA, WPA2)
- **Ethernet communications**
- Up to 99 pages of speed keys
- Adjustable touchscreen viewing angle
- 77 tactile keys
- 4 MB of memory
- · Color graphics on customer-side display
- · Self-serve mode/operation
- 30+ selectable fixed bar code formats
- Compatible with third-party communication software, including Invatron's PLUM®, ADC's InterScale® and Droste's PCScale Manager®







MODELS

Part #	Description
161937	Uni-7 Bench 30 lb capacity
109366	Uni-7 Bench with internal RF 30 lb capacity
166268	Uni-7 Pole 30 lb capacity
109367	Uni-7 Pole with internal RF 30 lb capacity
155266	Uni-7 Bench with internal RF 60 lb capacity
155267	Uni-7 Pole with internal RF 60 lb capacity
Hanging	
109371	Uni-7 Hanging Scale with internal RF
Labeler (no scale base)	
109368	Uni-7, Compact Label Printer with color touchscreen and internal RF
Remote Scale Base	
120673	Uni-7 RP with internal RF



OPTIONS/ACCESSORIES

- ScaleLink Pro 5 scale management software, including label design, data back-up and remote diagnostics
- Seafood and produce platters
- Linerless label cassette

SPECIFICATIONS

CUSTOMER DISPLAY:

WEIGHING CAPACITY: 0-15 × 0.005 lb; 15-30 × 0.01 lb (dual range)

60 LB VERSION: $0-60 \times 0.02$ lb (single range)

WEIGHING ACCURACY: 1/3000

OPERATOR DISPLAY: Color LCD, 7 in with positive input response Color LCD, 7 in

DISPLAY ITEMS: Tare: Four-digits Unit Price: Six-digits Weight: Five-digits Total Price: Six-digits

PRESET KEYS: 1980: 20 × 99 pages MEMORY CAPACITY: 4 MB expandable to 2 GB COMMUNICATIONS: Static TCP/IP 10/100 Base T Ethernet

Wireless WEP/WPA/WPA2

INTERFACE:

PLATTER: 15.7 × 10.8 in (398 × 275 mm) PRINT HEAD: Direct thermal 2.2 in head (56 mm)

PRINT SPEED: 3.2 /3.9 /4.7 /5.9 in/sec (80 /100 /120 /150 mm/sec)

Width: 1.2 - 2.5 in (30 - 64 mm)

Length: 0.8 - 7.9 in (20 - 200 mm)

LABEL ROLL: Inside diameter: 1.6 in (40 mm) min Outside diameter: 3.9 in (100 mm) max

LABEL BACKING PAPER: Width: Up to 2.6 in (66 mm) POWER SUPPLY: AC100 V/120 V, 50/60 Hz POWER CONSUMPTION: Stand-by: 50 W, In operation: 120 W

CLASSIFICATION: NTEP CC 07-099, UL listed WARRANTY: One-year limited

APPROVALS:

LABEL SIZE:









