

Custom Floor Scale Questionnaire

NOTE: All measurements must be given in inches.

Approvals

NTEP Required? Yes No

Measurement Canada Required? Yes No

Scale

Model (HP, HP-H, SS, HE, QC, SD) _____

Material: Mild 304 Stainless steel Other If other please specify _____

Dimensions: _____ W x _____ L

Are there any special height requirements? _____

Capacity? _____

Top plate surface: Smooth Diamond

Calibrate scale to RLWS indicator prior to shipping? Yes No

NOTE: If yes, a quick disconnect is required and you MUST specify:

_____ Capacity x _____ Grad Size

Unit of Measure lb kg Other If other please specify _____

Location of quick disconnect? Scale end Indicator end

Foot adjust holes? Yes No

Epoxy paint? Yes No

Load Cells

Part # or Model #

Alloy steel _____

Stainless steel _____

Stainless steel welded seal _____

Stainless steel hermetically sealed _____

*SURVIVOR® coating? Yes No

**Protects the load cell element from exposure to corrosives. It does not seal or protect the load cell from moisture ingress.*

Indicator Stand

Material: Mild 304 Stainless steel Other If other please specify _____

Location: _____

Floor mounted (Specify height from floor to indicator mount plate) _____

Scale mounted (Specify height from floor scale top plate to indicator mount plate) _____
(Must specify mount location if different than ³ on diagram on page 3)

Specify indicator model to attach to stand _____

NOTE: If indicator is not RLWS brand, please specify necessary bolt pattern

ASAP Quote# _____

Customer # _____

Signature _____

Custom Floor Scale Questionnaire

Junction Box

(Moving the j-box location may interfere with standard design or attachments of forklift channels, ramps, pit frame)

Material:

- Aluminum without quick disconnect
- Aluminum with quick disconnect
- 304 Stainless steel

Access:

- Side
- Top
- Remote

Mounting location for side or top access (see diagram on page 3)

- ¹ Standard (centered on long side of scale)
- ² Optional (centered on short side of scale)

Forklift Channels

(Standard entry is opposite j-box access)

Fork center to center distance _____

Fork width _____

Fork height _____

Ramps

Ramp material: Mild 304 Stainless steel Other If other please specify _____

Dimensions: _____ W x _____ L

Top plate surface: Smooth Diamond

Guide rails: Yes No

Mounting location:

- Standard (short side of scale)
- Optional (long side of scale)

Wrap around ramps? Yes No

(NOTE: If yes a top access j-box is required and you will need to include a hand sketch which includes the cable exit location)

Pit Frame

Pit frame material: Mild 304 Stainless steel Other If other please specify _____

With side access j-box extension: Yes No

For existing pit? Yes No

If yes, must provide:

- Center-to-center line of feet _____
- Diameter of foot _____

Application Notes

How is scale being loaded? (example: pallet jack, fork truck, etc.) _____


What is being weighed on the scale? _____

ASAP Quote# _____

Customer # _____

Signature _____

Custom Floor Scale Questionnaire



ASAP Quote# _____

Customer # _____

Signature _____

© 2006 Rice Lake Weighing Systems 02/06