



## Ishida Uni-5

Price Computing Scale/Printer/Color Touchscreen

The Uni-5 Series packs many features into an attractive low profile, small footprint case. The seven-inch color touch panel is easy to master. The operator display consists of windows for tare, weight, unit price and total price.

The membrane keyboard contains standard function keys and can be customized to include PLU, tare, and category presets plus a large number of specialized functions. Icons identify connectivity status, printing mode, and USB port. The programmable color touchscreen can be configured with three key sizes and up to 20 presets per page.

Operators can view virtual receipts, open tickets and totals before printing. The bright grayscale customer display can scroll and flash advertising messages and images. The fast and easy side-loading direct thermal printer has a variable speed and backing re-winder to quickly switch between labels and receipts.

The Ishida Uni-5 Series includes Ethernet (100Mps) for connection to PC and other scales.

### Specifications

**Capacity (Dual Range):**

0 to 15 x 0.005 lb, 15 to 30 x 0.01 lb

**Capacity (Single Range):**

60 x 0.02 lb option

**Display:**

Operator: Color LCD, 7 in  
Customer: Grayscale LCD, 7 in

**Display Items:**

Tare: Four-digits  
Unit price: Six-digits  
Weight: Five-digits  
Total price: Six-digits

**Preset Keys:**

1980: 20 x 99 pages

**Memory Capacity:**

4 MB

**Communications:**

Static TCP/IP 10/100 Base T Ethernet  
Wireless WEP/WPA/WPA2

**Interface:**

USB port, back-up and restore only

**Platter:**

15.7 x 10.8 in (398 x 275 mm)

**Print Head:**

Direct thermal 2.2 in head (56 mm)

**Print Speed:**

3.2/ 3.9/ 4.7/ 5.9 in/sec  
(80/ 100/ 120/ 150 mm/sec)

**Label Size:**

Width: 1.5 to 2.5 in (38 to 64 mm)  
Length: 1.5 to 7.9 in (38 to 200 mm)

**Label Roll:**

Inside diameter: 1.6 in (40 mm) min  
Outside diameter: 3.9 in (100 mm) max

**Label Backing Paper:**

Width: Up to 2.6 in (66 mm)

**Power Supply:**

AC 100 to 240 V, 50/60 Hz

**Power Consumption:**

Stand-by: 50 W  
In operation: 120 W

**Classification:**

NTEP CC 07-099  
UL listed

**Warranty:**

One-year limited



### Standard Features

- Large color touchscreen (7 in)
- Dual-range weighing (0 to 15 lb x 0.005 lb/ 15 to 30 lb x 0.01 lb)
- Ethernet communications
- Up to 99 pages of preset keys
- Adjustable touchscreen viewing angle
- 77 tactile keys
- 4 MB memory
- Grayscale LCD customer-side display
- Self-serve mode/operation
- 30+ selectable fixed bar code formats
- 2020 nutrition labeling
- Configurable for different languages including Spanish, French and German
- Compatible with third-party communication software, including Invatron's PLUM and ADC's InterScale

PART #	MODEL	WIRELESS	CAPACITY
119359	Uni-5 Bench		0-15 x 0.005 lb/15-30 x 0.01 lb
119356	Uni-5 Bench	√	0-15 x 0.005 lb/15-30 x 0.01 lb
119360	Uni-5 Pole		0-15 x 0.005 lb/15-30 x 0.01 lb
119357	Uni-5 Pole	√	0-15 x 0.005 lb/15-30 x 0.01 lb
154737	Uni-5 Bench		0-60 x 0.02 lb
155264	Uni-5 Bench	√	0-60 x 0.02 lb
155265	Uni-5 Pole	√	0-60 x 0.02 lb



Side-loading printer



Pole scale customer side

# Ishida Uni-5

Price Computing Scale/Printer/Color Touchscreen

PART #	MODEL/DESCRIPTION	WIRELESS	CAPACITY	EST. SHIP WEIGHT	PRICE
119359	Uni-5 Bench		0-15 x 0.005 lb/15-30 x 0.01 lb	31 lb	Consult
119356	Uni-5 Bench	√	0-15 x 0.005 lb/15-30 x 0.01 lb	31 lb	Consult
119360	Uni-5 Pole		0-15 x 0.005 lb/15-30 x 0.01 lb	34 lb	Consult
119357	Uni-5 Pole	√	0-15 x 0.005 lb/15-30 x 0.01 lb	34 lb	Consult
154737	Uni-5 Bench		0-60 x 0.02 lb	31 lb	Consult
155264	Uni-5 Bench	√	0-60 x 0.02 lb	31 lb	Consult
155265	Uni-5 Pole	√	0-60 x 0.02 lb	34 lb	Consult

## Options/Accessories

167774	In-use cover, operator keyboard				Consult
46916	Produce platter, (L x W x D) 11.5 x 17 x 0.7 in				Consult
46917	Fish platter, (L x W x D) 11.5 x 17 x 0.7 in				Consult

## Communication

160259**	ScaleLink Pro 5 software CD, license file required and purchased separately (see page 72)				Consult
152628*	ScaleLink Pro 5 license file, one license required per computer				Consult
78860	Cross cable, Ethernet CAT5, 6 ft				Consult
215289	Internal wireless communication 802.11 b/g 2.4 Ghz (factory installation recommended)				Consult

## Manuals and Service Tools

118188**	Uni Series support USB (contains manuals, training videos and libraries)				Consult
160906	USB flash memory, 1 GB				Consult

## Label Stock

Please refer to labels section of this catalog for ordering information and case quantity pricing

## Dimensions

Please see next page for model dimensions.

\*Software key is provided after online registration is completed


\*\*Manuals and software programs can be downloaded from the distributor section of [www.ricelake.com/retail](http://www.ricelake.com/retail)



Fish Platter  
PN 46917

# Ishida Uni-5

Price Computing Scale/Printer/Color Touchscreen



Bench Scale

Pole Scale

DIMENSIONS					
<b>A</b>	16.41 in (417 mm)	<b>F</b>	6.18 in (157 mm)	<b>M</b>	5.11 in (130 mm)
<b>B</b>	18.26 in (464 mm)	<b>G</b>	6.81 in (173 mm)	<b>N</b>	13.03 in (331 mm)
<b>C</b>	11.65 in (296 mm)	<b>H</b>	10.82 in (275 mm)	<b>O</b>	18.42 in (468 mm)
<b>D</b>	15.66 in (398 mm)	<b>I</b>	11.73 in (298 mm)	<b>P</b>	21.96 in (558 mm)
<b>E</b>	5.27 in (134 mm)	<b>K</b>	7.48 in (190 mm)		

