

The New Quintix[®]. Convenient Weighing.







application programs.









Increase Efficiency with Integrated Application Programs Quintix® comes standard with convenient, built-in applications. These, along with the extensive accessories Sartorius offers, enable you to customize Quintix® to a variety of weight measurement tasks. Take specific gravity. With the built-in Density application and the Sartorius Density Kit, you can effortlessly determine the density of solids and liquids.



Mixing

Enables you to weigh in various components of a formula quickly with 100% traceability.



Components

Conveniently lets you weigh components of a formula into separate containers and retrieve the total amount weighed-in at any time.



Statistics

Saves you work when you need to know the standard deviation and other statistics on an entire group of different samples, but don't have the time to do the number-crunching yourself.



Checkweighing

Helps you zip through series of samples when you have to quickly determine whether each one is within a specific tolerance range.



Density

Takes the effort out of determining the density of a solid, irregularly-shaped object.



Weighing

In addition to this app, all Quintix® balances feature isoCAL, the fully automatic internal calibration and adjustment function engineered by Sartorius to ensure total accuracy.



Conversion

Takes care of the math when you need to convert a weight using a factor, say, to calculate the weight per unit area.



Peak Hold

Locks in the reading so you can later view the maximum force released in milliseconds when a switch is activated during an experiment, or the weight of a bulky sample that hides the display while weighing.



Unstable Conditions

Delivers rock-steady results when you have to weigh in an extremely unstable environment or measure the weight of a hyper little mouse that just won't sit still.



Percentage

Makes comparisons of samples easy when you need to determine their difference in percent from a reference standard.



Counting

Gives you the exact count when you want to know how many identical parts, such as tablets, are in a bag.

With the apps in Quintix[®], we can now take care of exotic applications much more easily and efficiently.



I just transfer weights and other app data directly into an Excel file at a mouse click, without any additional software or bothering with tweaking this really couldn't be more convenient.



needing the settings –

Easy and Convenient Data Transfer to your PC without the need of extra software by integrated PC-direct function.

Quintix® substantially simplifies processing data in spreadsheets. How? After connecting the USB port on Quintix® to a computer, just open the Windows® application you need. Quintix® delivers data in your choice of format, either text or numbers, enabling effortless and accurate spreadsheet calculations. No additional software or special configuration settings are needed.

This Plug & Work technology in Quintix® saves you considerable time and effort in generating fast and reliable documents.

The Sartorius standard printer YDP40 is automatically detected by Quintix®. Thanks to interactive user guidance, Quintix® provides help in generating error-free printouts.









Repeatability and linearity are the key prerequisites to obtaining accurate and traceable weighing results.

That's why Quintix® has been subjected to extensive automated repeatability, linearity and temperature drift tests to guarantee that it meets our high metrological specifications. Inside a virtual "rigorous testing chamber", Quintix® test samples undergo more than 1,000,000 load stress tests to ensure that after years of standing up to the rigours of daily use with different weight loads, it will still deliver accurate results just like it did on day one.

Quintix® is crafted in Germany with high-grade components and materials. For example, the weigh cells are mounted on a solid, special aluminum alloy base plate, which is extremely impervious to ambient conditions, such as temperature fluctuations and vibration.

All these tests and features add up to user benefits like the legendary reliability of the Sartorius Quintix®, a major advantage it shares with every other Sartorius balance.



Is the linearity still correct even after 1 million cycles? Absolutely! Shown here is the Quintix® undergoing an endurance test.







Quintix® Technical Specifications

Model		224	124	64	613	513	313	
Design		1	1	1	2	2	2	
Weighing capacity	g	220	120	60	610	510	310	
Readability	mg	0.1	0.1	0.1	1	1	1	
Repeatability	mg	0.1	0.1	0.1	1	1	1	
Linearity	mg	0.2	0.2	0.2	2	2	2	
Typical response time	S	2	2	2	1	1	1	
Pan size diameter	mm	90	90	90	120	120	120	
	inches	3.5	3.5	3.5	4.7	4.7	4.7	
Height of the weighing chamber	mm	209	209	209	209	209	209	
Net weight	kg	4.9	4.9	4.9	4.9	4.9	4.9	
	lb	10.8	10.8	10.8	10.8	10.8	10.8	
Dimensions $D \times W \times H$	mm inches		360 × 216 × 320 (designs 1+2) 14.1 × 8.5 × 12.6 (designs 1+2)					
Versions verified as legal for trade			ificate for use					
Draft shield for analytical balances (Designs 1+2)	– Analy – Interio	 Analytical draft shield chamber with doors that glide open smoo Interior chamber featuring spill-proof design; exceptionally easy All panes can be individually cleaned or exchanged 						
Housing						siest cleaning		
Weigh cell	– Sartor – Moun	 Sartorius weigh cell Mounted on a heavy-duty die-cast plate made of a special alumi Stable and repeatable weighing results guaranteed, along with 						
Calibration	isoCAL	isoCAL – fully automatic, temperature- and time-controlled intern						
Interface	– Autor – Direct – Progra	mini USB - Automatic recognition of Sartorius printer models YDP30 and - Direct data transfer to Microsoft® application programs without - Programmable interval for data output - Choice of SBI, xBPI, table format or text format data transfer pro						
Supervisor lock					ntional chan			
In-use cover	Provide	s added pro	tection aga	inst dirt and	d scratches;	supplied stan		
Anti-theft device	Kensing	jton lock an	ıd lug for at	ttaching a c	chain or a ca	ible		
Built-in application programs		Special lab applications such as Mixing, Components, Statistics and						
Below-balance weighing		Standard, built-in feature						
Accessories	See Qui	See Quintix® list of accessories						
Development and manufacture	Develop	Developed and made in Germany						







Design 3

213	6102	5102	3102	2102	1102	612	412	6101	5101	2101	6100	5100
2	3	3	3	3	3	3	3	3	3	3	3	3
210	6,100	5,100	3,100	2,100	1,100	610	410	6,100	5,100	2,100	6,100	5,100
1	10	10	10	10	10	10	10	100	100	100	1000	1000
1	10	10	10	10	10	10	10	100	100	100	500	500
2	20	20	20	30	30	30	30	300	300	300	1000	1000
1	1	1	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
120	180	180	180	180	180	180	180	180	180	180	180	180
4.7	7	7	7	7	7	7	7	7	7	7	7	7
209	-	-	-	-	-	-	-	-	-	-	-	-
4.9	5.2	5.2	5.2	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
10.8	11.5	11.5	11.5	10.8	10.8	10.8	10.8	10.8	10.8	10.8	10.8	10.8

360 × 216 × 95 (design 3) 14.1 × 8.5 × 3.75 (design 3)

in legal metrology

thly for fatigue-free weighing

to clean

ever

num alloy minimum dependence on temperature

al adjustment

YDP40 any additional software

tocols

dard with the balance

 $Conversion; plus \ standard \ lab \ applications \ such \ as \ Weighing, \ Density, \ Percentage, \ Checkweighing, \ Peak \ Hold, \ Counting \ and \ Unstable \ Conditions$

Phone +1.631.254.4249 Toll-free +1.800.635.2906 Fax +1.631.254.4253

LPS.Sales.NA@sartorius.com

Canada

Sartorius Canada Inc. 2179 Dunwin Drive #4 Mississauga, ON L5L 1X2

Phone +1.905.569.7977 Toll-Free +1.800.668.4234 Fax +1.905.569.7021

sales.canada@sartorius.com