

# MECHANICAL

Scale Parts

# 11



*An ammo box  
used for shipping  
parts in 1946.*

**RICE LAKE®**  
WEIGHING SYSTEMS

[www.ricelake.com](http://www.ricelake.com)



# **Signed Sealed Delivered... It's yours!**

**On average, regardless of carrier, 2% of all freight is damaged in transit. Don't let the delivery person slip away. And don't get left holding the bag.**

Rice Lake merchandise is packaged carefully to arrive at your location on time, intact and in perfect working order. We don't ship damaged goods, and we work with many of the most reputable national carriers. But know this—anytime a package is sent, as many as 2 out of 100 will be mishandled. To be sure your business doesn't take the hit for someone else's mistake—INSPECT before you sign.

Whether or not the product itself has been damaged, remember—your signature accepts the delivery as is, releasing the carrier and supplier of all liability, unless you take action:

- Make note of any damage to the packaging, no matter how slight, including re-packaging, water damage, scratches to paint, etc. Take photos if possible to back up any necessary claims.
- Do not accept or sign for as “unchecked”—this is not an acceptable disclaimer.
- Where damage to contents is obvious, take photos and refuse the shipment.

Notify your supplier immediately with the claim number provided by the driver. Noting the condition of your delivery upon receipt is the only recourse when making a damage claim. Follow these steps and you'll get replacement merchandise faster, keep costs down and ensure the carrier is held responsible for their mistakes; not you, and not your supplier.

**RICE LAKE®**  
WEIGHING SYSTEMS

800-472-6703  
[www.ricelake.com](http://www.ricelake.com)

# Table Of Contents

---

## MECHANICAL SCALE PARTS REPLACEMENT PARTS & KITS

### **Mettler-Toledo®**

|                             |       |
|-----------------------------|-------|
| Price Index .....           | 14-15 |
| Cross Reference.....        | 16-17 |
| Individual Scale Parts..... | 18-46 |
| Kit Price Index .....       | 47    |
| Kits.....                   | 48-61 |

### **Fairbanks®**

|                                       |         |
|---------------------------------------|---------|
| Price Index .....                     | 64-66   |
| Cross Reference.....                  | 67-71   |
| Individual Scale Parts.....           | 72-126  |
| Kit Price Index/Cross Reference ..... | 128-129 |
| Kits.....                             | 130-167 |

### **Howe**

|                                       |         |
|---------------------------------------|---------|
| Price Index .....                     | 170-171 |
| Cross Reference.....                  | 172-173 |
| Individual Scale Parts.....           | 174-195 |
| Kit Price Index/Cross Reference ..... | 198     |
| Kits.....                             | 199-213 |

### **Cardinal®**

|                                       |         |
|---------------------------------------|---------|
| Price Index .....                     | 216     |
| Cross Reference.....                  | 217     |
| Individual Scale Parts.....           | 218-229 |
| Kit Price Index/Cross Reference ..... | 232     |
| Kits.....                             | 233-243 |

### **Thurman**

|                             |         |
|-----------------------------|---------|
| Price Index .....           | 246     |
| Cross Reference.....        | 247     |
| Individual Scale Parts..... | 248-254 |
| Kit Price Index .....       | 256     |
| Kits.....                   | 257-264 |

### **Hardy**

|                                       |         |
|---------------------------------------|---------|
| Price Index .....                     | 266     |
| Cross Reference.....                  | 267     |
| Individual Scale Parts.....           | 268-275 |
| Kit Price Index/Cross Reference ..... | 278     |
| Kits.....                             | 279-281 |

### **Miscellaneous**

|  |         |
|--|---------|
| Baker/Weld-Tec.....                            | 284-288 |
| Canadian Scale Co. Ltd.....                    | 289     |
| Cardinal SCA Load Cell .....                   | 290     |
| Durline/Derlein .....                          | 291-293 |
| Electronic Flexures.....                       | 294     |
| Fairbanks Rocker Column Load Cells .....       | 295     |
| Hardin .....                                   | 296     |
| Rex.....                                       | 297     |
| Rice Lake Weighing Systems Load Cell Cups..... | 298     |
| Southwestern .....                             | 299     |
| Tip Connection Bolts .....                     | 300     |
| Mettler-Toledo Digital Load Cells .....        | 301     |
| Unibridge.....                                 | 302     |
| Weightronix .....                              | 302     |
| Winslow.....                                   | 303-307 |

### **Rice Lake Weighing Systems**

|  |         |
|--|---------|
| Pipe Lever Scales .....                  | 310-317 |
| Chairs/Stands/Trunnions & Bearings ..... | 318     |
| Pipe Lever Stands .....                  | 320     |
| Girder Chairs .....                      | 321     |
| Hopper Scale Kits.....                   | 324-327 |

### **Rice Lake/Powell**

|                                     |         |
|-------------------------------------|---------|
| Individual Powell Scale Parts ..... | 330-332 |
| Portable & Pit Scales Kits .....    | 334-339 |

### **Technical support**

|                          |         |
|--------------------------|---------|
| Pivots and Bearings..... | 342-351 |
|--------------------------|---------|

# Shipping Information

| FREIGHT SERVICES OFFERED             | "SMALL PACK" | LTL | TRUCK LOAD |
|--------------------------------------|--------------|-----|------------|
| Nationwide Same Day Service          | Y* ***       | Y*  | N          |
| Same Day, Counter to Counter***      | Y            | N   | N          |
| Next Day (AM)                        | Y**          | Y** | Y**        |
| Next Day (END OF DAY)                | Y            | Y** | Y**        |
| 2 Day                                | Y            | Y   | Y          |
| 3 Day                                | Y            | Y   | Y          |
| Ground                               | Y            | Y   | Y          |
| Canada                               | Y            | Y   | Y          |
| Mexico                               | Y            | Y   | Y          |
| Express Freight (Air-over 150 lb)*** | Y            | Y   | N          |
| International (Sea)                  | Y            | Y   | Y          |
| International (Air)                  | Y            | Y   | N          |

\* Subject to cost/distance

\*\* Subject to distance

\*\*\* Subject to flight availability and proximity of nearest airport

## Same Day Services

These services do not carry the same service guarantees that standard delivery schedules do and are subject to availability

## Small Parcel Services

We ship with internationally recognized parcel carriers based on delivery time and services offered.

## Determining Dimensional Weight for Small Parcel Shipments for Air & Ground

When shipping via air services, carriers require that the shipping weight be determined by the greater of the actual weight of the boxed product or its dimensional shipping weight. The formula for calculating dimensional shipping weight is as follows:

L x W x H/166 for domestic air shipments and L x W x H/139 for international air shipments. Rice Lake Weighing Systems takes the added precaution of double boxing some of our electronic products and balances. This may result in dimensional weight charges by the carrier when shipping by air. Even with this added precaution, we suggest that you always ship high precision and fragile products via air service.

## Less Than Truck Load (LTL)

Full service LTL coverage for the continental United States, Puerto Rico, Canada and Mexico.

Note: A standard LTL delivery is considered to be one that ships from either a company or partner dock to arrival at a standard commercial address with disposition of the goods at the rear of the truck to enable off loading by material handling equipment provided by the consignee at either ground level or via loading dock. Allied to this, the freight in question should be palletized and secured in a way to facilitate the safe handling of the freight with no one dimension over seven feet, six inches.

Any LTL delivery falling outside of this criteria may well accrue accessorial charges levied by the carrier in line with their tariff rules. It is recommended that any potential accessorial cost are discussed at the time of order placement so that these costs can be billed appropriately at the time of shipment. If this is not the case, RLWS reserves the right to charge the customer retrospectively for any accessorial costs incurred during the delivery process.

Accessorial charges include, but are not limited to the following:

- Lift gate: \$100.00
- Call for appointment: \$40.00
- Guaranteed delivery: Day \$45.00, 10:30 a.m. (where available) \$100.00
- Inside delivery: \$100.00 **NOTE: To inside of first threshold crossed only**
- High cost delivery areas: Excessive length, government sites and mines, re-delivery, re-consignment, residential and restricted access shipments

## Full Truckload

Various truckload providers give us the ability to ship to the contiguous United States, Alaska, Canada and Mexico

## Forwarders (International Freight)

We can provide service through a forwarder of our choice, or select one of your preferred forwarders.

**Air freight:** All of our forwarders are internationally recognized brands

**Ocean freight:** All of our forwarders are internationally recognized brands

# Terms and Conditions

The terms “buyer,” “authorized reseller,” and “customer” as used herein, shall mean the party placing the purchase order with Rice Lake Weighing Systems. No contractual relationship between Rice Lake Weighing Systems and said party shall arise until such time as a purchase order has been accepted by Rice Lake Weighing Systems and such acceptance has been indicated on a written acknowledgment. Tenders which do not stipulate an acceptance period shall not be binding. Orders shall be subject to Rice Lake Weighing Systems’ standard terms and conditions as printed below, subject to correction for clerical errors.

These sales terms and conditions shall be binding if declared applicable in the tender or in the order acknowledgement. Any conditions stipulated by the buyer which are in contradiction to these sales terms and conditions shall only be valid if expressly acknowledged by Rice Lake Weighing Systems in writing.

## 1. Prices

(a) Rice Lake Weighing Systems (Rice Lake) prices are net 30 days Ex Works Rice Lake plant. Orders are subject to approval of our credit department with rights reserved to change or withdraw credit terms without notice and to terminate any orders when invoices for work done thereon have gone unpaid for 60 days.

(b) Prices do not include taxes of any kind by federal, state, municipality or other governmental authority, which Rice Lake may be required to collect or pay with respect to the sale or shipment of goods sold hereunder. Regardless of when any such taxes are determined or become payable, all taxes would be the responsibility of the customer and would be in addition to the prices quoted hereon.

(c) This quotation is made upon the basis of the cost of materials and labor as of the date of this quotation. A change in such costs shall give Rice Lake the right to alter prices to reflect such changes in cost.

## 2. Shipment, Title, Risk of Loss

(a) All shipments are Ex Works point of shipment. Title and risk of loss or damage passes to the customer upon presentation of the goods to the customer’s carrier at Rice Lake’s facility, except that title and risk of loss or damage as to customer’s partially manufactured parts and raw materials delivered to Rice Lake, and as to jigs, fixtures and tools specially ordered for the customer shall at all times remain with the customer.

(b) Rice Lake does not carry fire insurance upon jigs, fixtures and tooling built by Rice Lake for customers or supplied to Rice Lake by customers, nor does Rice Lake carry insurance upon raw materials supplied to Rice Lake by customers. Customers assume all risk of loss, damage or destruction of jigs, fixtures, tooling or raw materials belonging to the customer in Rice Lake custody caused by fire, water, gas, natural disasters, strikes, insurrection, riots or by acts of the civil or military authorities and whether or not such loss, damage or destruction was the result of our negligence or misconduct or that of our agents or employees. The customer agrees to indemnify and hold Rice Lake harmless from all direct and consequential costs and damages resulting from such loss.

(c) Except as hereinabove stated, we agree to maintain all jigs, fixtures and tooling built by Rice Lake in working condition for their normal life only, except that our liability in this respect shall not extend more than one year after the completion of the most recent production order.

## 3. Quantity, Materials and Tolerances

(a) Unless dimensions are limited by a specific tolerance, it is understood that the production variations as published by Rice Lake will be acceptable.

(b) Rice Lake will not be responsible for color, thickness variations, or flaws in sheets or parts from which fabrications are made, nor for other material variations beyond our control.

(c) Rice Lake assumes no responsibility for loss or damage occurring by reason of delay or inability to deliver caused by fires, strikes, accidents, embargoes, car shortages, delays of carriers, insurrection, riots, acts of the civil or military authorities, nor will we assume responsibility for any reason whatever for damages of any kind on account of failure to deliver at the time specified. The customer shall indemnify and hold Rice Lake harmless from all direct and consequential costs and damages resulting from such loss or delay.

(d) Unless otherwise specified, delivery of 10 percent more or less of completed parts than the quantity specified shall constitute fulfillment of this order and any excess not exceeding 10 percent shall be accepted and paid for by the customer.

(e) In the event any raw material specified for incorporation into the product covered by this proposal shall become unavailable, Rice Lake shall notify the customer and the customer may direct Rice Lake to substitute available material for that originally specified; it being understood and agreed that the customer shall assume any and all consequences resulting from such substitution.

## 4. Patents

If this quotation covers parts made specifically for the customer, the customer agrees to indemnify and hold Rice Lake harmless against any loss resulting from infringement of patents or trademarks, or from claims of such infringements and shall pay all legal and defense costs incurred by Rice Lake in the defense of such actions.

## 5. Software

Unless specifically otherwise stated, any and all software associated or part of any product sold, loaned on trial or demonstration to the customer is to be considered proprietary to Rice Lake. The customer agrees not to duplicate for distribution or to sell or distribute in any way without the prior written consent of Rice Lake.

## 6. Changes And Cancellation: Rejection, Claims

(a) Orders placed with Rice Lake are not subject to cancellation, change or reduction in amount or suspension of deliveries except with Rice Lake’s consent and upon terms that indemnify Rice Lake against loss. Unless confirmed in writing, all verbal agreements are void.

(b) Rice Lake will not be responsible for changes in design, deliveries or other instructions, unless they are furnished in writing. The customer agrees to pay for all tooling charges caused by changes in design or specifications. (c) Samples



# Terms and Conditions

submitted shall be deemed approved unless written rejection is received within two weeks of submission.

(d) Manufactured parts will be shipped and billed as they are produced.

(e) Claims for shortage or rejections for defects must be made within 10 days of receipt of goods. Credit will be rendered on such defective parts after we have had an opportunity to inspect them, provided they are returned to our factory, transportation charges prepaid, within 30 days, and provided they have not been altered or defaced in any way.

## 7. Tooling and Designing

(a) In consideration of the engineering service necessary in the designing of jigs, fixtures and tooling not being charged for, but being quoted on the basis of labor and material only, and not at their fair market value, such jigs, fixtures and tooling shall remain in our possession for at least one year. Thereafter, the customer desiring delivery of such jigs, fixtures and tooling shall pay an engineering charge of 50 percent of the original price of said jigs, fixtures and tooling and accept same as-is.

(b) When requested, we will submit suggestions concerning design and construction of parts, but we will not accept responsibility of liability for the practicability of these suggestions if adopted by the customer.

## 8. Delivery and Adjustment to Price

(a) If the customer requests that the goods be manufactured and shipped on a date (or dates) earlier than originally agreed to by Rice Lake and the customer, and Rice Lake agrees to the earlier date (or dates), any increase in the cost of performance incurred by Rice Lake resulting from earlier manufacture and shipment will be included in an adjustment of the purchase price to be made by Rice Lake and will be paid by the customer.

(b) Should shipments be held beyond scheduled date for convenience of the customer, goods will be billed and charges will be made for warehousing, trucking and other expenses incident to such delay. Reasonable and sufficient care is taken by Rice Lake in crating its goods. Rice Lake cannot be held responsible for breakage after having received "in-good-order" receipts from the transportation carrier. All claim for loss and damage must be made by the customer to the carrier, but we will assist insofar as practical in securing satisfactory adjustment of such claims.

## 9. Payment and Liens

(a) All invoices shall be due and payable when submitted for payment in accordance with the revisions of Rice Lake terms. No withholding of funds, back charges or credits against amounts otherwise due to Rice Lake will be permitted unless specifically agreed to in writing by Rice Lake. Settlement of any amounts due to the customer will be negotiated as separate items and not as offsets against amounts otherwise due to Rice Lake from the customer for products sold hereunder.

(b) Any unpaid account for work done shall constitute a lien on any jigs, fixtures, manufactured parts and raw materials in Rice Lake possession. In the event any account remains open and unpaid for 90 days, Rice Lake reserves the right to use the customer's jigs and fixtures to make parts therefrom, and to sell or dispose of manufactured parts and raw materials.

(c) The customer shall not assign or transfer any rights or obligations arising from this proposal, or monies payable thereunder, without the prior written consent of Rice Lake, and any such assignment or transfer made without such written consent shall be deemed null and void.

## 10. Additional Provisions

(a) Errors—stenographic and clerical errors are subject to correction.

(b) These terms and conditions constitute the entire contract between the customer and Rice Lake, transcending any oral arrangements or representations which may be inconsistent therewith.

(c) This quotation is made under and shall be governed by the laws of the state of Wisconsin.

## 11. Resale of Rice Lake Weighing Systems Products

In order to ensure compliance with the U.S. Export Administration Regulations we ask you to comply with the following:

(a) The customer shall not export or re-export Rice Lake Weighing Systems products, either directly or indirectly, in contravention of any applicable law, statute or regulation and will first obtain any required licenses or authorizations from the relevant government authority when necessary as prescribed by law.

(b) The customer confirms that it is familiar with and complies with the relevant national and international export control regulations and embargo regulations. The customer furthermore confirms that it is in particular familiar with and complies with the U.S. Department of Commerce, Export Administration Regulations; U.S. Department of Treasury, OFAC Sanctions; the U.S. Department of Defense, ITAR requirements and the U.S. Department of State regulations.

(c) If deemed necessary, Rice Lake Weighing Systems, in individual cases may make further requests from the customer for information required for export compliance.

(d) Should it be necessary for the customer to obtain an export license from the appropriate authorities pursuant to the aforementioned regulations, the customer shall apply for such a license autonomously and at their own expense.

**The foregoing warranties are exclusive and in lieu of all other express and implied warranties whatsoever, including but not limited to implied warranties of merchantability and fitness for a particular purpose. Rice Lake shall not be subject to any other obligations or liabilities whatsoever with respect to parts manufactured or supplied by Rice Lake or services rendered by it.**

**Anything herein to the contrary notwithstanding, Rice Lake shall not be liable for incidental and consequential damages, and in substitution for all remedies which the customer may have under any applicable law. The customer's sole and exclusive remedy against Rice Lake for any breach of warranty or any other breach relating to goods delivered pursuant hereto shall be for repair or replacement (at Rice Lake's option) of the goods or parts effected by such breach.**

# Warranty and Limitation of Liability

## Warranties

### Standard Product Limited Warranty

Rice Lake Weighing Systems (Rice Lake) warrants that all Rice Lake brand equipment and systems properly installed by an authorized reseller or original equipment manufacturer (OEM) will operate per written specifications as confirmed by the authorized reseller/OEM and accepted by Rice Lake. All systems and components are warranted against defects in materials and workmanship for one (1) year from the date of shipment from Rice Lake, unless otherwise stated in the product catalog or manual.

Rice Lake warrants that the equipment sold hereunder will conform to the current written specifications authorized by Rice Lake. Rice Lake warrants the equipment against faulty workmanship and defective materials. If any equipment fails to conform to these warranties, **Rice Lake will, at its option, repair or replace such goods returned within the warranty period subject to the following conditions:**

- Upon discovery by the customer of such nonconformity, Rice Lake will be given prompt written notice with a detailed explanation of the alleged deficiencies.
- Individual electronic components returned to Rice Lake for warranty purposes must be packaged to prevent electrostatic discharge (ESD) damage in shipment. Packaging requirements are listed in the publication, "Protecting Your Components from Static Damage in Shipment," available from the Rice Lake equipment return department.
- Examination of such equipment by Rice Lake confirms that the non-conformity actually exists, and was not caused by accident, misuse, neglect, alteration, improper installation, improper repair or improper testing. Rice Lake shall be the sole judge of all alleged nonconformities.
- Such equipment has not been modified, altered or changed by any person other than Rice Lake or its duly authorized repair agents.
- Rice Lake will have a reasonable time to repair or replace the defective equipment. The customer is responsible for shipping the product to Rice Lake. Rice Lake is responsible for shipping the product back to the customer.
- In no event will Rice Lake be responsible for travel time or on-location repairs, including assembly or disassembly of equipment. Nor will Rice Lake be liable for the cost of any repairs made by others.
- On all intrinsically safe equipment, any field repair or modifications voids any and all warranties expressed or implied and void F.M. approval.
- Any loose hardware, screws, washers or non-ESD bags of hardware stored inside indicator will void warranty. This could cause harm to repair technician or damage the CPU board.
- If just the board is sent in for repair, the serial number of the product the board is from should accompany the board.

**These warranties exclude all other warranties, expressed or implied, including without limitation warranties of merchantability or fitness for a particular purpose. Neither Rice Lake nor the authorized reseller will, in any event, be liable for incidental or consequential damages at the point of use.**

**Rice Lake and the customer agree that Rice Lake's sole and**

**exclusive liability hereunder is limited to repair or replacement of such goods. In accepting this warranty, the customer waives any and all other claims to warranty.**

**Should the seller be other than Rice Lake, the customer agrees to look only to the seller for warranty claims.**

No terms, conditions, understanding or agreements purporting to modify the terms of this warranty shall have any legal effect unless made in writing and signed by a corporate officer of Rice Lake and the customer.

### Custom Software Limited Warranty

Rice Lake Weighing Systems (Rice Lake) warrants that (a) the software will perform in accordance with the specification and accompanying written endorsement by the customer for a period of 90 days from the date of receipt; (b) any hardware accompanying the software will be free from defects in materials and workmanship under normal use and service for a period of one (1) year from the date of shipment from Rice Lake; and (c) the customer should perform inspection and testing of software products prior to installation.

This limited warranty is void if failure of the software or hardware has resulted from accident, abuse, misapplication or incorrect customer specification. Any replacement software will be warranted for the remainder of the original warranty period or 30 days, whichever is longer.

If the software fails to conform to these warranties, Rice Lake will, at its option, repair or replace such goods returned within the warranty period subject to the following conditions:

- Upon discovery by the customer of such nonconformity, Rice Lake will be given prompt written notice with a detailed explanation of the alleged deficiencies.
- Examination of software by Rice Lake confirms that the nonconformity exists, and was not caused by accident, misuse, neglect, alteration, improper installation, improper repair, improper testing or incorrect customer specification. Rice Lake shall be the sole judge of all alleged nonconformities.
- Rice Lake will have a reasonable time to repair or replace the software. The customer is responsible for shipping charges both ways.
- In no event will Rice Lake be responsible for travel time or on-location repairs, including assembly or disassembly of equipment. Nor will Rice Lake be liable for the cost of any repairs made by others.

**These warranties exclude all other warranties, expressed or implied, including without limitation warranties of merchantability or fitness for a particular purpose. Neither Rice Lake nor the authorized reseller will, in any event, be liable for incidental or consequential damages at the point of use.**

**Rice Lake and customer agree that Rice Lake's sole and exclusive liability hereunder is limited to repair or replacement of such goods. In accepting this warranty, the customer waives any and all other claims to warranty.**

**Should the seller be other than Rice Lake, the customer agrees to look only to the seller for warranty claims.**

No terms, conditions, understanding or agreements purporting to modify the terms of this warranty shall have any legal effect unless made in writing and signed by a corporate officer of Rice Lake and the customer.

# Warranty and Limitation of Liability

## Return Policies

Our commitment to our Customers states that if any standard product purchased from Rice Lake does not work, or if the incorrect product is shipped, **return it in its original shipping carton with all accessories in “like new” condition** for full credit or replacement within 30 days of purchase. **Electronic components returned to Rice Lake must be properly packaged to prevent electrostatic discharge (ESD) damage in shipment.** Packaging requirements are listed in the publication, “Protecting Your Components from Static Damage in Shipment,” available online or from our returns department. This policy and the 30-day limit also apply to any products drop-shipped directly from the manufacturer.

Please note that if an incorrect quantity of product was shipped, Rice Lake must be contacted within 10 days of the purchase. Upon notification, we will immediately correct the situation.

**A restocking charge will apply if equipment is not in like-new condition.** The restocking charge is directly proportional to the amount of time and material required to return the item to resalable condition—we will make every effort to do this quickly and economically. Equipment that has been abused and/or shows signs of excessive wear and cannot be reconditioned and resold will not be accepted for return or credit after excessive wear or modification.

### As Applied to Drop Shipments

All Rice Lake return guidelines apply to products drop-shipped directly from the manufacturer. If a perceived error occurs, Rice Lake will investigate to the best of our ability to determine if the error occurred prior to shipping, during shipping, or at the end user site. If our records and subsequent investigation indicate that the shipment was correct when it left our factory, our responsibility extends only to the authorized reseller, not their end user. Our standard product warranty notes that our coverage extends only to equipment and systems **properly installed by an authorized reseller.**

### Obtaining an RMA

A return authorization number (RMA) is required for all materials being returned to Rice Lake for credit. Flat rate repairs require purchase orders at time of RMA issuance.

When returning equipment for repair or warranty reimbursement consideration, these simple steps will help to expedite your request:

1. Call our returns department.
2. Please have your customer number and both the item description and problem for a repair.
3. Please have the original sales order or invoice number for items to be returned for credit or warranty. NOTE: See return policy
4. An RMA number will be given for eligible returns. This RMA number may also be faxed or emailed per your request.

## Return Shipments Outside the United States for Repair, Warranty, Calibration or Other Services and Re-export.

### For shipment to the U.S.:

1. The commercial invoice must include the following statement:
  - a. “These goods are being returned for maintenance under”
    - i. Goods Made in the USA -- “HTS 9801.00.1012”
    - ii. Goods NOT made in the USA -- “HTS 9801.00.2500”
2. The commercial invoice must list items individually and include the fair market value of the item based on its present condition for customs purposes only.
3. Please reference original Rice Lake commercial invoice number and date item was purchased if applicable.
4. Please note that failure to follow these procedures may cause delay and will certainly incur extra charges that will NOT be absorbed by Rice Lake.

## Return Shipments Outside the United States Other Than for Repair, or Service Work Not Being Returned.

### For shipment to the U.S.:

1. The commercial invoice must include the following statement:
  - i. Goods Made in the USA -- “HTS 9801.00.1045”
  - ii. Goods NOT made in the USA -- “HTS 9801.00.2500”
2. The commercial invoice must list items individually and include the fair market value of the item based on its present condition for customs purposes only.
3. Please reference original RLWS commercial invoice number and date item was purchased if applicable.
4. Please note that failure to follow these procedures may cause delay and possible reduction in your refund.
5. Please be advised that you may qualify for a refund of your duties and should contact your local customs authority for instructions and forms.

## Special Order, Modified, Non-Catalog, or Non-Stock Items

Due to the added resources and difficulty in reselling special or non-standard products, returns or credit are not allowed for special order equipment, special software programs, equipment physically modified or altered in the field, discrete electronic components, relays, manuals or opened software packages.

## Test Weights

All weights returned for credit will be assessed a restocking charge because of the required inspection and verification. Credit is not allowed for serialized weights, calibration or traceable services performed on weights.

## Balances

Balances returned for credit within 30 days of purchase may be subject to a restocking fee if assessed by balance manufacturer.



# Warranty and Limitation of Liability

## Carrier Product Damage

As part of our commitment to customer satisfaction and in accordance with ISO 9001 standards, we make every attempt to pack our products so they will arrive in new condition.

Occasionally due to rough handling or carelessness, product may arrive in a damaged condition. When this happens, don't assume that the shipment left Rice Lake in that condition or that the original packing was not sufficient.

The receiver, whether it is the authorized reseller or their customer, is responsible for making a notation of damaged or missing items when signing the carrier's delivery receipt. If you or your customer are not sure whether there is damage, we suggest adding a statement "CONDITION UNKNOWN" to the delivery receipt. In the event that damage or missing items are not properly documented at time of receipt, the carrier is relieved of responsibility and the receiver is then responsible for the cost to get the product back to new condition.

After the damage or shortage has been properly noted with the carrier, contact Rice Lake immediately and keep all the original packaging material for inspection by the carrier's representative. It is also helpful in the claim process to take pictures of the condition of the packaging and damage.

When drop-shipping items to your customers, it is imperative that you advise them of their responsibility in accepting shipments from common carriers. Even if the equipment is not expected to be installed or used for a period of time, the shipment must be inspected at time of receipt in order to preserve their rights for making a claim.

## How to Prepare a Balance for Shipment

The best and most effective method for shipping a balance at any time and for any reason is to use the original manufacturer's packaging materials and subsequently double box it as described below. Teach your Customers to retain the packing set. Please remember that due to the nature of the equipment, new packaging materials can be very expensive.

In the event that the original manufacturer's packaging materials are not available, follow these instructions for top loading balances.

1. Remove the weighing platform cover, support buttons, weighing platform, floor plate and other devices installed in the weighing chamber. Pack these pieces individually in bubble wrap and tape the wrapping closed. Follow this same procedure for AC adapters and power cords. Please note that AC adapters and power cords are necessary to adequately evaluate the problem.
2. Examine the device (refer to the operating instructions) and if necessary, re-install or tighten any shipping screws/retaining devices to prevent damage to the weighing mechanism during shipment.
3. If the floor plate is not removable, ensure it is securely in place and cannot come loose during shipment, even if the balance is inverted. Do NOT invert the balance to test the security of the floor plate.
4. Clean the device of any loose debris or potential contaminants to our testing facility.

5. Prepare and sign a Statement of Decontamination (form #0679). This form MUST be included in a separate packing list envelope on the outside of the box with the "Statement of Decontamination" statement clearly visible.
6. Using Scotch tape or "speed" tape, tape all the glass doors on the device CLOSED. Be sure the tape is securely affixed and will not come off during shipment. Please note that on some devices, the glass breeze break around the weighing chamber can actually be disassembled and packed separate prior to shipment. Refer to the manufacturer's operating instructions. If this is a feature of the device being return, disassemble the breeze break and pack it in its own packing material and box.
7. Use a large box that will provide a minimum of three inches of space around the device for loose-fill packing material.
8. Place a padding of foam or Styrofoam™ (at least one-inch thick) at the bottom of the box.
9. Place the balance in a large plastic bag and seal the bag closed.
10. Please put the device on top of the foam padding or Styrofoam from step 8 above.
11. Ensure that there is at least three inches of clearance between the top of the balance and the top of the box.
12. Using generous amounts of anti-static, loose-fill packing material, fill all the spaces around the balance. Shake the box to cause the material to settle and add additional loose fill as necessary.
13. Place the small box containing all the items from step 1 above on top of the loose fill covering the balance. Add additional loose fill to completely cover all items within the box.
14. Double pack this box in another box that will again provide an additional two inches of space around the inner box. Fill all existing space between the inner and outer box with copious amounts of anti-static loose fill packing material.
15. Seal the box and include all the necessary documentation on the outside of the box. Don't forget the decontamination form (form #0679) from step 5 above.

## Repair Service Policies

Our service department is staffed Monday through Friday from 6:30 a.m. to 6:30 p.m., and Saturday from 8:00 a.m. to noon, Central time. For those utilizing the conveniences of the Internet, we have an e-mail address dedicated to technical support. Please contact Rice Lake at [service@ricelake.com](mailto:service@ricelake.com) for answers to your technical questions and the status of repair products during normal business hours.

## Standard Repair Service Policy and Rates

We provide quality and timely repairs for the products we sell. Flat rate repair is offered for selected models of indicators, printers and remote displays. Prior to returning a product for repair, our returns department will work with you to determine some key factors that will help Rice Lake better serve you. Please provide the following via phone to extensions 5348 or an RMA form.

# Warranty and Limitation of Liability

- Customer Number: Without a customer number we cannot issue an RMA number.
- Ship-to Address: Your customer number will bring up the bill-to address. You must inform Rice Lake of the ship-to address if it's different than the bill-to address.
- **Original sales and invoice orders: Required on warranty claims.**
- Freight Type: Unless stated otherwise, we ship the device back to you utilizing the same freight type in which we received it. If Rice Lake is responsible for freight charges, the carrier will be selected at the sole discretion of Rice Lake.
- **Definition of Product and Problem: Please provide as much detail as possible regarding the type of product, application and problem.**
- Purchase Order Number for Flat Rate Repair: Once we receive the equipment and the RMA, equipment for flat rate repair will be processed immediately. Other equipment will be evaluated and a minimum \$45.00 evaluation charge will apply.

You may be asked about the possibility of a new replacement product. It may be in your customer's best interest to explore the option of purchasing a new product if the repair will exceed 50 percent of authorized reseller net price, since new products carry full-warranty benefits.

Please note that our hourly service rate on all current Rice Lake products is \$125.00/hour. There is a 120-day limited warranty on parts and workmanship performed and noted under the scope of the specific repair.

## Balance Repair Policy and Rates

We offer repair support on the following balance models:

- All Rice Lake brand models

Once we receive the equipment and the RMA form, an estimate will be prepared.

A minimum charge of one hour will apply.

Please note that the hourly service rate on all balances is \$125.00/hour. All balance repairs are covered by a 90-day limited warranty on parts and workmanship performed and noted under the scope of the specific repair. Balances must be packaged to adequately protect them from damage in transit. Please refer to "How to Prepare a Balance for Shipment" available on our website and from our returns department.

## Test Weights

No returns will be accepted for items that are specifically modified for the customer's requirements. Examples of such modifications may include, but not necessarily limited to:

1. Weights that have been specifically built to the customer's specifications.
2. Standard product specifically modified to the customer's specifications.
3. Standard product engraved with serial numbers at the customer's request.
4. Laboratory procedure charges.
5. Laboratory documentation fees.

## Load Cell Evaluation Policy, Repairs and Rates

We support, service, repair and perform warranty evaluations on all Rice Lake brand load cells. We also provide repair evaluation for other manufacturers' load cells through each manufacturer's established service policies.

## Power Conditioning Policy

Rice Lake Weighing Systems recommends the installation of AC and/or DC transient protection which has proven to be effective in significantly reducing both the frequency and degree of damage caused by AC and/or DC transient voltage occurrences. Rice Lake Weighing Systems does not warrant or guarantee any transient protection device against damage or repair sold by it or any of its representatives or authorized resellers. Rice Lake Weighing Systems does not warrant or guarantee any scale-related or other electrical/electronic device against damage or repair which is intended to be protected by any transient protection device sold by it or any of its representatives or authorized resellers. Any damage or repair expense resulting from a transient strike or occurrence including the transient device itself, as well as the components intended to be protected, will not be at the expense of Rice Lake Weighing Systems. No other warranty or guarantees—express or implied—contrary to this written policy are supported or acknowledged by Rice Lake Weighing Systems.

## Field Service Rate Policy

For field service, we provide the services of highly-trained professionals for the following rate: \$1,080.00 list per work day (not to exceed eight work hours). Additional daily hours are prorated at \$200.00/hour.

An additional 50 percent charge is added for services performed on Saturday and Sunday. The authorized reseller is responsible for travel expenses between Rice Lake, Wis. and the job location, regardless of the mode of transportation. Meals, lodging and shipment of special equipment to and from the on-site location are billed to you at cost.

# Warranty and Limitation of Liability

## Exchange Board Policy

### Exchange Procedures

Simply call Rice Lake Weighing Systems' service department and specify the exchange circuit board you require. If and exchange board is available, we issue a return authorization number for your return and immediately ship you a reconditioned circuit board.

Upon receipt of your returned product, an inspection is made to ensure that it can be rebuilt or repaired. If it meets the inspection/analysis criteria for our exchange program, a credit is immediately applied to your account. Credit is not issued on any returned product that, upon inspection and analysis by our service department, is determined to be unrepairable or obsolete. Circuit boards that have been physically altered or modified are not eligible for exchange. If your return does not qualify under these guidelines, you are contacted and disposition of your return is mutually agreed upon.

Discontinued products' exchange boards may have limited availability.

### Warranty

We offer a 120-day limited warranty on exchange circuit boards. The replacement board exchange list price is 80% of the new board list price. All level 1, 2, 3 and 4 authorized resellers receive a 25% discount off of the board exchange list price.

**Note: An \$85.00 exchange board credit is given when a usable board is returned.**

### Circuit Board Inspection/Analysis

All incoming boards are subject to an inspection to determine if they are eligible for our exchange program. A returned board is considered eligible for the exchange board program provided it:

- has all its traces intact.
- does not contain corrosion, burn marks or lightning damage.
- has not been field-repaired using incorrect soldering or service techniques.
- has not been painted or coated with a foreign substance.
- Sense traces are cut. If so, no core credit.

Upon passing inspection, a credit for your returned board is immediately applied to your account.

### REPAIR BOARD EXCHANGE EXAMPLE:

#### IQ plus® 355

|   |          |
|---|----------|
| Exchange Board List .....                   | \$360.00 |
| LESS 25% Authorized Reseller Discount ..... | \$270.00 |
| Exchange Board Credit.....                  | \$85.00  |
| Final Net Price .....                       | \$185.00 |

### COMPARE AND SAVE:

#### IQ plus® 355

|                        |          |
|------------------------|----------|
| New Board List.....    | \$445.00 |
| LESS Max Discount..... | \$289.25 |
| You Save .....         | \$107.25 |

### EXCHANGE CIRCUIT BOARDS

| Part #                  | Model                                       | Board Type     | Exchange List Price | Authorized Reseller Net | FINAL NET Price* |
|-------------------------|---|----------------|---------------------|-------------------------|------------------|
| <b>Indicators*</b>      |   |                |                     |                         |                  |
| 99346                   | 120 reconditioned, internal connector.....  | CPU .....      | \$210.00.....       | \$150.00.....           | \$110.00**       |
| 68442                   | IQ plus® 355 reconditioned .....            | DISP/CPU ..... | \$378.00.....       | \$270.00.....           | \$185.00         |
| 68439                   | IQ plus® 390 reconditioned .....            | DISP/CPU ..... | \$420.00.....       | \$300.00.....           | \$215.00         |
| 85930                   | 420 reconditioned.....                      | CPU .....      | \$420.00.....       | \$300.00.....           | \$225.00         |
| 94559                   | 420 HE reconditioned .....                  | CPU .....      | \$441.00.....       | \$315.00.....           | \$230.00         |
| 83132                   | 520 reconditioned .....                     | CPU .....      | \$504.00.....       | \$357.00.....           | \$272.00         |
| 88810                   | IQ plus® 590 reconditioned .....            | CPU .....      | \$400.00.....       | \$300.00.....           | \$215.00         |
| 19278                   | UMC 600/IQ 700 reconditioned, RFI.....      | CPU .....      | \$641.00.....       | \$458.00.....           | \$372.00         |
| 105923                  | 720i™ reconditioned .....                   | CPU .....      | \$662.00.....       | \$473.00.....           | \$388.00         |
| 101399                  | 820i dual chn. reconditioned .....          | CPU .....      | \$840.00.....       | \$600.00.....           | \$515.00         |
| 97267                   | 820i® signal chn. reconditioned .....       | CPU .....      | \$756.00.....       | \$540.00.....           | \$455.00         |
| 83133                   | 920i® reconditioned (Rev L and above) ..... | CPU .....      | \$693.00.....       | \$525.00.....           | \$440.00         |
| 100345                  | 320IS CPU board reconditioned .....         | CPU .....      | \$400.00.....       | \$300.00.....           | \$215.00         |
| <b>Remote Displays*</b> |   |                |                     |                         |                  |
| 85932                   | LaserLight® reconditioned.....              | CPU .....      | \$331.00.....       | \$237.00.....           | \$152.00         |

\* After the \$85.00 exchange board credit has been issued to your account. Board exchange list prices are subject to change without notice based on 80% ratio to new board pricing.

\*\*The 80% exchange list price or the \$85.00 exchange credit may not apply to these boards





# USING YOUR MECHANICAL SCALE PARTS CATALOG

The *Rice Lake Weighing Systems Mechanical Scale Parts* catalog contains the most comprehensive selection of replacement parts and kits available. All parts are newly manufactured by Rice Lake Weighing Systems and consist of high-grade tool steel. Our stringent quality assurance program ensures conformance to exacting tolerances. If you need a part not listed, call us with the main lever casting number. We may have it available as a used or reconditioned part via our nationwide replacement parts network.

The catalog format is designed to enable you to quickly reference a wide range of mechanical scale parts information. Replacement parts and kits are grouped by manufacturer and color coded for easy access.

## REPLACEMENT PARTS

### PRICE INDEX

If you already know your Rice Lake Weighing Systems part number, refer to the parts price index to quickly find the page number(s) where the part can be located and the suggested list price.

### CROSS REFERENCE

If you know the scale manufacturer's original part number, this section cross-references it to the Rice Lake Weighing Systems part number and the page number(s) where the part can be located.

### INDIVIDUAL SCALE PARTS

The individual scale parts section provides information that will verify if the part meets required specifications. Each part is presented with the original scale manufacturer's part number (if available), part size, a brief description, the suggested list price and, in most cases, drawings. Several models of Mettler-Toledo® and Fairbanks® scales are presented with an illustrated parts breakdown to aid in the identification of parts.

## KITS

Kits provide everything needed to rebuild the scale suspension and/or pivots and bearings, returning them to their original operating performance.

### PRICE INDEX

If you know your Rice Lake Weighing Systems kit part number, refer to the kit price index to quickly find the price and the page number(s) where it can be located. A kit selection is offered for each scale manufacturer listed, with the exception of Exact Weight.

### CROSS REFERENCE

Original Fairbanks and Howe kit numbers are cross-referenced to the Rice Lake Weighing Systems part number and the page number(s). Cardinal® and Hardy® kits are referenced by capacity to the Rice Lake Weighing Systems part number and page number(s).

### INDIVIDUAL KITS

Refer to the individual kits section for a comprehensive selection of scale kits. Each kit listed is referenced to the scale type, model(s) and size(s). For motor truck scales, kit numbers and part breakouts are given at the top of the page. Suspension kits follow the pivot and bearing kits for the same scale model(s).

## QUICK PARTS ORDERING


When ordering parts or kits, the following guidelines will help to ensure you receive the correct replacement parts.

- Identify the manufacturer, size, capacity and number of sections in your scale. One pair of main levers constitutes a section, as illustrated below.
- Know the scale's main lever casting number. Main levers are the main load bearing levers in the scale, located directly under the I-beams. Casting numbers will be found cast into the lever, or in the case of steel levers, stamped in or stenciled on. A wire brush may be necessary to help identify the number. Point **A** below identifies typical casting number locations. If you are having difficulty finding the casting number, check all of the main levers.

- If you can't find a casting number from any main lever, use the casting number from one of the suspension parts, such as the saddle or trunnion block. Measure the distance between the pivots and identify the type of pivots. Point **B** below identifies the location of suspension parts.

Note: Although main lever casting numbers are not indexed or cross referenced in our catalog, they are shown at the top of Individual Scale Parts pages.

- Be careful not to use the transverse lever casting number, as many different transverse levers can be used with the same main levers. Transverse lever casting numbers are not illustrated in this catalog.
- Be careful not to give the lever multiples such as M=6 or X=6. Many different types of levers have the same multiple.



# METTLER-TOLEDO

METTLER-TOLEDO®

# Mettler-Toledo Price Index By Rice Lake Weighing Systems PN

METTLER-TOLEDO®

| RL PN  | SUGGESTED LIST | PAGE # | RL PN  | SUGGESTED LIST | PAGE # | RL PN | SUGGESTED LIST           | PAGE # |
|--------|----------------|--------|--------|----------------|--------|-------|--------------------------|--------|
| 10797  | \$49.00        | 34     | 108684 | \$52.00        | 35     | T126  | \$52.00                  | 22     |
| 11417  | \$42.00        | 20     | 108895 | \$118.00       | 38     | T127  | \$58.00                  | 22     |
| 11419  | \$48.00        | 20     | 108927 | \$244.00       | 35     | T128  | \$56.00                  | 22, 31 |
| 11421  | \$73.00        | 20     | 108928 | \$244.00       | 35     | T129  | \$59.00                  | 22, 31 |
| 11423  | \$73.00        | 20     | 109234 | \$248.00       | 35     | T130  | \$62.00                  | 22, 31 |
| 15263  | \$1.10         | 31     | 109270 | \$234.00       | 38     | T131  | \$60.00                  | 22     |
| 15276  | \$8.00         | 23     | 109695 | \$5.00         | 38     | T132P | \$52.00                  | 30     |
| 22251  | \$22.00        | 37     | 109323 | \$64.00        | 38     | T133P | \$47.00                  | 30     |
| 22252  | \$180.00       | 37     | 130407 | \$99.00        | 38     | T134P | \$72.00                  | 30     |
| 22268  | \$603.00       | 37     | 130408 | \$93.00        | 38     | T135P | \$46.00                  | 26     |
| 22269  | \$129.00       | 37     | 131376 | \$134.00       | 38     | T136L | \$36.00                  | 24     |
| 22271  | \$118.00       | 37     | 156254 | \$195.00       | 35     | T137C | Reference RL Part #11423 |        |
| 22272  | \$314.00       | 37     | 156255 | \$195.00       | 34     | T139  | \$71.00                  | 21     |
| 22273  | \$327.00       | 37     | H655P  | \$53.00        | 30     | T141  | \$22.00                  | 24     |
| 22274  | \$157.00       | 37     | H624   | \$70.00        | 31     | T142L | \$37.00                  | 24     |
| 22276  | \$858.00       | 37     | H691   | \$58.00        | 31     | T146P | \$82.00                  | 27     |
| 22277  | \$1,226.00     | 37     | P701   | \$82.00        | 31     | T150P | \$60.00                  | 26     |
| 30302  | \$529.00       | 37     | P702   | \$79.00        | 31     | T151P | \$44.00                  | 26     |
| 33915  | \$1,288.00     | 37     | P705   | \$193.00       | 34     | T153P | \$67.00                  | 28     |
| 69784  | \$126.00       | 34     | P707   | \$165.00       | 34     | T154  | \$208.00                 | 32     |
| 71043  | \$143.00       | 34     | P716P  | \$56.00        | 30     | T155  | \$221.00                 | 32     |
| 71602  | \$201.00       | 34     | T101   | \$42.00        | 21     | T156  | \$221.00                 | 32     |
| 99155  | \$372.00       | 25     | T104   | \$55.00        | 21     | T161P | \$63.00                  | 26     |
| 100268 | \$395.00       | 35     | T106   | \$51.00        | 21     | T162  | \$79.00                  | 21     |
| 100269 | \$435.00       | 35     | T109   | \$47.00        | 21     | T165P | \$46.00                  | 30     |
| 100270 | \$450.00       | 35     | T113   | \$42.00        | 21     | T166P | \$67.00                  | 29     |
| 101102 | \$415.00       | 35     | T116   | \$37.00        | 21     | T167P | \$136.00                 | 29     |
| 101169 | \$173.00       | 37     | T117   | \$29.00        | 19     | T168P | \$60.00                  | 28     |
| 101563 | \$205.00       | 34     | T122P  | \$36.00        | 26     | T169P | \$70.00                  | 28     |
| 104164 | \$395.00       | 35     | T123P  | \$46.00        | 26     | T170P | \$208.00                 | 29     |
| 108202 | \$1.00         | 38     | T124P  | \$46.00        | 26     |       |                          |        |
| 108612 | \$88.00        | 38     | T125   | \$49.00        | 22     |       |                          |        |
| 108662 | \$10.00        | 35     |        |                |        |       |                          |        |
| 108663 | \$18.00        | 35     |        |                |        |       |                          |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Mettler-Toledo Price Index By Rice Lake Weighing Systems PN

| RL PN | SUGGESTED LIST | PAGE # | RL PN | SUGGESTED LIST | PAGE # | RL PN | SUGGESTED LIST | PAGE # |
|-------|----------------|--------|-------|----------------|--------|-------|----------------|--------|
| T176P | \$62.00        | 29     | T213L | \$160.00       | 33     | T259  | \$13.00        | 19     |
| T177P | \$71.00        | 29     | T215L | \$55.00        | 24     | T260P | \$56.00        | 19     |
| T178P | \$73.00        | 29     | T217  | \$28.00        | 24     | T261  | \$33.00        | 19     |
| T179P | \$80.00        | 29     | T220L | \$60.00        | 24     | T524  | \$19.00        | 19     |
| T180P | \$105.00       | 29     | T221  | \$33.00        | 24     | T529  | \$136.00       | 32     |
| T181P | \$63.00        | 29     | T222  | \$67.00        | 25     | T530  | \$98.00        | 32     |
| T182P | \$177.00       | 29     | T229  | \$34.00        | 28     | T531  | \$105.00       | 32     |
| T184P | \$124.00       | 29     | T230  | \$34.00        | 28     | T533P | \$36.00        | XX     |
| T188P | \$53.00        | 26     | T231P | \$68.00        | 30     | T538  | \$18.00        | XX     |
| T190P | \$79.00        | 28     | T232P | \$70.00        | 30     | T547  | \$134.00       | 32     |
| T194P | \$106.00       | 29     | T235  | \$12.00        | XX     | T548  | \$98.00        | 32     |
| T197P | \$73.00        | 27     | T239P | \$56.00        | 19     | T553  | \$317.00       | 22     |
| T200  | \$29.00        | 28     | T241P | \$103.00       | 28     | T554  | \$233.00       | XX     |
| T202P | \$130.00       | 29     | T245  | \$67.00        | 24     | T555  | \$115.00       | 22     |
| T203P | \$62.00        | XX     | T246  | \$64.00        | 25     | T556  | \$115.00       | 22     |
| T204  | \$29.00        | 28     | T254P | \$24.00        | 19     | T558P | \$89.00        | 30     |
| T207  | \$317.00       | 33     | T255  | \$19.00        | 19     | T562P | \$63.00        | 30     |
| T208  | \$330.00       | 33     | T256  | \$37.00        | 19     | T572  | \$52.00        | 22     |
| T209  | \$324.00       | 33     | T257  | \$34.00        | 19     |       |                |        |
| T210L | \$180.00       | 33     | T258  | \$37.00        | 19     |       |                |        |
| T211  | \$180.00       | 33     |       |                |        |       |                |        |
| T212  | \$193.00       | 33     |       |                |        |       |                |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details..



# Mettler-Toledo Cross Reference By Equivalent Mettler-Toledo Number

METTLER-TOLEDO®

| EQUIV. METTLER-TOLEDO # | RL PN | PAGE # | EQUIV. METTLER-TOLEDO # | RL PN | PAGE # |
|-------------------------|-------|--------|-------------------------|-------|--------|
| 3030                    | 15244 | XX     | 22507                   | T167P | 29     |
| 3101                    | 69784 | 34     | 22535                   | T168P | 28     |
| 3102                    | 71043 | 34     | 22544                   | T169P | 28     |
| 3103                    | P707  | 34     | 23013                   | T241P | 28     |
| 3104                    | P705  | 34     | 23048                   | T135P | 26     |
| 3105                    | P716P | 30     | 23275                   | T530  | 32     |
| 3107                    | H655P | 30     | 23282                   | T548  | 32     |
| 3108                    | H691  | 31     | 23443                   | T531  | 32     |
| 3109                    | 10797 | 30     | 23603                   | T208  | 33     |
| 3110                    | P701  | 31     | 23607                   | T202P | 29     |
| 3111                    | P702  | 31     | 23608                   | T211  | 33     |
| 4018                    | T217  | 24     | 23609                   | T213L | 33     |
| 5334                    | T220L | 24     | 23610                   | T155  | 32     |
| 5339                    | T537  | 23     | 23615                   | T184P | 29     |
| 5350                    | T222  | 25     | 23616                   | T156  | 32     |
| 6008                    | T251  | XX     | 23620                   | T181P | 29     |
| 7369                    | T117  | 19     | 23622                   | T529  | 32     |
| 7967                    | T221  | 24     | 23624                   | T180P | 29     |
| 8618                    | T142L | 24     | 23627                   | T547  | 32     |
| 8619                    | T141  | 24     | 23631                   | T179P | 29     |
| 8946                    | T188P | 26     | 23651                   | T207  | 33     |
| 11780                   | T124P | 26     | 23662                   | T209  | 33     |
| 11785                   | T135P | 26     | 23666                   | T182P | 29     |
| 14662                   | T116  | 21     | 23667                   | T210L | 33     |
| 14764                   | T246  | 25     | 23668                   | T212  | 33     |
| 17212                   | T109  | 21     | 23669                   | T154  | 32     |
| 17213                   | T104  | 21     | 23674                   | T194P | 29     |
| 17214                   | T245  | 25     | 23829                   | T166P | 29     |
| 17215                   | T215L | 24     | 23940                   | T145P | XX     |
| 17217                   | 99155 | 25     | 23941                   | T146P | 27     |
| 17231                   | T113  | 21     | 23942                   | T147P | XX     |
| 17251                   | T151P | 26     | 23944                   | T139  | 21     |
| 17806                   | T101  | 21     | 23947                   | 15276 | 23     |
| 18399                   | T178P | 29     | 23976                   | T190P | 28     |
| 19652                   | T106  | 21     | 24321                   | T200  | 28     |
| 21005                   | T136L | 24     | 24322                   | T230  | 28     |
| 21620                   | T133P | 30     | 24328                   | T229  | 28     |
| 22398                   | T101  | 21     | 25648                   | T176P | 29     |
| 22461                   | T162  | 21     | 25649                   | T177P | 29     |
| 22483                   | T132P | 30     | 26829                   | T204  | 28     |
| 22501                   | T161P | 26     | 30170                   | T174P | XX     |
| 22503                   | T170P | 29     | 32343                   | T153P | 26     |

# Mettler-Toledo Cross Reference By Equivalent Mettler-Toledo Number


| EQUIV. METTLER-TOLEDO # | RL PN   | PAGE # |
|-------------------------|---------|--------|
| 32344                   | T153PSS | XX     |
| 32351                   | T123P   | 26     |
| 37786                   | T169PSS | XX     |
| 39154                   | T165P   | 18, 30 |
| 39285                   | T130    | 22, 31 |
| 39926                   | T196P   | XX     |
| 39931                   | T199P   | XX     |
| 39947                   | T569    | XX     |
| 39955                   | T198P   | XX     |
| 39956                   | T195P   | XX     |
| 39957                   | T197P   | 27     |
| 46186                   | T125    | 22     |
| 46188                   | T126    | 22     |
| 46189                   | T127    | 22     |
| 46190                   | T131    | 22     |
| 46899                   | T134P   | 30     |
| 47027                   | T129    | 22, 31 |
| 47030                   | T128    | 22, 31 |
| 47238                   | T232P   | 30     |
| 47241                   | T231P   | 30     |
| 49811                   | T218P   | XX     |
| 49820                   | T252    | XX     |
| 49827                   | T253    | XX     |
| 49839                   | T260P   | 19     |
| 49854                   | T239P   | 19     |
| 49857                   | 11423   | 20     |
| 49862                   | T524    | 19     |
| 49868                   | 11417   | 20     |
| 49869                   | 11419   | 20     |
| 49870                   | 11421   | 20     |
| 66022                   | T190PSS | XX     |
| 72294                   | T555    | 22     |
| 72369                   | T562P   | 30     |
| 73124                   | T558P   | 30     |
| 73162                   | T556    | 22     |
| 73687                   | T553    | 22     |
| 75337                   | T124P   | 26     |
| 75565                   | T123P   | 26     |
| 75936                   | T135P   | 26     |
| 75997                   | T122PSS | XX     |
| 80261                   | T254P   | 19     |
| 80278                   | T258    | 19     |
| 80280                   | T257    | 19     |
| 80282                   | T256    | 19     |
| 80284                   | T261    | 19     |

| EQUIV. METTLER-TOLEDO # | RL PN  | PAGE # |
|-------------------------|--------|--------|
| 80285                   | T259   | 19     |
| 81405                   | T577   | XX     |
| 92959                   | T529   | 32     |
| 92960                   | T547   | 32     |
| 12765100A               | T255   | 19     |
| 127666                  | 11417  | 20     |
| 127667                  | 11419  | 20     |
| 127668                  | 11421  | 20     |
| 127698                  | T258   | 19     |
| 127699                  | T257   | 19     |
| 12770000A               | T256   | 19     |
| 12824100A               | T259   | 19     |
| 235156                  | T572   | 22     |
| 10010400A               | 22252  | 37     |
| 10010600A               | 22276  | 37     |
| 10010900A               | 22275  | 37     |
| 10011300A               | 22274  | 37     |
| 10011400A               | 22269  | 37     |
| 10011500A               | 22273  | 37     |
| 10011500B               | 22272  | 37     |
| 10011700A               | 22251  | 37     |
| 10011800A               | 22268  | 37     |
| 10015600A               | 22277  | 37     |
| MN21018                 | 130408 | 38     |
| MN31797                 | 108895 | XX     |
| MN32058                 | 109270 | 38     |
| MN61063-13              | 108684 | XX     |
| MZ0909000004            | 22301  | XX     |
| MZ0909000005            | 108202 | 38     |
| MZ0909000012            | 109695 | 38     |
| TA000088-008            | 100268 | 35     |
| TA000088-012            | 101102 | 35     |
| TA000088-015            | 104164 | 35     |
| TA000088-026            | 100269 | 35     |
| TA000088-035            | 100270 | 35     |
| TA200712-2              | 108663 | 35     |
| TA200764                | 71602  | 34     |
| TA200814                | 101563 | 34     |
| TA200835-1              | 156255 | 34     |
| TA200937-2              | 109234 | 35     |
| TA200937-3              | 108927 | 35     |
| TA200937-4              | 108928 | 35     |
| TA203173                |        | XX     |
| TA205337                | 156254 | 35     |
| TN200050                | 108612 | XX     |
| TN201975                | 131376 | 40     |

# Mettler-Toledo Scale Parts Reference

For Model 4181 and 4182 Portable Beams and Ohaus D500M

METTLER-TOLEDO®



# Individual Mettler-Toledo Scale Parts

For Model 4181 and 4182 Portable Beams

| REF | RL PN | QTY | DESCRIPTION   | SUGGESTED LIST |   |
|-----|-------|-----|---|----------------|---|
| *1  | T117  | 4   | Equiv. Mettler-Toledo no. 7369<br>Size: 1/2 in x 1/2 in x 1/2 in<br>Hole size 0.201 in<br>Bearing-beam, load and fulcrum                              | \$29.00        |    |
| *2  | T254P | 1   | Equiv. Mettler-Toledo no. 80261<br>Size: 5/16 in sq x 1 5/8 in (L)<br>Pivot, load, fulcrum and nose<br>Fits models 4181 and 4182                      | \$24.00        |    |
| *3  | T255  | 4   | Equiv. Mettler-Toledo no. 4440, 12765100A<br>Size: 3/16 in x 3/4 in W x 1 5/16 in (L)<br>Bearing, load and all loops<br>Fits models 4181 and 4182     | \$19.00        |    |
| *4  | T256  | 1   | Equiv. Mettler-Toledo no. 80282, 12770000A<br>Size: 3/16 in x 2 1/8 in W x 3 1/2 in (L)<br>Center loop assembly<br>Fits models 4181 and 4182          | \$37.00        |    |
| 5   | T257  | 2   | Equiv. Mettler-Toledo no. 127699 (80280 Old)<br>Size: 3/16 in x 2 1/8 in W x 2 7/8 in (L)<br>Short fulcrum hook assembly<br>Fits models 4181 and 4182 | \$34.00        |    |
| 6   | T258  | 2   | Equiv. Mettler-Toledo no. 127698 (80278 Old)<br>Size: 3/16 in x 2 1/8 in W x 4 3/4 in (L)<br>Long fulcrum hook assembly<br>Fits models 4181 and 4182  | \$37.00        |   |
| 7   | T259  | 4   | Equiv. Mettler-Toledo no. 80285, 12824100A<br>Size: 5/16 in (Dia) x 1/4 in (L)<br>Support fulcrum hook<br>Fits models 4181 and 4182                   | \$13.00        |  |
| *8  | T260P | 1   | Equiv. Mettler-Toledo no. 49839<br>Size: 5/16 in x 9/16 in in pivot edge x 1 15/16 in (L)<br>Tip pivot, beam  | \$56.00        |  |
| *9  | T239P | 2   | Equiv. Mettler-Toledo no. 49854<br>Size: 5/16 in x 9/16 in in pivot edge x 2 1/8 in (L)<br>Fulcrum and load beam pivot                                | \$56.00        |   |
| 10  | T524  | 1   | Equiv. Mettler-Toledo no. 49862<br>Size: 1 in W x 1 3/4 in H<br>Tip loop, beam  | \$19.00        |  |
| *11 | T261  | 1   | Equiv. Mettler-Toledo no. 80284<br>Nose iron hook   | \$33.00        |  |



Order kit no. T-80-K



# Individual Mettler-Toledo Scale Parts








Counterpoise Weights and Hangers for Models 4180, 4181, 4182

| RL PN | DESCRIPTION  | SUGGESTED LIST |
|-------|--|----------------|
| 11417 | Equiv. Mettler-Toledo no. 127666 (49868 old)<br>Weight: 100 lb x 1 lb<br>Counterpoise weight | \$42.00        |
| 11419 | Equiv. Mettler-Toledo no. 127667 (49869 old)<br>Weight: 200 lb x 2 lb<br>Counterpoise weight | \$48.00        |
| 11421 | Equiv. Mettler-Toledo no. (49870 old)<br>Weight: 500 lb x 5 lb<br>Counterpoise weight        | \$73.00        |
| 11423 | Equiv. Mettler-Toledo no. 127665 (49857 old)<br>Weight: 14 oz<br>Counterpoise hanger         | \$73.00        |







# Individual Mettler-Toledo Scale Parts

## Bearings

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| T101  | Equiv. Mettler-Toledo no. 17806, 22398<br>Size: 1 3/16 in (Dia)<br>Fulcrum and load bearing, used in industrial<br>Bench and portable dials, etc | \$42.00        |    |
| *T116 | Equiv. Mettler-Toledo no. 14662<br>Size: 1/2 in x 1/2 in x 13/16 in (L)<br>Hole size: 0.201 in   | \$37.00        |    |
| T113  | Equiv. Mettler-Toledo no. 17231<br>Size: 5/8 in x 3/4 in x 13/16 in (L)<br>Hole size: 0.323 in   | \$42.00        |    |
| T109  | Equiv. Mettler-Toledo no. 17212<br>Size: 5/8 in x 3/4 in x 1 15/16 in (L)<br>Hole size: 0.323 in   | \$47.00        |    |
| T106  | Equiv. Mettler-Toledo no. 19652<br>Size: 7/8 in x 7/8 in x 1 1/4 in (L)<br>Hole size: 0.394 in   | \$51.00        |    |
| T104  | Equiv. Mettler-Toledo no. 17213<br>Size: 7/8 in x 1 1/4 in x 2 in (L)<br>Hole size: 0.515 in   | \$55.00        |   |
| *T139 | Equiv. Mettler-Toledo no. 23944<br>Size: 1 in x 1 1/4 in x 2 in (L)<br>Hole size: 0.515 in   | \$71.00        |   |
| T162  | Equiv. Mettler-Toledo no. 22461<br>Size: 1 1/4 in x 1 3/4 in x 2 in (L)<br>Hole size: 5/8 in pin<br>T569 pin and T570 snap ring                  | \$79.00        |  |





# Individual Mettler-Toledo Scale Parts

## Bearings (cont.)

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| T128  | Equiv. Mettler-Toledo no. 47030<br>Size: 5/8 in x 5/8 in x 3 15/16 in (L)  | \$56.00        |    |
| T129  | Equiv. Mettler-Toledo no. 47027<br>Size: 5/8 in x 5/8 in x 4 11/16 in (L) 1/4 in (Hole)  | \$59.00        |   |
| T130  | Equiv. Mettler-Toledo no. 39285<br>Size: 5/8 in x 5/8 in x 5 5/8 in (L)  | \$62.00        |   |
| T125  | Equiv. Mettler-Toledo no. 46186<br>Size: 5/8 in x 5/8 in x 2 in (L)<br>3/16 in holes 1 1/4 center to center  | \$49.00        |   |
| *T572 | Equiv. Mettler-Toledo no. 235156<br>Size: 5/8 in x 5/8 in x 2 5/8 in (L)<br>3/16 in holes 1 1/2 center to center   | \$52.00        |    |
| *T126 | Equiv. Mettler-Toledo no. 46188<br>Size: 5/8 in x 5/8 in x 2 3/4 in (L)<br>3/16 in holes 1 1/2 center to center  | \$52.00        |   |
| *T127 | Equiv. Mettler-Toledo no. 46189<br>Size: 5/8 in x 5/8 in x 3 5/8 in (L)<br>1/4 in holes 2 1/4 center to center   | \$58.00        |   |
| *T131 | Equiv. Mettler-Toledo no. 46190<br>Size: 5/8 in x 5/8 in x 5 1/4 in (L)<br>1/4 in holes 3 1/4 center to center   | \$60.00        |   |
| *T556 | Equiv. Mettler-Toledo no. 73162<br>Size: 5/8 in x 5/8 in x 2 3/4 in (L)<br>Friction plates included<br>1/4 in holes 1 1/2 center to center                               | \$115.00       |  |
| *T555 | Equiv. Mettler-Toledo no. 72294<br>Size: 5/8 in x 5/8 in x 3 5/8 in (L)<br>Friction plates included<br>1/4 in holes 2 1/4 center to center                               | \$115.00       |   |
| *T553 | Equiv. Mettler-Toledo no. 73687<br>Size: 13/16 in x 13/16 in x 8 3/8 in (L)<br>Total length: 16 3/4 in<br>Ground in sets of two<br>Fits saddle block no. 73668 and 94003 | \$317.00       |  |

# Individual Mettler-Toledo Scale Parts

## Bearings (cont.)




| RL PN | DESCRIPTION  | SUGGESTED LIST |  |
|-------|--|----------------|--|
| T128  | Equiv. Mettler-Toledo no. 47030<br>Size: 5/8 in x 5/8 in x 3 15/16 in (L)<br>Models: 2691-2791<br>Motor truck scales           | \$56.00        |  <p>1 Hole</p>          |
| T129  | Equiv. Mettler-Toledo no. 47027<br>Size: 5/8 in x 5/8 in x 4 11/16 in (L)  | \$59.00        |  |
| T130  | Equiv. Mettler-Toledo no. 39285<br>Size: 5/8 in x 5/8 in x 5 5/8 in (L)<br>Models: 2592, 2692, 2792<br>Motor truck-steel lever | \$62.00        |  |
| H624  | Equiv. Mettler-Toledo no. 3106<br>Size: 1 in x 1 in x 6 1/2 in<br>Bearing, portable vehicle                                    | \$70.00        |  <p>Part No. 15263</p> |
| H691  | Equiv. Mettler-Toledo no. 3108<br>Size: 1 in x 1 in x 4 in<br>Bearing, portable vehicle  | \$58.00        |  |
| P701  | Equiv. Mettler-Toledo no. 3110<br>Size: 3/4 in x 6 in<br>Bearing, portable vehicle<br>11/16 in holes                           | \$82.00        |                       |
| P702  | Equiv. Mettler-Toledo no. 3111<br>Size: 3/4 in x 2 1/4 in x 6 in<br>Bearing, portable vehicle<br>11/16 in holes                | \$79.00        |                       |



# Individual Mettler-Toledo Scale Parts



## Bearings (cont.)

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| T547  | Equiv. Mettler-Toledo no. 23627, 92960<br>Size: 1 1/8 in thick at bearing x 3 1/8 in H x 4 1/4 in W<br>Models: 2591, 2592, 2691, 2692, 2791, 2792<br>Support, connection link   | \$134.00       |
| T529  | Equiv. Mettler-Toledo no. 23622, 92959<br>Size: 5 1/2 in x 4 3/8 in<br>Bearing: 5/8 in x 5/8 in x 1 3/8 in<br>Models: 2591, 2592, 2691, 2692, 2780, 2781, 2791, 2792, 2890, 2891<br>Casting no. 92959<br>Support, connection link | \$136.00       |
| T548  | Equiv. Mettler-Toledo no. 23282<br>Size: 7/16 in (Dia) x 2 3/4 in inside length<br>Models: 2591, 2592, 2691, 2692, 2791, 2792<br>Link with bearing  | \$98.00        |
| T530  | Equiv. Mettler-Toledo no. 23275<br>Size: 7/16 in (Dia) x 3 3/4 in inside length<br>Models: 2591, 2592, 2691, 2692, 2792<br>Link with bearing  | \$98.00        |
| T531  | Equiv. Mettler-Toledo no. 23443<br>Size: 9/16 in (Dia) x 3 3/4 in inside length<br>Model: 2791<br>Link with bearing   | \$105.00       |
| T154  | Equiv. Mettler-Toledo no. 23669<br>Size: 5 11/16 in overall length<br>With insert T130<br>Models: 7900-7951<br>Fulcrum bearing retainer   | \$208.00       |
| T155  | Equiv. Mettler-Toledo no. 23610<br>Size: 4 11/16 in overall length<br>With insert T129<br>Models: 6900-6951, 7900-7951<br>Fulcrum bearing retainer  | \$221.00       |
| T156  | Equiv. Mettler-Toledo no. 23616<br>Size: 3 15/16 in overall length<br>With insert T128<br>Models: 4900-4951, 5900-5951, 6900-6951, 7900-7951<br>Fulcrum bearing retainer  | \$221.00       |



# Individual Mettler-Toledo Scale Parts




## Pins For Bearing On Built-in, Livestock, Cabinets

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| 15276 | Heads 30, 31, 32, 33, 40<br>Equiv. Mettler-Toledo no. 23947<br>Size: 5/16 in (Dia) x 1 5/8 in overall length<br>Hole size: 1/8 in, 1 1/4 in center to center<br>Models: 2242, 2282 | \$8.00         |  |
| *T537 | Equiv. Mettler-Toledo no. 5339<br>Size: 1/2 in (Dia) x 3 in overall length<br>Hole size: 3/16 in<br>Models: 2171, 2271, 2410, 2420, 2430<br>Pin<br>Use cotter key PN 15244         | \$37.00        |  |

# Individual Mettler-Toledo Scale Parts





For Portable Dial and Built-in Scales

| RL PN  | DESCRIPTION   | SUGGESTED LIST |
|--------|---|----------------|
| T141   | Equiv. Mettler-Toledo no. 8619<br>Size: 5/16 in x 1 in (L)<br>Models: 31-1800, 31-1890,<br>2181, 2481, 2881, 8800<br>Pin, use with T142L and T246   | \$22.00        |
| T217   | Equiv. Mettler-Toledo no. 4018<br>Size: 7/16 in x 2 in (L)<br>Models: 2151, 2191<br>pin, use with T215L and T245  | \$28.00        |
| T221   | Equiv. Mettler-Toledo no. 7967<br>Size: 5/8 in (Dia) x 2 7/16 in (L)<br>Models: 31-1700, 31-2700,<br>2171, 2271, 2410, 2420, 2430<br>Pin, use with T220L  | \$33.00        |
| T136L  | Equiv. Mettler-Toledo no. 21005<br>Size: 1/8 in x 1 in x 4 3/8 in (L)<br>Hole size: 7/16 in<br>Models: 31-0850, 31-0860, 2030, 2031, 2041<br>2061, 2071, 2081, 2091, 0860, 0867, 0869, 0890<br>Link, suspension | \$36.00        |
| T142L  | Equiv. Mettler-Toledo no. 8618<br>Size: 5/16 in x 2 1/4 in overall length<br>Models: 31-1800, 31-1890,<br>2181, 2481, 2881, 8800<br>Loop or link, used with T141 and T246                                       | \$37.00        |
| T215L  | Equiv. Mettler-Toledo no. 17215<br>Size: 1/2 in x 3 1/4 in overall length<br>Models: 2151, 2191<br>Loop or link, use with T217 and T245   | \$55.00        |
| *T220L | Equiv. Mettler-Toledo no. 5334<br>Size: 5/8 in x 3 3/8 in inside length<br>Models: 31-700, 31-2700, 2171<br>2271, 2410, 2420, 2430,<br>Loop, use with T221 pin and T222 bar                                     | \$60.00        |








# Individual Mettler-Toledo Scale Parts

For Portable Dial and Built-in Scales (cont.)

| RL PN | DESCRIPTION  | SUGGESTED LIST |  |
|-------|--|----------------|--|
| T246  | <p>Equiv. Mettler-Toledo no. 14764</p> <p>Size: 15/16 in H x 2 7/8 in W x 3 1/8 in (L)</p> <p>Models: 31-1800, 31-1890, and 2181, 2481, 2881, 8800</p> <p>Bracket-link, use with T141 and T142L</p>          | \$64.00        |   |
| T245  | <p>Equiv. Mettler-Toledo no. 17214</p> <p>Size: 1 in x 1 1/4 in x 4 1/2 in (L)</p> <p>Models: 2151, 2191, and 31-series floor scales</p> <p>Bar, link, use with T215L</p>                                    | \$67.00        |   |
| T222  | <p>Equiv. Mettler-Toledo no. 5350</p> <p>Size: 3/4 in x 1 1/4 in x 4 5/8 in (L)</p> <p>Hole size: 7/16 in</p> <p>Models: 2171, 2271, 2410, 2420, 2430, 31-1700, 31-2700</p> <p>Bar, link, use with T220L</p> | \$67.00        |   |
| 99155 | <p>Equiv. Mettler-Toledo no. 17217</p> <p>Size: 2 in x 5 1/8 H x 5 5/8</p> <p>Yoke:</p> <p>Use bearing: T104</p> <p>Pin: T537</p> <p>Link: T215L</p> <p>Link pin: T217</p>                                   | \$372.00       |  |

# Individual Mettler-Toledo Scale Parts

## Tapered Shank Pivots

| RL PN  | DESCRIPTION   | SUGGESTED LIST   |
|--------|---|--|
| T122P  | Equiv. Mettler-Toledo no. 11783, 23153<br>Size: 1/2 in (Dia) x 13/16 in H x 2 3/4 in (L)              | \$36.00<br> |
| *T188P | Equiv. Mettler-Toledo no. 8946<br>Size: 1/2 in (Dia) x 13/16 in H x 2 3/16 in (L)                     | \$53.00<br> |
| *T123P | Equiv. Mettler-Toledo no. 75565, 32351<br>Size: 13/32 in (Dia) x 5/8 in H x 2 in (L)                  | \$46.00<br> |
| *T124P | Equiv. Mettler-Toledo no. 11780, 75337<br>Size: 1/4 in (Dia) x 7/16 in H x 1 17/32 in (L)             | \$46.00<br> |
| *T135P | Equiv. Mettler-Toledo no. 11785, 75936 (23048 old)<br>Size: 1/4 in (Dia) x 7/16 in H x 1 13/16 in (L) | \$46.00<br> |

# Individual Mettler-Toledo Scale Parts

## Pivots



| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| T151P | Equiv. Mettler-Toledo no. 17251<br>Size: 1/2 in (Dia) large end x 2 in (L)<br>Pivot edge: 7/8 in<br>Used in portable models, long lever nose                                      | \$44.00        |    |
| T150P | Equiv. Mettler-Toledo no. 8631, 49809<br>Size: 19/32 in (Dia) large end x 4 in (L)<br>Pivot edge: 2 1/32 in   | \$60.00        |    |
| T161P | Equiv. Mettler-Toledo no. 22501<br>Size: 5/8 in (Dia) large end x 2 13/16 in (L)<br>Pivot edge: 1 5/16 in   | \$63.00        |    |
| T153P | Equiv. Mettler-Toledo no. 32343<br>Size: 1/4 in thick x 1 in H x 4 1/4 in (L)<br>Models: 2031, 2041, 2061, 2071, 2081, 2091, 2181, 2481, 2881<br>Pivot, nose iron, bench and port | \$67.00        |   |
| T197P | Equiv. Mettler-Toledo no. 39957<br>Size: 1 1/8 in x 2 1/32 in pivot edge x 3 1/4 in (L)<br>Models: 2352, 2372, 2382,<br>Series: 6-8-10-20<br>Use wedge T204                       | \$73.00        |  |
| T146P | Equiv. Mettler-Toledo no. 23941<br>Size: 7/8 in x 2 1/32 in pivot edge x 3 15/16 in (L)<br>Used in #1-series<br>Capacity 2000 to 5000 lb<br>Use wedge T200<br>Hopper scale        | \$82.00        |  |



# Individual Mettler-Toledo Scale Parts

## Wedges For Round Pivots

| RL PN  | DESCRIPTION   | SUGGESTED LIST |
|--------|---|----------------|
| T229   | Equiv. Mettler-Toledo no. 24328<br>Size: 5/16 in W x 9/32 in H x 1 1/8 in (L)<br>Use with T192P                                 | \$34.00        |
| *T230  | Equiv. Mettler-Toledo no. 24322<br>Size: 3/8 in W x 5/16 in H x 1 1/8 in (L)<br>Use with T193P                                  | \$34.00        |
| T200   | Equiv. Mettler-Toledo no. 24321<br>Size: 1/4 in W x 3/16 in H x 3/4 in (L)<br>Use with T145P, T146P, T168P, T169P and T190P     | \$29.00        |
| T204   | Equiv. Mettler-Toledo no. 26829<br>Size: 1/4 in W x 3/16 in H x 7/16 in (L)   | \$29.00        |
| T168P  | Equiv. Mettler-Toledo no. 22535<br>Size: 3/4 in x 3 1/2 in (L)<br>Pivot edge: 7/8 in<br>Use T200 wedge                          | \$60.00        |
| *T169P | Equiv. Mettler-Toledo no. 22544<br>Size: 7/8 in x 4 1/8 in (L)<br>Pivot edge: 1 9/32 in<br>Center: 1 17/32 in<br>Use T200 wedge | \$70.00        |
| *T241P | Equiv. Mettler-Toledo no. 23013<br>Size: 7/8 in x 4 3/16 in (L)<br>Pivot edge: 1 1/4 in<br>Center: 1 21/32 in use wedge T204    | \$103.00       |
| *T190P | Equiv. Mettler-Toledo no. 23976<br>Size: 1 in x 4 3/8 in (L)<br>Pivot edge: 1 5/16 in<br>Use T200 wedge                         | \$79.00        |



# Individual Mettler-Toledo Scale Parts



## Pivots

| RL PN  | DESCRIPTION   | SUGGESTED LIST |   |
|--------|---|----------------|---|
| T166P  | Equiv. Mettler-Toledo no. 23829<br>Size: 1 1/16 in x 2 1/2 in (L)<br>Motor truck scale pivot                                | \$67.00        |    |
| T181P  | Equiv. Mettler-Toledo no. 23620<br>Size: 7/8 in x 2 7/16 in (L)<br>Motor truck scale pivot                                  | \$63.00        |   |
| T167P  | Equiv. Mettler-Toledo no. 22507<br>Size: 1 1/4 in x 8 3/8 in (L)<br>Motor truck scale pivot use wedge T229                  | \$136.00       |    |
| *T170P | Equiv. Mettler-Toledo no. 22503<br>Size: 1 3/4 in x 8 1/2 in (L)<br>Motor truck scale pivot                                 | \$208.00       |   |
| *T179P | Equiv. Mettler-Toledo no. 23631<br>Size: 3/4 in x 4 3/8 in (L)  | \$80.00        |    |
| *T180P | Equiv. Mettler-Toledo no. 23624<br>Size: 1 in x 5 1/8 in (L)<br>Models: 2691, 2791  | \$105.00       |   |
| *T194P | Equiv. Mettler-Toledo no. 23674<br>Size: 1 in x 5 5/8 in (L)<br>Models: 2691, 2791<br>(2780-2890 5 sec. only)               | \$106.00       |  |
| *T176P | Equiv. Mettler-Toledo no. 25648<br>Size: 1/2 in x 3 1/4 in (L)<br>Upper center connection<br>Models: 2151, 2191, 2242, 2282 | \$62.00        |   |
| *T177P | Equiv. Mettler-Toledo no. 25649<br>Size: 5/8 in x 5 3/8 in (L)<br>Lower center connection<br>Models: 2151, 2191, 2242, 2282 | \$71.00        |  |
| T178P  | Equiv. Mettler-Toledo no. 18399<br>Size: 7/8 in x 4 1/2 in (L)<br>Models: 2151, 2191, 2242, 2282<br>Pivot, load and fulcrum | \$73.00        |   |
| *T184P | Equiv. Mettler-Toledo no. 23615<br>Size: 1 in x 6 3/4 in (L)<br>Models: 2691, 2791  | \$124.00       |  |
| *T202P | Equiv. Mettler-Toledo no. 23607<br>Size: 1 in x 8 in (L)  | \$130.00       |   |
| T182P  | Equiv. Mettler-Toledo no. 23666<br>Size: 1 1/4 in x 9 1/2 in (L)<br>Models: 2780, 2791, 2890                                | \$177.00       |   |

# Individual Mettler-Toledo Scale Parts

## Pivots (cont.)



| RL PN  | DESCRIPTION  | SUGGESTED LIST |
|--------|--|----------------|
| T132P  | Equiv. Mettler-Toledo no. 22483<br>Size: 3/8 in x 1 in x 2 5/8 in (L)<br>Models: 2781-2891 extension levers,<br>Tank and hopper scales 2501-2601 | \$52.00        |
| T133P  | Equiv. Mettler-Toledo no. 21620<br>Size: 5/16 in x 7/8 in x 2 3/32 in (L)<br>Models: 2781-2891 extension levers                                  | \$47.00        |
| T165P  | Equiv. Mettler-Toledo no. 39154<br>Size: 5/16 in x 7/8 in x 1 5/8 in (L)<br>Models: 2501, 2601<br>Motor truck scales, tank and hopper            | \$46.00        |
| *T558P | Equiv. Mettler-Toledo no. 73124<br>Size: 9/16 in x 1 3/8 in x 6 in (L)   | \$89.00        |
| T134P  | Equiv. Mettler-Toledo no. 46899<br>Size: 9/16 in x 1 3/8 in x 5 11/16 in (L)   | \$72.00        |
| T232P  | Equiv. Mettler-Toledo no. 47238<br>Size: 9/16 in x 1 3/8 in x 4 3/4 in (L)   | \$70.00        |
| T231P  | Equiv. Mettler-Toledo no. 47241<br>Size: 9/16 in x 1 3/8 in x 4 in (L)   | \$68.00        |
| *T562P | Equiv. Mettler-Toledo no. 72369<br>Size: 9/16 in x 1 3/8 in x 2 5/8 in (L)   | \$63.00        |
| P716P  | Equiv. Mettler-Toledo no. 3105 A134580-52<br>Size: 1/2 in x 1 1/8 in x 6 1/2 in<br>Pivot, portable vehicle                                       | \$56.00        |
| H655P  | Equiv. Mettler-Toledo no. 3107<br>Size: 1/2 in x 1 1/8 in x 4 in<br>Pivot, portable vehicle  | \$53.00        |
| 10797  | Equiv. Mettler-Toledo no. 3109 A134581-21<br>Size: 1/2 in x 1 1/8 in x 2 5/8 in<br>Pivot, portable vehicle                                       | \$49.00        |



# Individual Mettler-Toledo Scale Parts

Motor Truck, Livestock and Built-in Platform Suspension Parts  
For Models: 2591, 2691, 2780, 2791, 2890

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| T207  | Equiv. Mettler-Toledo no. 23651<br>Size: 3 1/4 in overall length of casting<br>4 in overall length of bearing<br>With T128 bearing insert<br>Models: 2591 and 2592<br>Saddle block<br>6 lb                      | \$317.00       |
| T208  | Equiv. Mettler-Toledo no. 23603<br>Size: 4 in overall length of casting<br>4 3/4 in overall length of bearing<br>With T129 bearing insert<br>Models: 2691 and 2692<br>Saddle block<br>6 lb                      | \$330.00       |
| T209  | Equiv. Mettler-Toledo no. 23662<br>Size: 5 in overall length casting<br>5 3/4 in overall length of bearing<br>With T130 bearing insert<br>Models: 2780, 2781, 2791, 2792, 2890, 2891<br>Saddle block 10 lb 5 oz | \$324.00       |
| T213L | Equiv. Mettler-Toledo no. 23609<br>Size: 7 3/8 in inside length<br>Models: 2591, 2592, 2691, 2692<br>Link<br>4 lb 4 oz  | \$160.00       |
| T210L | Equiv. Mettler-Toledo no. 23667<br>Size: 8 1/4 in inside length<br>Used in 50, 60 and 70-ton<br>Models: 2791, 2792, 2780, 2781, 2890, 2891<br>Link<br>6 lb 4 oz   | \$180.00       |
| T211  | Equiv. Mettler-Toledo no. 23608<br>Size: 6 1/4 in overall length<br>Models: 2591, 2592, 2691, 2692<br>Trunnion block<br>5 lb  | \$180.00       |
| T212  | Equiv. Mettler-Toledo no. 23668<br>Size: 7 in overall length<br>Used in 50, 60, and 70-ton<br>Models: 2780, 2781, 2791, 2792, 2890, 2891<br>Trunnion block<br>6 lb 5 oz   | \$193.00       |






See Mettler-Toledo kits section for complete kits




# Individual Mettler-Toledo Scale Parts

Built By Powell, All Steel

METTLER-TOLEDO®

| RL PN | DESCRIPTION  | SUGGESTED LIST |  |
|-------|--|----------------|--|
| 69784 | Equiv. Mettler-Toledo no. 3101<br>Size: 3/4 in thick x 5 in wide x 12 3/8 in<br>Inside: 8 1/8 in<br>Link                             | \$126.00       |   |
| P705  | Equiv. Mettler-Toledo no. 3104<br>Size: 2 in (Dia) x 8 1/8 in<br>Lower trunnion pin<br>New style<br>4 1/2 in center to center radius | \$193.00       |   |
| P707  | Equiv. Mettler-Toledo no. 3103<br>Size: 2 in (Dia) x 5 5/8 in<br>Saddle block pin<br>Upper, new style                                | \$165.00       |   |
| 71043 | Equiv. Mettler-Toledo no.<br>Size: 2 in x 2 in x 5 in<br>Saddle block only<br>New style<br>Use bearing H624                          | \$143.00       |  |

## Digital Load Cell Parts

| RL PN  | DESCRIPTION  | SUGGESTED LIST |   |
|--------|--|----------------|---|
| 71602  | Equiv. Mettler-Toledo no. TA200764, 68000410<br>Size: 1 1/4 in x 3 3/4 in (Dia)<br>Receiver cup, upper<br>Without o-ring 72103, 22.5 ton<br>For models 7461, 7531, 7541, 7560-7562 | \$201.00       |  |
| 101563 | Equiv. Mettler-Toledo no. TA200814, 68000400<br>Size: 1 1/4 in x 3 3/4 in (Dia)<br>Receiver cup, with hex<br>22.5 ton<br>For models 7461, 7531, 7541, 7560-7562                    | \$205.00       |  |
| 156255 | Equiv. Mettler-Toledo no. TA200835-1, 68004120<br>Size: 1 1/2 in x 3 3/4 in (Dia)<br>Receiver cup, upper<br>Without o-ring PN 94272<br>45 ton                                      | \$195.00       |  |

# Individual Mettler-Toledo Scale Parts

## Digital Load Cell Mount Parts


| RL PN  | DESCRIPTION   | SUGGESTED LIST |   |
|--------|---|----------------|---|
| 156254 | Equiv. Mettler-Toledo no. TA205337, 68017716<br>Size: 1 1/2 in x 4 1/8 in<br>Receiver cup, lower<br>45 ton  | \$195.00       | <br>  2 3/4 in Dia     |
| 108684 | Equiv. Mettler-Toledo no. TN203173, MN61016-13, 68000443<br>Size: 9/15 in thick x 1 3/4 in inside dimension x 3 1/2 in outside dimension<br>Gasket/seal | \$52.00        |                        |
| 108663 | Equiv. Mettler-Toledo no. TA200712-2, 68004117<br>Size: 0.062 in thick 15 ga<br>Shim  | \$18.00        |                        |
| 108662 | Equiv. Mettler-Toledo no. MZ0904000063, 68004074<br>Size: 1/2 in (Dia) x 1 1/2<br>Roll pin  | \$10.00        |                        |
| 109234 | Equiv. Mettler-Toledo no. TA200937-2, 61024615<br>Size: 3/4 in x 6 in x 16 in<br>Base plate, center no stop   | \$248.00       | <br>103662<br>Roll Pin |
| 108927 | Equiv. Mettler-Toledo no. 61024616<br>Size: 3/4 in x 6 in x 16 in<br>Base plate, left with stop, pictured   | \$244.00       |   |
| 108928 | Equiv. Mettler-Toledo no. TA200937-4, 61024617<br>Size: 3/4 in x 6 in x 16 in<br>Base plate, right with stop  | \$244.00       |   |
| 100268 | Equiv. Mettler-Toledo no. TA000088-008, 61024607<br>Size: 8 feet<br>Cable   | \$395.00       |                      |
| 101102 | Equiv. Mettler-Toledo no. TA000088-012, 61044100<br>Size: 12 feet<br>Cable  | \$415.00       |   |
| 104164 | Equiv. Mettler-Toledo no. TA000088-015, 61007127<br>Size: 15 feet   | \$395.00       |   |
| 100269 | Equiv. Mettler-Toledo no. TA000088-026, 68000046<br>Size: 26 feet<br>Cable  | \$435.00       |   |
| 100270 | Equiv. Mettler-Toledo no. TA000088-035, 61007583<br>Size: 35 feet<br>Cable  | \$450.00       |   |



# Mettler-Toledo Scale Parts Reference

For Bridgmaster Model 7500

METTLER-TOLEDO®



# Individual Mettler-Toledo Scale Parts




For Bridgmaster Model 7500

| REF | RL PN          | QTY | DESCRIPTION   | SUGGESTED LIST       |   |
|-----|----------------|-----|---|----------------------|---|
| 1   | 22277          | 1   | Equiv. Mettler-Toledo no.<br>Size: 3 in high x 14 in x 14 in<br>Locating plate<br>Link pins on center<br>Pin PN 22271<br>PN for pins that fit Mettler-Toledo plates, 101169 | \$1,226.00           |    |
| 1   | 33915<br>30302 |     | Upper plate<br>Lower plate  | \$529.00<br>\$529.00 |    |
| 2   | 22272          | 2   | Equiv. Mettler-Toledo no.<br>Size: 1 in x 3 in x 14 1/8 in<br>Un-notched links  | \$314.00             |    |
| 3   | 22273          | 1   | Equiv. Mettler-Toledo no. 10011500A<br>Size: 1 in x 3 in x 14 1/8 in<br>Notched link  | \$327.00             |   |
| 4   | 22251          | 6   | Equiv. Mettler-Toledo no. 10011700A<br>Size: fit link pins<br>Retaining clips   | \$22.00              |  |
| 5   | 22274          | 1   | Equiv. Mettler-Toledo no. 10011300A<br>Size: 1 3/4 in - 12 thread x 4 3/16 in<br>Center screw<br>100k   | \$157.00             |  |
| 6   | 22276          | 1   | Equiv. Mettler-Toledo no. 10010600A<br>Size: 3 in thick<br>Upper plate<br>Pin PN 22271  | \$858.00             |  |
| 7   | 22269          | 1   | Equiv. Mettler-Toledo no. 10011400a<br>Size: 2 1/2 in diameter x 11/16 in<br>Adaptor ring with o-ring   | \$129.00             |  |
| 8   | 22268          | 1   | Equiv. Mettler-Toledo no. 10011800A<br>Size: 6 7/16 in diameter x 2 9/16 in<br>Base plate<br>Use allen hd cap screw<br>PN 15076 1/2 in - 20 in x 2 1/4 in                   | \$603.00             |  |
| 9   | 22252          | 4   | Equiv. Mettler-Toledo no. 10010400A<br>Size: 1/16 in x 1 5/8 in x 14 in<br>Skirt kit  | \$180.00             |  |

# Individual Mettler-Toledo Scale Parts




## Electronic Floor Scales

| RL PN  | DESCRIPTION  | SUGGESTED LIST |
|--------|--|----------------|
| 108612 | Equiv. Mettler-Toledo no. TN200050, 68001102<br>Size: 0.593 in (Dia) x 1.25 in<br>Rocker pin with o-rings,<br>1 - 5 k scales, 250 lb - 2.5 k load cells  | \$88.00        |
| 130408 | Equiv. Mettler-Toledo no. MN21018, 69033610<br>Size: 0.593 in (Dia) x 1.5 in<br>Rocker pin with o-rings<br>10k scale 5k load cells   | \$93.00        |
| 131376 | Equiv. Mettler-Toledo no. TN201975, 69034095<br>Size: 0.875 in (Dia) x 1.75 in<br>With o-rings<br>20k scale, 10k load cells  | \$134.00       |
| 108202 | Equiv. Mettler-Toledo no. MZ0909000005, 68000587<br>Size: 0.437 in inside dimension x 0.625 in outside dimension<br>O-ring for PN 108612 and 131376<br>For model 2158SS ez-clean<br>1 - 5 k 2256 | \$1.00         |
| 109695 | Equiv. Mettler-Toledo no. MZ0909000012, 6933692<br>Size: 0.675 in inside dimension x 0.875 in outside dimension<br>O-ring for 131376   | \$5.00         |
| 130407 | Equiv. Mettler-Toledo no. MN21016, 63057295<br>Size: 1.375 in (Dia) x 0.750 in H<br>Receiver cup for 130408  | \$99.00        |




## MASSTRON TRUCK SCALES

| RL PN  | DESCRIPTION   | SUGGESTED LIST |
|--------|---|----------------|
| 108895 | Equiv. Mettler-Toledo no. MN31475<br>Size: 1 7/16 in (Dia) x 3 in H<br>O-ring PN 22301<br>Rocker pin with o-ring 92988            | \$118.00       |
| 109270 | Equiv. Mettler-Toledo no. MN32058, 61040347<br>Size: 2 3/4 in (Dia) x 2 5/8 in H<br>Receiver cup                                  | \$234.00       |
| 109323 | Equiv. Mettler-Toledo no. MN31790, 68004016<br>Size: 2 3/4 in W x 1/2 in x 2 in<br>For 35 x 45k load cells<br>Retainer for 109270 | \$64.00        |




# Reconditioned Parts



## Bracket, Stand and Yoke

Call 715-234-9171 with Casting No. for Price and Availability


# Reconditioned Parts




## Main Lever, End Extension, and Stands

Call 715-234-9171 with Casting No. for Price and Availability

# Reconditioned Parts




Portion of lever system illustrated on this plate of four section scale. Also applies to five section scale.



Center Extension Lever, Nose Iron and Stand  
Call 715-234-9171 with Casting No. for Price and Availability



# Reconditioned Parts



Section of Lever System illustrated on this page

FABRICATED NOSE IRON  
ON CENTER EXTENSION  
LEVER

T146P

T168P  
T200 wedge

| Casting No. | Length        |
|-------------|---------------|
| 34182       | 8'9" x 6'2/3" |
| 34183       | 8'9" x 5"     |
| 38648       | 12" x 6'2/3"  |
| 38549       | 12" x 5"      |

T167P


T167P

T162

T162

Transverse Lever (Cast), Stand and Connection  
Call 715-234-9171 with Casting No. for Price and Availability

# Reconditioned Parts




METTLER-TOLEDO®

Main Lever, End Extension, (Steel) Nose Iron and Stands  
Call 715-234-9171 with Casting No. for Price and Availability

# Reconditioned Parts


METTLER-TOLEDO®



## Center Extension, Stand and Nose Irons

Call 715-234-9171 with Casting No. for Price and Availability

# Reconditioned Parts



Transverse Lever, Nose Iron and Stand  
Call 715-234-9171 with Casting No. for Price and Availability



# METTLER-TOLEDO® KITS

## Mettler-Mettler-Toledo Kit Price Index By Rice Lake Weighing Systems PN

| RL PN  | SUGGESTED LIST | PAGE # | RL PN  | SUGGESTED LIST | PAGE # | RL PN   | SUGGESTED LIST | PAGE # |
|--------|----------------|--------|--------|----------------|--------|---------|----------------|--------|
| 71020  | \$2,677.00     | 58     | T-55-K | \$3,558.00     | 49     | T-71-K  | \$3,477.00     | 52     |
| 71021  | \$5,304.00     | 61     | T-56-K | \$6,255.00     | 55     | T-72-K  | \$5,017.00     | 51     |
| 71062  | \$8,914.00     | 61     | T-57-K | \$8,279.00     | 56     | T-73-K  | \$5,449.00     | 52     |
| 71063  | \$4,458.00     | 58     | T-58-K | \$8,292.00     | 53     | T-74-K  | \$4,763.00     | 50     |
| 89051  | \$1,845.00     | 57     | T-59-K | \$10,304.00    | 54     | T-76-K  | \$4,812.00     | 51     |
| 107661 | \$3,511.00     | 59     | T-65-K | \$6,952.00     | 55     | T-77-K  | \$4,722.00     | 52     |
| 107663 | \$7,542.00     | 60     | T-66-K | \$8,690.00     | 56     | P-1001K | \$3,511.00     | 59     |
| 107664 | \$4,394.00     | 60     | T-67-K | \$5,119.00     | 50     | P-1002K | \$5,943.00     | 59     |
| T-50-K | \$1,506.00     | 48     | T-69-K | \$3,204.00     | 50     | P-1003K | \$1,821.00     | 57     |
| T-54-K | \$1,550.00     | 48     | T-70-K | \$3,257.00     | 51     | P-1004K | \$2,972.00     | 57     |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

## Kit No. T-54-K

Portable Dial, Models 2181, 2481, 2881 and 2184

EQUIV. TOLEDO # 85573

| QTY | RL PN | EQUIV. TOLEDO # | DESCRIPTION |
|-----|-------|-----------------|-------------|
|-----|-------|-----------------|-------------|

|        |             |             |         |
|--------|-------------|-------------|---------|
| 8..... | T101 .....  | 17806 ..... | Bearing |
| 1..... | T109 .....  | 17212 ..... | Bearing |
| 1..... | T113 .....  | 17231 ..... | Bearing |
| 1..... | T116 .....  | 14662 ..... | Bearing |
| 8..... | T122P ..... | 11783 ..... | Pivot   |
| 8..... | T141 .....  | 8619 .....  | Pin     |
| 8..... | T142L ..... | 8618 .....  | Link    |
| 1..... | T150P ..... | 8631 .....  | Pivot   |
| 1..... | T151P ..... | 17251 ..... | Pivot   |
| 1..... | T153P ..... | 32343 ..... | Pivot   |
| 4..... | T246 .....  | 14764 ..... | Bracket |

**\$1,550.00** Suggested list/10 lb shipping weight

## Kit No. T-50-K

Pivot, Bearing and Suspension Levers, Models 2151, 2191, 2154 Lever Tronic, 31-Series,  
Floor Scales, Black and Gray Lines

| QTY | RL PN | EQUIV. TOLEDO # | DESCRIPTION |
|-----|-------|-----------------|-------------|
|-----|-------|-----------------|-------------|

|        |             |                     |                                  |
|--------|-------------|---------------------|----------------------------------|
| 8..... | T104 .....  | 17213 .....         | Bearing, load, fulcrum           |
| 1..... | T109 .....  | 17212 .....         | Bearing, upper center connection |
| 1..... | T111 .....  | 17211 or 7743 ..... | Bearing, lower center connection |
| 1..... | T113 .....  | 17231 .....         | Bearing, nose iron               |
| 1..... | T151P ..... | 17251 .....         | Pivot, nose iron                 |
| 1..... | T176P ..... | 25648 .....         | Pivot, upper center connection   |
| 1..... | T177P ..... | 25649 .....         | Pivot, lower center connection   |
| 8..... | T178P ..... | 18399 .....         | Pivot, load, fulcrum             |
| 8..... | T215L ..... | 17215 .....         | Link                             |
| 8..... | T217 .....  | 4018 .....          | Pin                              |
| 8..... | T245 .....  | 17214 .....         | Bar                              |

**\$1,506.00** Suggested list/20 lb shipping weight



# Kit No. T-55-K

Livestock and Built-in Scale Models 2171, 2271, 2410, 2420, 2430

Long Lever Casting #25065, 21814, 21601, 23476, 22134, 22130

Short Lever Casting #25066, 21815, 21602, 23479, 22135, 22129

| QTY     | RL PN      | EQUIV. TOLEDO # | DESCRIPTION |
|---------|------------|-----------------|-------------|
| 4.....  | T101 ..... | 17806 .....     | Bearing     |
| 16..... | T104 ..... | 17213 .....     | Bearing     |
| 4.....  | T106 ..... | 19652 .....     | Bearing     |
| 3.....  | T113 ..... | 17231 .....     | Bearing     |
| 16..... | T133P..... | 21620 .....     | Pivot       |
| 3.....  | T151P..... | 17251 .....     | Pivot       |
| 2.....  | T241P..... | 23013 .....     | Pivot       |
| 4.....  | T188P..... | 8946 .....      | Pivot       |
| 8.....  | T220L..... | 5334 .....      | Link        |
| 8.....  | T221 ..... | 7967 .....      | Pin         |
| 8.....  | T222 ..... | 5350 .....      | Bar         |
| 16..... | T223 ..... | R653.....       | Bolt        |

**\$3,558.00** Suggested list/35 lb shipping weight

Additional Parts For Transverse Lever, Stand and Connection On Models 2410 and 2420

| QTY    | RL PN      | EQUIV. TOLEDO # | DESCRIPTION |
|--------|------------|-----------------|-------------|
| 2..... | T102 ..... | 17918 .....     | Bearing     |
| 4..... | T113 ..... | 17231 .....     | Bearing     |
| 3..... | T168P..... | 22535 .....     | Pivot       |

Additional Parts For Transverse Lever, Reversing Levers, Stand and Connection On Model 2430

| QTY    | RL PN      | EQUIV. TOLEDO # | DESCRIPTION |
|--------|------------|-----------------|-------------|
| 2..... | T101 ..... | 17806 .....     | Bearing     |
| 2..... | T106 ..... | 19652 .....     | Bearing     |
| 4..... | T113 ..... | 17231 .....     | Bearing     |
| 4..... | T162 ..... | 22461 .....     | Bearing     |
| 2..... | T167P..... | 22507 .....     | Pivot       |
| 2..... | T168P..... | 22535 .....     | Pivot       |
| 1..... | T169P..... | 22544 .....     | Pivot       |

# 15-Ton Motor Truck Scale Kits

## Kit No. T-67-K

Pivots and Bearings, Two-section, Cast Lever System With Main Lever #23644, Models 2591 and 4310

| QTY        | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                                       |
|------------|-------------|-----------------|---|
| 2.....     | T113 .....  | 17231 .....     | Bearing, tip, transverse lever                    |
| 7* .....   | T156 .....  | 23616 .....     | Old style fulcrum block with bearing, T128 insert |
| Or** ..... | T128 .....  | 47030 .....     | New style bearing, insert only                    |
| 1.....     | T168P ..... | 22535 .....     | Pivot, tip, transverse lever                      |
| 1.....     | T179P ..... | 23631 .....     | Pivot, load, transverse lever                     |
| 2.....     | T180P ..... | 23624 .....     | Pivot, load, end lever                            |
| 12.....    | T181P ..... | 23620 .....     | Pivot, tip, end lever, main                       |
| 11.....    | T184P ..... | 23615 .....     | Pivot, load and fulcrum, main levers              |
| 8.....     | T530 .....  | 23275 .....     | Link  |
| 4.....     | T548 .....  | 23282 .....     | Link  |
| 4.....     | T207 .....  | 23651 .....     | Saddle block                                      |
| 4.....     | T529 .....  | 23622 .....     | Support block                                     |
| 2.....     | T547 .....  | 23627 .....     | Support block                                     |

**\$5,119.00** Suggested list/87 lb shipping weight

\*T156, old style block with bearing will be supplied, unless \*\*T128, new style bearing insert is specified. Bearing insert from the old style block can be removed for use in new style scales..

## Kit No. T-74-K

Pivots and Bearings, Two-section, Steel Lever System Models 2592 and 4311, Main Lever #47261

| QTY    | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|--------|-------------|-----------------|--|
| 2..... | T113 .....  | 17231 .....     | Bearing, nose iron, transverse lever                       |
| 4..... | T130 .....  | 39285 .....     | Bearing, fulcrum, main lever                               |
| 6..... | T133P ..... | 21620 .....     | Pivot, fulcrum, four on end extension, two on transverse   |
| 4..... | T134P ..... | 46889 .....     | Pivot, fulcrum, main lever                                 |
| 6..... | T162 .....  | 22461 .....     | Bearing, fulcrum, four on end extension, two on transverse |
| 4..... | T165P ..... | 39154 .....     | Pivot, load, end extension                                 |
| 8..... | T166P ..... | 23829 .....     | Pivot, nose iron, main lever                               |
| 1..... | T168P ..... | 22535 .....     | Pivot, nose iron, transverse lever                         |
| 4..... | T181P ..... | 23620 .....     | Pivot, nose iron, end extension lever                      |
| 1..... | T190P ..... | 23976 .....     | Pivot, load, transverse lever                              |
| 4..... | T207 .....  | 23651 .....     | Saddle block or link support with bearing, T128 insert     |
| 4..... | T231P ..... | 47241 .....     | Pivot, load, main, bearing, main lever load                |
| 8..... | T530 .....  | 23275 .....     | Link   |
| 4..... | T548 .....  | 23282 .....     | Link   |
| 4..... | T529 .....  | 23622 .....     | Support block  |
| 2..... | T547 .....  | 23627 .....     | Support block  |

**\$4,763.00** Suggested list/67 lb shipping weight

## Kit No. T-69-K

Suspension Kit For T-67-K and T-74-K

| QTY    | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                  |
|--------|-------------|-----------------|------------------------------|
| 4..... | T207 .....  | 23651 .....     | Saddle block or support link |
| 8..... | T213L ..... | 23609 .....     | Link                         |
| 4..... | T211 .....  | 23608 .....     | Trunnion block, bar          |

**\$3,204.00** Suggested list/77 lb shipping weight

# 20-Ton Motor Truck and Axle Load Scales

## Kit No. T-72-K

Pivots and Bearings, Two-section, Cast Lever System With Main Lever #23633, Models 2691 and 4320

| QTY       | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|-----------|-------------|-----------------|--|
| 2.....    | T113 .....  | 17231 .....     | Bearing, nose iron, transverse lever                   |
| 4*.....   | T155 .....  | 23610 .....     | Old style fulcrum block with bearing, T129 insert      |
| Or**..... | T129 .....  | 47027 .....     | New style bearing insert, only                         |
| 3.....    | T156 .....  | 23616 .....     | Bearing, fulcrum                                       |
| 1.....    | T168P ..... | 22535 .....     | Pivot, nose iron                                       |
| 1.....    | T179P ..... | 23631 .....     | Pivot, load  |
| 2.....    | T180P ..... | 23624 .....     | Pivot, load  |
| 12.....   | T181P ..... | 23620 .....     | Pivot, nose  |
| 3.....    | T184P ..... | 23615 .....     | Pivot, fulcrum   |
| 8.....    | T202P ..... | 23607 .....     | Pivot, load and fulcrum                                |
| 4.....    | T208 .....  | 23603 .....     | Saddle block or link support with bearing, T129 insert |
| 8.....    | T530 .....  | 23275 .....     | Link   |
| 4.....    | T548 .....  | 23282 .....     | Link   |
| 4.....    | T529 .....  | 23622 .....     | Support  |
| 2.....    | T547 .....  | 23627 .....     | Support  |

**\$5,017.00** Suggested list/96 lb shipping weight

\*T155 old style block with bearing will be supplied, unless \*\*T129 new style bearing insert is specified. Bearing insert from the old style block can be removed for use in new style scales..

## Kit No. T-76-K

Pivots and Bearings, Two-section, Steel Lever Systems, Models 2692 and 4321, Main Lever #47260

| QTY    | RL PN       | EQUIV. TOLEDO # | DESCRIPTION   |
|--------|-------------|-----------------|---|
| 2..... | T113 .....  | 17231 .....     | Bearing, nose iron, transverse lever  |
| 4..... | T130 .....  | 39285 .....     | Bearing, fulcrum, main lever  |
| 6..... | T133P ..... | 21620 .....     | Fulcrum, four end extension and two transverse lever                            |
| 4..... | T134P ..... | 46889 .....     | Pivot, fulcrum, main lever  |
| 6..... | T162 .....  | 22461 .....     | Bearing, fulcrum, four end extension, two transverse lever                      |
| 4..... | T165P ..... | 39154 .....     | Pivot, load, end extension lever  |
| 8..... | T166P ..... | 23829 .....     | Pivot, nose iron, main lever  |
| 1..... | T168P ..... | 22535 .....     | Pivot, nose iron, transverse lever  |
| 4..... | T181P ..... | 23620 .....     | Pivot, nose iron, end extension lever   |
| 1..... | T190P ..... | 23976 .....     | Pivot, load, transverse lever   |
| 4..... | T208 .....  | 23603 .....     | Saddle block or link support with bearing, T129 insert bearing, main lever load |
| 4..... | T232P ..... | 47238 .....     | Pivot, load, main lever   |
| 8..... | T530 .....  | 23275 .....     | Link  |
| 4..... | T548 .....  | 23282 .....     | Link  |
| 4..... | T529 .....  | 23622 .....     | Support   |
| 2..... | T547 .....  | 23627 .....     | Support   |

**\$4,812.00** Suggested list/73 lb shipping weight

## Kit No. T-70-K

Suspension Kit For T-72-K and T-76-K

| QTY    | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|--------|-------------|-----------------|--|
| 4..... | T208 .....  | 23603 .....     | Saddle block or link support with bearing, T129 insert |
| 4..... | T211 .....  | 23608 .....     | Trunnion block, bar                                    |
| 8..... | T213L ..... | 23609 .....     | Link   |

**\$3,257.00** Suggested list/81 lb shipping weight

# 30-Ton Motor Truck and Axle Load Scales

## Kit No. T-73-K

Pivots and Bearings, Two-section, Cast Lever System With Main Lever #23652, Models 2791 and 4330

| QTY        | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|------------|-------------|-----------------|--|
| 2.....     | T113 .....  | 17231 .....     | Bearing, nose iron                                     |
| 4* .....   | T154 .....  | 23669 .....     | Old style fulcrum block with bearing, T130 insert      |
| Or** ..... | T130 .....  | 39285 .....     | New style bearing, insert only                         |
| 2* .....   | T155 .....  | 23610 .....     | Old style fulcrum block with bearing, T129 insert      |
| Or** ..... | T129 .....  | 47027 .....     | New style bearing, insert only                         |
| 1* .....   | T156 .....  | 23616 .....     | Old style stand block with bearing, T128 insert        |
| Or** ..... | T128 .....  | 47030 .....     | New style bearing, insert only                         |
| 8.....     | T166P ..... | 23829 .....     | Pivot, nose iron                                       |
| 1.....     | T168P ..... | 22535 .....     | Pivot, nose iron, transverse lever                     |
| 1.....     | T179P ..... | 23631 .....     | Pivot, load  |
| 4.....     | T181P ..... | 23620 .....     | Pivot, nose iron                                       |
| 8.....     | T182P ..... | 23666 .....     | Pivot, load and fulcrum                                |
| 1.....     | T184P ..... | 23615 .....     | Pivot, fulcrum   |
| 2.....     | T194P ..... | 23674 .....     | Pivot, load  |
| 2.....     | T202P ..... | 23607 .....     | Pivot, fulcrum   |
| 4.....     | T209 .....  | 23662 .....     | Saddle block or link support with bearing, T130 insert |
| 8.....     | T531 .....  | 23443 .....     | Link   |
| 4.....     | T529 .....  | 23622 .....     | Support  |
| 4.....     | T548 .....  | 23282 .....     | Link   |
| 2.....     | T547 .....  | 23627 .....     | Support  |

**\$5,449.00** Suggested list/127 lb shipping weight

\*T154, t155, t156 old style blocks with bearing will be sent.

\*\*T130, t129, and t128 new style bearing inserts on request only. The bearing inserts from old style blocks can be removed for use in new style scales.

## Kit No. T-77-K

New Style Main Lever KC234517

Pivots and Bearings, Two-section, Steel Lever System, Models 2792, 4331 and 4332, Main Lever #47258

| QTY    | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|--------|-------------|-----------------|--|
| 2..... | T113 .....  | 17231 .....     | Bearing, nose iron, transverse lever                   |
| 4..... | T130 .....  | 39285 .....     | Bearing, fulcrum, main lever                           |
| 6..... | T133P ..... | 21620 .....     | Pivot, fulcrum, four on end extension, two transverse  |
| 8..... | T134P ..... | 46889 .....     | Pivot, four fulcrum and four load, main lever          |
| 6..... | T162 .....  | 22461 .....     | Bearing, fulcrum, four end extension, two transverse   |
| 4..... | T165P ..... | 39154 .....     | Pivot, load, end extension lever                       |
| 8..... | T166P ..... | 23829 .....     | Pivot, nose iron, main lever                           |
| 1..... | T168P ..... | 22535 .....     | Pivot, nose iron, transverse lever                     |
| 4..... | T181P ..... | 23620 .....     | Pivot, nose iron, end extension lever                  |
| 1..... | T190P ..... | 23976 .....     | Pivot, load, transverse lever                          |
| 4..... | T209 .....  | 23662 .....     | Saddle block or link support with bearing, T130 insert |
| 8..... | T530 .....  | 23275 .....     | Link   |
| 4..... | T529 .....  | 23622 .....     | Support  |
| 4..... | T548 .....  | 23282 .....     | Link   |
| 2..... | T547 .....  | 23627 .....     | Support  |

**\$4,722.00** Suggested list/87 lb shipping weight

## Kit No. T-71-K

Suspension Kit For T-73-K and T-77-K

| QTY    | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|--------|-------------|-----------------|--|
| 4..... | T209 .....  | 23662 .....     | Saddle block or link support with bearing, T130 insert |
| 8..... | T210L ..... | 23667 .....     | Link   |
| 4..... | T212 .....  | 23668 .....     | Trunnion block, bar                                    |

**\$3,477.00** Suggested list/120 lb shipping weight

# 50- and 60-Ton Motor Truck Scales

## Kit No. T-58-K

Pivots and Bearings, Four-section, Cast Lever System Main Lever #23652, 38388, Models 2780, 2790, 4350, 4360

| QTY       | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|-----------|-------------|-----------------|--|
| 4.....    | T104 .....  | 17213 .....     | Bearing, fulcrum stand                                       |
| 4.....    | T106 .....  | 19652 .....     | Bearing, end extension lever, stand and connection           |
| 2.....    | T113 .....  | 17231 .....     | Bearing, transverse lever stand and connection               |
| 2*.....   | T129 .....  | 47027 .....     | New style, bearing, end extension lever fulcrum              |
| Or**..... | T155 .....  | 23610 .....     | Bearing block with bearing, T129 insert                      |
| 8*.....   | T130 .....  | 39285 .....     | New style, bearing, main lever fulcrum stand                 |
| Or**..... | T154 .....  | 23669 .....     | Bearing block with bearing, T130 insert                      |
| 2.....    | T146P ..... | 23941 .....     | Pivot, center extension lever nose                           |
| 4.....    | T161P ..... | 22501 .....     | Pivot, two nose end ext. Lever and two center ext. Lever     |
| 6.....    | T162 .....  | 22461 .....     | Bearing, transverse lever, four on connection two on load    |
| 16.....   | T166P ..... | 23829 .....     | Pivot, main lever nose                                       |
| 2.....    | T167P ..... | 22507 .....     | Pivot, transverse lever, load and fulcrum                    |
| 1.....    | T168P ..... | 22535 .....     | Pivot, transverse lever nose                                 |
| 2.....    | T170P ..... | 22503 .....     | Pivot, center extension lever fulcrum                        |
| 16.....   | T182P ..... | 23666 .....     | Pivot, main lever, load and fulcrum                          |
| 4.....    | T194P ..... | 23674 .....     | Two load, end extension lever and two center extension lever |
| 2.....    | T202P ..... | 23607 .....     | Pivot, end extension lever, fulcrum                          |
| 8.....    | T209 .....  | 23662 .....     | Saddle block or link support with bearing T130               |
| 16.....   | T531 .....  | 23443 .....     | Link, main lever tip   |
| 8.....    | T529 .....  | 23622 .....     | Support, main lever tip                                      |

**\$8,292.00** Suggested list/205 lb shipping weight

*\*T129 and T130 new style bearing insert will be supplied, unless \*\*T155 and T154 old style bearing block with inserts T129 and T130 is specified.*

## Kit No. T-65-K

Suspension Kit For T-58-K

| QTY     | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                                    |
|---------|-------------|-----------------|--|
| 8.....  | T209 .....  | 23662 .....     | Saddle block or link support with bearing T130 |
| 16..... | T210L ..... | 23667 .....     | Link   |
| 8.....  | T212 .....  | 23668 .....     | Trunnion block, bar                            |

**\$6,952.00** Suggested list/239 lb shipping weight

# 50- and 60-Ton Motor Truck Scales

## Kit No. T-59-K

Pivots and Bearings, Five-section, Cast Lever System Main Lever #23652, 38388, Models 2780, 2890, 4350, 4360

| QTY     | RL PN       | EQUIV. TOLEDO #         | DESCRIPTION   |
|---------|-------------|-------------------------|---|
| 6.....  | T104 .....  | 17213 .....             | Bearing, fulcrum stand, two on secondary center extension lever and four on center extension lever              |
| 4.....  | T106 .....  | 19652 .....             | Bearing, nose, extension lever  |
| 2.....  | T113 .....  | 17231 .....             | Bearing, nose conn, transverse lever,   |
| 2*      | T129 .....  | 47027 .....             | New style bearing, end extension lever, fulcrum   |
| Or**    | T155 .....  | 23610 .....             | Bearing block with bearing, T129 insert   |
| 10*     | T130 .....  | 39285 .....             | New style bearing, main lever fulcrum stand   |
| Or**    | T154 .....  | 23669 .....             | Bearing block with bearing, T130 insert   |
| 3.....  | T146P ..... | 23941 .....             | Pivot, nose, one on secondary center extension lever two<br>On center extension lever                           |
| 4.....  | T161P ..... | 22501 .....             | Pivot, nose, two on end extension lever and two on center extension lever                                       |
| 6.....  | T162 .....  | 22461 .....             | Bearing, transverse lever, four conn, two load  |
| 20..... | T166P ..... | 23829 .....             | Pivot, nose, main lever   |
| 2.....  | T167P ..... | 22507 .....             | Pivot, load and fulcrum, transverse lever   |
| 1.....  | T168P ..... | 22535 .....             | Pivot, nose, transverse lever   |
| 1.....  | T169P ..... | 23013 old # 22544 ..... | Pivot, nose, secondary, center lever  |
| 3.....  | T170P ..... | 22503 .....             | Pivot, fulcrum, two on center extension lever and one on<br>Secondary center extension lever                    |
| 20..... | T182P ..... | 23666 .....             | Pivot, fulcrum and main lever load  |
| 5.....  | T194P ..... | 23674 .....             | Pivot, load, two on end extension lever, two on center extension lever, one on secondary center extension lever |
| 2.....  | T202P ..... | 23607 .....             | Pivot, fulcrum, end extension lever   |
| 10..... | T209 .....  | 23662 .....             | Saddle block or link support with bearing, T130 insert  |
| 20..... | T531 .....  | 23443 .....             | Link, main lever tip  |
| 10..... | T529 .....  | 23622 .....             | Support   |
| 4.....  | T106 .....  | 19652 .....             | Bearing, load and power   |
| 2.....  | T162 .....  | 22461 .....             | Bearing, fulcrum  |
| 1.....  | T167P ..... | 22507 .....             | Pivot, fulcrum  |
| 2.....  | T169P ..... | 23013 old # 22544 ..... | Pivot, load and power   |

**\$10,304.00** Suggested list/262 lb shipping weight

*\*T129 and T130 new style bearing inserts will be supplied, unless \*\* T154 and T155 old style bearing blocks with bearing inserts T129 and T130 are specified.*

## Kit No. T-66-K

Suspension Kit For T-59-K

| QTY     | RL PN       | EQUIV. TOLEDO # | DESCRIPTION  |
|---------|-------------|-----------------|--|
| 10..... | T209 .....  | 23662 .....     | Saddle block or link support with bearing, T130 insert |
| 20..... | T210L ..... | 23667 .....     | Link   |
| 10..... | T212 .....  | 23668 .....     | Trunnion block, bar                                    |

**\$8,690.00** Suggested list/298 lb shipping weight

# 50-, 60- and 75\*-Ton Motor Truck Scales

## Kit No. T-56-K

Pivots and Bearings, Four-section, Steel Lever System, Models 2781, 2784, 2891, 2875\*, 4350, 4353, 4360, 4352

Main Lever #KC234517

Main Lever #47258, 60 and 75 Ton

Main Lever #47259, 50 Ton

| QTY     | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                                     |
|---------|-------------|-----------------|---|
| 4.....  | T106 .....  | 19652 .....     | Bearing   |
| 2.....  | T113 .....  | 17231 .....     | Bearing   |
| 8.....  | T130 .....  | 39285 .....     | Bearing   |
| 8.....  | T133P ..... | 21620 .....     | Pivot, fulcrum                                  |
| 16..... | T134P ..... | 46899 .....     | Pivot   |
| 2.....  | T146P ..... | 23941 .....     | Pivot, nose                                     |
| 4.....  | T161P ..... | 22501 .....     | Pivot, nose                                     |
| 14..... | T162 .....  | 22461 .....     | Bearing   |
| 8.....  | T165P ..... | 39154 .....     | Pivot, load                                     |
| 16..... | T166P ..... | 23829 .....     | Pivot   |
| 2.....  | T167P ..... | 22507 .....     | Pivot   |
| 1.....  | T168P ..... | 22535 .....     | Pivot   |
| 16..... | T531 .....  | 23443 .....     | Link, main lever tip                            |
| 8.....  | T529 .....  | 23622 .....     | Support, main lever tip                         |
| 8.....  | T209 .....  | 23662 .....     | Saddle block or link support with bearing, T130 |

**\$6,255.00** Suggested list/170 lb shipping weight

\*Add For Model 2875, 75-Ton:

| QTY    | RL PN      | EQUIV. TOLEDO # | DESCRIPTION |
|--------|------------|-----------------|-------------|
| 4..... | T106 ..... | 19652 .....     | Bearing     |
| 2..... | T162 ..... | 22461 .....     | Bearing     |

## Kit No. T-65-K

Suspension Kit For T-56-K

| QTY     | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                                    |
|---------|-------------|-----------------|--|
| 8.....  | T209 .....  | 23662 .....     | Saddle block or link support with bearing T130 |
| 16..... | T210L ..... | 23667 .....     | Link   |
| 8.....  | T212 .....  | 23668 .....     | Trunnion block, bar                            |

**\$6,952.00** Suggested list/239 shipping weight

# 50-, 60- and 75-Ton Motor Truck Scales

## Kit No. T-57-K

Pivots and Bearings, Five-section, Steel Lever System, Models 2781, 2891, 2875, 4350, 4360

Main Lever #KC234517

Main Lever #47258, 60 and 75 Ton

Main Lever #47259, 50 Ton

| QTY     | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                                    |
|---------|-------------|-----------------|--|
| 9.....  | T106 .....  | 19652 .....     | Bearing  |
| 2.....  | T113 .....  | 17231 .....     | Bearing  |
| 10..... | T130 .....  | 39285 .....     | Bearing  |
| 10..... | T133P ..... | 21620 .....     | Pivot, fulcrum                                 |
| 20..... | T134P ..... | 46899 .....     | Pivot  |
| 4.....  | T146P ..... | 23941 .....     | Pivot, nose                                    |
| 4.....  | T161P ..... | 22501 .....     | Pivot, nose                                    |
| 18..... | T162 .....  | 22461 .....     | Bearing  |
| 10..... | T165P ..... | 39154 .....     | Pivot, load                                    |
| 20..... | T166P ..... | 23829 .....     | Pivot  |
| 3.....  | T167P ..... | 22507 .....     | Pivot  |
| 1.....  | T168P ..... | 22535 .....     | Pivot  |
| 10..... | T209 .....  | 23662 .....     | Saddle block or link support with bearing T130 |
| 2.....  | T139 .....  | 23944 .....     | Bearing  |
| 2.....  | T169P ..... | 22544 .....     | Pivot  |
| 20..... | T531 .....  | 23443 .....     | Link, main lever tip                           |
| 10..... | T529 .....  | 23622 .....     | Support, main lever tip                        |

**\$8,279.00** Suggested list/215 shipping weight

## Kit No. T-66-K

Suspension Kit For T-57-K

| QTY     | RL PN       | EQUIV. TOLEDO # | DESCRIPTION                                    |
|---------|-------------|-----------------|--|
| 10..... | T209 .....  | 23662 .....     | Saddle block or link support with bearing T130 |
| 20..... | T210L ..... | 23667 .....     | Link   |
| 10..... | T212 .....  | 23668 .....     | Trunnion block, bar                            |

**\$8,690.00** Suggested list/298 lb shipping weight



# TOLEDO PORTABLE VEHICLE SCALES (BUILT BY POWELL)

## Kit No. P-1003K

Pivots and Bearings, Two-section, Portable Scales: 10 ft, 20 ft and 25 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 10..... | P716P..... | Main pivot                    |
| 8.....  | H624.....  | Main bearing                  |
| 2.....  | H655P..... | Backbone pivot                |
| 2.....  | H691.....  | Backbone bearing              |
| 3.....  | 10797..... | Nose iron pivot               |
| 3.....  | P701.....  | Parallel strap with bearing   |
| 2.....  | P702.....  | Horizontal strap with bearing |
| 10..... | 15280..... | Alignment pin for (bearing)   |

**\$1,821.00** Suggested list/50 lb shipping weight

## Kit No. 89051

Pivots and Bearings, Two-section, Portable Scales: 30 ft and 35 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 12..... | P716P..... | Main pivot                    |
| 10..... | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 3.....  | 10797..... | Nose iron pivot               |
| 3.....  | P701.....  | Parallel strap with bearing   |
| 2.....  | P702.....  | Horizontal strap with bearing |
| 10..... | 15280..... | Alignment pin for (bearing)   |

**\$1,845.00** Suggested list/55 lb shipping weight

## Kit No. P-1004K

Two-section Suspension Kit for P and B Kits P-1003K and 89051, 32.5 Ton Sectional

| QTY    | RL PN      | DESCRIPTION                |
|--------|------------|----------------------------|
| 8..... | 69784..... | Link                       |
| 4..... | 71043..... | Upper block with o bearing |
| 4..... | P707.....  | Upper bearing pin          |
| 4..... | P705.....  | Lower trunnion pin         |
| 4..... | 15288..... | Roll pin                   |

**\$2,972.00** Suggested list/130 lb shipping weight

# TOLEDO PORTABLE VEHICLE SCALES (BUILT BY POWELL)

## Kit No. 71020

Pivots and Bearings, Three-section, Portable Scales: 35 ft and 40 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 16..... | P716P..... | Main pivot                    |
| 13..... | H624.....  | Main bearing                  |
| 2.....  | H655P..... | Backbone pivot                |
| 2.....  | H691.....  | Backbone bearing              |
| 4.....  | 10797..... | Nose iron pivot               |
| 4.....  | P701.....  | Parallel strap with bearing   |
| 3.....  | P702.....  | Horizontal strap with bearing |
| 15..... | 15280..... | Alignment pin for (bearing)   |

**\$2,677.00** Suggested list/75 lb shipping weight

## Kit No. 71063

Three-section Suspension Kit for P and B Kits 71020, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                |
|---------|------------|----------------------------|
| 12..... | 69784..... | Link                       |
| 6.....  | 71043..... | Upper block with o bearing |
| 6.....  | P707.....  | upper bearing pin          |
| 6.....  | P705.....  | lower trunnion pin         |
| 6.....  | 15288..... | Roll pin                   |

**\$4,458.00** Suggested list/195 lb shipping weight

# TOLEDO PORTABLE VEHICLE SCALES (BUILT BY POWELL)

## Kit No. 107661

Pivots and Bearings, Four-section, Portable Scales: 50 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 20..... | P716P..... | Main pivot                    |
| 16..... | H624.....  | Main bearing                  |
| 4.....  | H655P..... | Backbone pivot                |
| 4.....  | H691.....  | Backbone bearing              |
| 5.....  | 10797..... | Nose iron pivot               |
| 5.....  | P701.....  | Parallel strap with bearing   |
| 4.....  | P702.....  | Horizontal strap with bearing |
| 20..... | 15280..... | Alignment pin for (bearing)   |

**\$3,511.00** Suggested list/96 lb shipping weight

## Kit No. P-1001K

Pivots and Bearings, Four-section, Portable Scales: 60 ft and 70 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 24..... | P716P..... | Main pivot                    |
| 20..... | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 5.....  | 10797..... | Nose iron pivot               |
| 5.....  | P701.....  | Parallel strap with bearing   |
| 4.....  | P702.....  | Horizontal strap with bearing |
| 20..... | 15280..... | Alignment pin for (bearing)   |

**\$3,511.00** Suggested list/100 lb shipping weight

## Kit No. P-1002K

Four-section Suspension Kit for P and B Kits 107661 and P-1101K, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                |
|---------|------------|----------------------------|
| 16..... | 69784..... | Link                       |
| 8.....  | 71043..... | Upper block with o bearing |
| 8.....  | P707.....  | Upper bearing pin          |
| 8.....  | P705.....  | Lower trunnion pin         |
| 8.....  | 15288..... | Roll pin                   |

**\$5,943.00** Suggested list/255 lb shipping weight

# TOLEDO PORTABLE VEHICLE SCALES (BUILT BY POWELL)

## Kit No. 107664

Pivots and Bearings, Five-section, Portable Scales: 70 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 28..... | P716P..... | Main pivot                    |
| 23..... | H624.....  | Main bearing                  |
| 2.....  | H655P..... | Backbone pivot                |
| 2.....  | H691.....  | Backbone bearing              |
| 6.....  | 10797..... | Nose iron pivot               |
| 6.....  | P701.....  | Parallel strap with bearing   |
| 5.....  | P702.....  | Horizontal strap with bearing |
| 25..... | 15280..... | Alignment pin for (bearing)   |

**\$4,394.00** Suggested list/125 lb shipping weight

## Kit No. 107663

Five-section Suspension Kit for P and B Kits 107664, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                |
|---------|------------|----------------------------|
| 20..... | 69784..... | Link                       |
| 10..... | 71043..... | Upper block with o bearing |
| 10..... | P707.....  | Upper bearing pin          |
| 10..... | P705.....  | Lower trunnion pin         |
| 10..... | 15288..... | Roll pin                   |

**\$7,542.00** Suggested list/320 lb shipping weight

# TOLEDO PORTABLE VEHICLE SCALES (BUILT BY POWELL)

## Kit No. 71021

Pivots and Bearings, Six-section, Portable Scales: 70 ft and 80 ft, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 32..... | P716P..... | Main pivot                    |
| 26..... | H624.....  | Main bearing                  |
| 4.....  | H655P..... | Backbone pivot                |
| 4.....  | H691.....  | Backbone bearing              |
| 7.....  | 10797..... | Nose iron pivot               |
| 7.....  | P701.....  | Parallel strap with bearing   |
| 6.....  | P702.....  | Horizontal strap with bearing |
| 30..... | 15280..... | Alignment pin for (bearing)   |

**\$5,304.00** Suggested list/145 lb shipping weight

## Kit No. 71062

Six-section Suspension Kit for P and B Kits 71021, 32.5 Ton Sectional

| QTY     | RL PN      | DESCRIPTION                |
|---------|------------|----------------------------|
| 24..... | 69784..... | Link                       |
| 12..... | 71043..... | Upper block with o bearing |
| 12..... | P707.....  | Upper bearing pin          |
| 12..... | P705.....  | Lower trunnion pin         |
| 12..... | 15288..... | Roll pin                   |

**\$8,914.00** Suggested list/385 lb shipping weight



# FAIRBANKS

FAIRBANKS

# Fairbanks Price Index By Rice Lake Weighing Systems PN

FAIRBANKS

| RL PN  | SUGGESTED LIST | PAGE # |
|--------|----------------|--------|
| 10152  | \$42.00        | 72     |
| 10154  | \$42.00        | 72     |
| 10156  | \$48.00        | 72     |
| 10158  | \$42.00        | 72     |
| 10160  | \$48.00        | 72     |
| 10162  | \$48.00        | 72     |
| 10164  | \$54.00        | 72     |
| 10166  | \$91.00        | 72     |
| 10168  | \$54.00        | 72     |
| 10170  | \$61.00        | 72     |
| 10185  | \$78.00        | 73,107 |
| 10186  | \$78.00        | 73     |
| 10187  | \$78.00        | 73     |
| 10188  | \$78.00        | 73     |
| 10189  | \$42.00        | 72     |
| 10191  | \$48.00        | 72     |
| 10193  | \$78.00        | 73     |
| 10196  | \$73.00        | 72     |
| 10266  | \$48.00        | 73     |
| 10268  | \$48.00        | 73     |
| 10270  | \$52.00        | 73     |
| 10272  | \$58.00        | 73     |
| 10274  | \$63.00        | 73     |
| 10292  | \$484.00       | 102    |
| *10294 | \$83.00        | XX     |
| 10699  | \$70.00        | 95     |
| 10763  | \$49.00        | 95     |
| 10786  | \$107.00       | 107    |
| 10800  | \$44.00        | 100    |
| 10855  | \$150.00       | 111    |
| 10873  | \$49.00        | 95     |
| 10900  | \$112.00       | 95     |
| 10960  | \$190.00       | 107    |
| 10961  | \$107.00       | 107    |
| 10962  | \$107.00       | 107    |
| 10963  | \$49.00        | 95     |
| 14739  | \$1.50         | XX     |
| 14884  | \$0.50         | 87     |
| 15180  | \$2.30         | 109    |
| 15242  | \$1.00         | 83,87  |
| 15244  | \$1.50         | 109    |
| 15277  | \$2.00         | 77     |
| 15292  | \$4.00         | 83,87  |

| RL PN | SUGGESTED LIST | PAGE #  |
|-------|----------------|---------|
| 15294 | \$5.00         | 83,87   |
| 22002 | \$1.00         | XX      |
| 22003 | \$0.50         | 87      |
| 22005 | \$0.35         | 98      |
| 22267 | \$190.00       | 107     |
| 22306 | \$85.00        | 77      |
| 22307 | \$25.00        | 77      |
| 22308 | \$22.00        | 77      |
| 22309 | \$44.00        | 77      |
| 22310 | CONSULT        | 77      |
| 22314 | \$9.00         | 77      |
| 22315 | \$30.00        | 77,79   |
| 22316 | \$230.00       | 77      |
| 22320 | \$94.00        | 77      |
| 22321 | CONSULT        | XX      |
| 22327 | CONSULT        | XX      |
| 22328 | CONSULT        | XX      |
| 25524 | \$53.00        | 109,111 |
| 32294 | \$337.00       | 79      |
| 33956 | \$174.00       | 79      |
| 33980 | \$226.00       | 79      |
| 41642 | \$28.00        | 81      |
| 41643 | \$28.00        | 81      |
| 41645 | \$25.00        | 81      |
| 41650 | \$13.00        | 81      |
| 41651 | \$17.00        | 81      |
| 44836 | \$143.00       | 111     |
| 44837 | \$134.00       | 109     |
| 47850 | \$1,275.00     | 109     |
| 49992 | \$392.00       | 97      |
| 49993 | \$405.00       | 97      |
| 50319 | \$501.00       | 96,104  |
| 50747 | \$37.00        | 109     |
| 50748 | \$42.00        | 109     |
| 50763 | \$86.00        | 112     |
| 50764 | \$72.00        | 112     |
| 50767 | \$337.00       | 109     |
| 50807 | \$101.00       | 109     |
| 50826 | \$83.00        | 112     |
| 50930 | \$79.00        | 81      |
| 50931 | \$24.00        | 81      |
| 51981 | \$27.00        | 81      |
| 62980 | \$27.00        | 81      |

| RL PN   | SUGGESTED LIST | PAGE #       |
|---------|----------------|--------------|
| 67387   | \$1,425.00     | 109          |
| 70795   | \$380.00       | 96,102       |
| 71069   | \$24.00        | 77           |
| 71821   | \$54.00        | 98           |
| 99781   | \$446.00       | 97           |
| 101852  | \$52.00        | 107          |
| 105128  | \$281.00       | 111          |
| 105129  | \$154.00       | 111          |
| 162244  | \$33.00        | 81           |
| 105625  | \$187.00       | 107          |
| 109228  | \$193.00       | 115          |
| 109331  | \$116.00       | 117          |
| 109332  | \$143.00       | 117          |
| D951    | \$16.00        | 77           |
| F301    | \$51.00        | 83,86        |
| F302    | \$155.00       | 83,86        |
| F303    | \$41.00        | 83,85,86     |
| F304P   | \$27.00        | XX           |
| F305    | \$63.00        | 87           |
| F307    | \$35.00        | 85,86        |
| F308    | \$13.00        | 83,85,87     |
| F309P   | \$27.00        | 83,85,87,100 |
| F310    | \$44.00        | 83,85,86     |
| F311    | \$42.00        | 86,88        |
| F312L   | \$60.00        | 83,86        |
| F319    | \$221.00       | 131          |
| F323P   | \$40.00        | 83,85        |
| F323PSS | \$42.00        | XX           |
| F324    | \$219.00       | XX           |
| F325L   | \$67.00        | 85,86        |
| F326    | \$67.00        | 85,87        |
| F326SS  | \$94.00        | XX           |
| F327    | \$248.00       | 85,86        |
| F328    | \$59.00        | 85,86        |
| F401    | \$21.00        | 101          |
| F402    | \$29.00        | 101          |
| F403    | \$34.00        | 101          |
| F404    | \$41.00        | 101          |
| F405    | \$55.00        | 101          |
| F405N   | \$55.00        | 101          |
| F406    | \$36.00        | 98           |
| F407P   | \$21.00        | 99           |
| F408P   | \$28.00        | 99           |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

xx Call for details.



# Fairbanks Price Index

By Rice Lake Weighing Systems PN

| RL PN  | SUGGESTED LIST                | PAGE #    | RL PN | SUGGESTED LIST | PAGE #      | RL PN    | SUGGESTED LIST | PAGE # |
|--------|-------------------------------|-----------|-------|----------------|-------------|----------|----------------|--------|
| F409P  | \$34.00                       | 99        | F483  | \$27.00        | 75          | F555P    | \$40.00        | 92,100 |
| F410P  | \$43.00                       | 100       | F484  | \$25.00        | 75          | F556     | \$63.00        | 87,92  |
| F411P  | \$24.00                       | 99        | F485  | CONSULT        | 75          | F557     | \$53.00        | 102    |
| F412P  | \$31.00                       | 99        | F486  | \$27.00        | 75          | F558     | \$292.00       | 104    |
| F413P  | \$44.00                       | 100       | F487P | \$21.00        | 77          | F559     | \$282.00       | 104    |
| F414   | \$37.00                       | 101       | F488P | \$16.00        | 75,77       | F560     | \$302.00       | 103    |
| F415   | \$67.00                       | 101       | F489P | \$18.00        | 75,77       | F561     | \$330.00       | 104    |
| F416P  | \$31.00                       | XX        | F490  | \$31.00        | 75,77       | F562     | \$317.00       | 104    |
| F418   | \$67.00                       | 101       | F492  | \$25.00        | 77          | F563     | \$309.00       | 1003   |
| F419P  | \$47.00                       | 100       | F493  | \$21.00        | 75,77,79,81 | F564     | \$385.00       | 104    |
| F420P  | \$37.00                       | 99        | F494  | \$17.00        | 77          | F571     | \$41.00        | 92     |
| F421   | \$43.00                       | 101       | F495  | \$15.00        | 77          | F572     | \$41.00        | 92     |
| F422   | \$55.00                       | 100       | F496  | \$19.00        | 77          | F574P    | \$25.00        | 77     |
| F423P  | \$46.00                       | 100       | F497  | \$12.00        | 77          | F575     | \$16.00        | 77     |
| F424   | \$10.00                       | 98        | F498  | \$9.00         | 77          | F582     | \$234.00       | 91     |
| F452P  | \$28.00                       | 75,77     | F501  | \$28.00        | 75,77       | F583     | \$221.00       | 91     |
| F454P  | \$43.00                       | 100       | F502  | \$24.00        | 75          | F584     | \$234.00       | 91     |
| F455W  | 72Reference RL Part<br>#10189 |           | F503  | \$341.00       | 104         | F585     | \$234.00       | 91     |
| F456W  | Reference RL Part<br>#10191   |           | F504  | \$319.00       | 104         | F586P    | \$73.00        | 90     |
| F457P  | \$29.00                       | 99,133    | F505  | \$309.00       | 103         | F588     | CONSULT        | XX     |
| F458P  | \$34.00                       | 92,99     | F506  | \$60.00        | 102         | F589P    | \$28.00        | 77     |
| F459   | \$70.00                       | 94        | F507  | \$60.00        | 102         | F590     | \$302.00       | 107    |
| F460   | \$82.00                       | 94        | F508  | \$341.00       | 104         | F590-1   | \$302.00       | 107    |
| F461   | \$80.00                       | 94        | F513  | \$345.00       | 103         | F591     | \$324.00       | 107    |
| F462   | \$68.00                       | 94        | F514  | \$357.00       | 104         | F594     | \$993.00       | 121    |
| F463   | \$82.00                       | 94        | F515  | \$446.00       | 104         | F594-2   | \$197.00       | 79     |
| F464   | \$80.00                       | 94        | F529  | \$33.00        | 90          | F594-4   | \$108.00       | 79     |
| F465P  | \$42.00                       | 85,99,133 | F531P | \$27.00        | 99,133      | F594-9   | \$15.00        | 79     |
| F466P  | \$43.00                       | 99        | F532P | \$28.00        | 99,133      | F594SA   | \$768.00       | 79     |
| F468   | \$63.00                       | 94        | F534  | \$29.00        | 101,133     |          | CONSULT        | 79     |
| F471   | \$52.00                       | 98,102    | F539  | \$58.00        | 101,133     | F594-12  | \$132.00       | 79     |
| F472   | \$53.00                       | 98,102    | F540P | \$71.00        | 90          |          | CONSULT        | 79     |
| F473   | \$58.00                       | 98,102    | F541P | \$70.00        | 90          | F594-15A | \$136.00       | 79     |
| F474   | \$15.00                       | 98,102    | F542P | \$56.00        | 90          | F542P    | \$56.00        | 79     |
| F475AL | \$137.00                      | 103       | F543  | \$81.00        | 90          | F594-17  | \$28.00        | 79     |
| F476BL | \$137.00                      | 103       | F544  | \$200.00       | 91          | F594-18  | \$100.00       | 79     |
| F477CL | \$169.00                      | 103       | F545P | \$68.00        | 90          | F594-22  | \$29.00        | 79     |
| F478DL | \$178.00                      | 96,103    | F546  | \$236.00       | 91          | F594-23  | \$24.00        | 79     |
| F479P  | \$22.00                       | 75        | F547  | \$236.00       | 91          | F594-24  | \$14.00        | 79     |
| F480P  | \$28.00                       | 75        | F548P | \$56.00        | 90          | F594-27  | \$34.00        | 79     |
| F481   | \$24.00                       | 77        | F549  | \$73.00        | 90          | F594-28  | \$34.00        | 79     |
| F482   | \$25.00                       | 77        | F554P | \$33.00        | 92          | F594-29  | \$78.00        | 79     |
|        |                               |           |       |                |             | F596     | \$41.00        | XX     |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

xx Call for details.

# Fairbanks Price Index

By Rice Lake Weighing Systems PN

FAIRBANKS

| RL PN   | SUGGESTED LIST | PAGE #    |
|---------|----------------|-----------|
| F597    | \$14.00        | 77        |
| F712P   | \$91.00        | 100       |
| F713    | \$479.00       | 104       |
| F714    | \$108.00       | 94        |
| F721L   | \$127.00       | 93        |
| F722    | \$290.00       | 93        |
| F723    | \$221.00       | 93        |
| F724    | \$290.00       | 93        |
| F725    | \$221.00       | 93        |
| F726    | \$78.00        | 94        |
| F727L   | \$127.00       | 93        |
| F728    | \$77.00        | 102       |
| F729P   | \$49.00        | 88        |
| F730P   | \$46.00        | 88        |
| F731    | \$44.00        | 88        |
| F732    | \$53.00        | XX        |
| F735    | \$41.00        | 92        |
| F736    | \$451.00       | 102       |
| F737    | \$46.00        | 89        |
| F738    | \$43.00        | 88        |
| F739    | \$77.00        | 89        |
| F740    | \$60.00        | 89        |
| F741    | \$21.00        | 89        |
| F742    | \$21.00        | 89        |
| F744    | \$80.00        | 75        |
| F745    | \$248.00       | 103       |
| F746    | \$234.00       | 96        |
| F747    | \$269.00       | 96        |
| F748    | \$409.00       | 102       |
| F749    | \$269.00       | 96        |
| F750P   | \$62.00        | 92        |
| F751    | \$13.00        | 98        |
| F753PSS | \$40.00        | 85,87,100 |
| F756    | \$13.00        | 87        |
| F758P   | \$24.00        | 77        |
| F759P   | \$68.00        | 92        |
| F761    | \$51.00        | 98        |
| F762    | \$15.00        | 88        |
| F763P   | \$36.00        | 98        |
| F764P   | \$49.00        | 75,121    |

| RL PN    | SUGGESTED LIST | PAGE # |
|----------|----------------|--------|
| F765P    | \$58.00        | 121    |
| F771     | \$79.00        | 121    |
| F773     | \$29.00        | 121    |
| F774     | \$29.00        | 121    |
| F775     | \$31.00        | 121    |
| F776     | \$201.00       | 97     |
| F778P    | \$99.00        | 100    |
| F780SS   | \$99.00        | 121    |
| F781     | \$63.00        | 94     |
| F782L    | \$127.00       | 97     |
| F783     | \$254.00       | 97     |
| F785     | \$135.00       | 94     |
| F786     | \$19.00        | 77     |
| F787     | \$82.00        | 95     |
| F788     | \$80.00        | 95     |
| F789     | \$108.00       | 94     |
| F792     | \$337.00       | 91     |
| F793     | \$337.00       | 91     |
| F1552RRP | \$33.00        | 114    |
| F1553RRP | \$289.00       | 118    |
| F1554RRP | \$146.00       | 118    |
| F1555RRP | \$206.00       | 118    |
| F1556RRP | \$236.00       | 118    |
| F1557RRP | \$146.00       | 118    |
| F1558RRP | \$78.00        | 118    |
| F1559RRP | \$89.00        | 118    |
| F1560RRP | \$78.00        | 118    |
| F1561RRP | \$150.00       | 118    |
| F1562RR  | \$132.00       | 118    |
| F1563RR  | \$144.00       | 118    |
| F1564RR  | \$100.00       | 118    |
| F1565RR  | \$132.00       | 118    |
| F1566RR  | \$99.00        | 118    |
| F1567RR  | \$81.00        | 118    |
| F1568RR  | \$105.00       | 118    |
| F1569RR  | \$123.00       | 118    |
| F1570RR  | \$229.00       | 118    |
| F1571RR  | \$214.00       | 118    |
| F1572RR  | \$214.00       | 118    |
| F1573RRP | \$272.00       | 119    |
| F1574RRP | \$91.00        | 119    |
| F1576RRP | \$174.00       | 119    |

| RL PN    | SUGGESTED LIST | PAGE #  |
|----------|----------------|---------|
| F1577RRP | \$345.00       | 119     |
| F1578RRP | \$259.00       | 119     |
| F1579RR  | \$278.00       | 119     |
| F1581RR  | \$221.00       | 119     |
| F1583RR  | \$301.00       | 119     |
| F1587RR  | \$235.00       | 119     |
| F1600RR  | \$220.00       | 119     |
| F1604RR  | \$433.00       | 119     |
| F1609RR  | \$402.00       | 119     |
| F1610RRP | \$154.00       | 119     |
| F1620RRP | \$328.00       | 119     |
| F1621RRP | \$405.00       | 119     |
| F1622RRP | \$147.00       | 119     |
| F1623RRP | \$328.00       | 119     |
| F1627RRP | \$364.00       | 119     |
| F1631RR  | \$290.00       | 119     |
| F1650RRP | \$117.00       | 119     |
| F1651RR  | \$187.00       | 119     |
| F1663RR  | \$290.00       | 120     |
| F1664RR  | \$282.00       | 120     |
| F1666RR  | \$774.00       | 120     |
| F1671RR  | \$142.00       | 120     |
| F1682RR  | \$117.00       | 120     |
| F1683RRL | \$917.00       | 120     |
| F1684RR  | \$1,479.00     | 120     |
| F1685RR  | \$1,427.00     | 120     |
| F1686RR  | \$306.00       | 120     |
| F1687RRP | \$255.00       | 120     |
| F1688RRP | \$330.00       | 120     |
| F1689RR  | \$385.00       | 120     |
| F1693RR  | \$333.00       | 120     |
| F1696RR  | \$245.00       | 120     |
| F1697RR  | \$247.00       | 120     |
| F1698RR  | \$899.00       | 120     |
| F1699RR  | \$973.00       | 120     |
| F1700RR  | \$673.00       | 120     |
| F1711RR  | \$231.00       | 94, 120 |
| 110632   | \$193.00       | 113     |
| 131389   | \$221.00       | 104     |

# Fairbanks Cross Reference By Equivalent Fairbanks Number

| EQUIV. FB # | FB NEW # | RL PN    | PAGE #      | EQUIV. FB # | FB NEW # | RL PN    | PAGE #    |
|-------------|----------|----------|-------------|-------------|----------|----------|-----------|
|             | 2195     | F463     | 94          | SD194AMI    | 54603    | F405     | 101       |
| 1A1407      | 10302    | F575     | 77          | SD253       | 54710    | F407P    | 99        |
| 1A1921      | 10335    | F482     | 77          | SH253       | 54711    | F411P    | 99        |
| 1A1922      | 10336    | F492     | 77          | SD253A      | 54712    | F530P    | 132       |
| 1A2143      | 10359    | F495     | 77          | SE255       | 54715    | F532P    | 99,133    |
| SD244A      | 11414    | F406     | 98          | SG255       | 54716    | F408P    | 99        |
| 1-35398-1   | 11427    | F763P    | 98          | SD255A      | 54717    | F412P    | 99        |
| 1-35408-1   | 11439    | 71821    | 98          | SE255A      | 54718    | F531P    | 99,133    |
| 1-39548-1   | 11621    | 50764    | 112         | SG255A      | 54719    | F457P    | 99,133    |
| 1-40791-1   | 11898    | 50763    | 112         | 1463A1      | 54719    | F457P    | 99,133    |
| 1A495       | 17835    | F496     | 77          | SH255A      | 54720    | F420P    | 99        |
| PQ33C       | 17836    | F479P    | 75          | SD255C      | 54721    | F409P    | 99        |
| 1A779       | 17839    | F488P    | 75,77       | WR281       | 54736    | F458P    | 92,99     |
| 1A780       | 17840    | F489P    | 75,77       | 1382A2      | 54736    | F458P    | 92,99     |
| PB31D       | 17862    | F452P    | 75,77       | 1463-2      | 54736    | F458P    | 92,99     |
| 1A1408      | 17862    | F452P    | 75,77       | 1463-2      | 54736    | F416P    | xx        |
| 1A1409      | 17863    | F487P    | 77          | FG313       | 54789    | F465P    | 85,99,133 |
| 1A1469      | 17870    | 10162    | 72          | 90341       | 54807    | 10699    | 95        |
| 1A1470      | 17871    | 10164    | 72          | 40-334-600  | 54807    | 10699    | 95        |
| 1A1471      | 17872    | 10166    | 72          | WJ361A      | 54816    | F308     | 83,85,87  |
| 1A1919      | 17878    | F497     | 77          | WJ361A      | 54816    | F756     | 87        |
| PA594       | 17879    | F498     | 75,77       | CL817       | 54816    | F308     | 83,85,87  |
| 1A1920      | 17879    | F498     | 75,77       | 1382-2      | 55679    | F752P    | xx        |
| 1A1991      | 17881    | F493     | 75,77,79,81 | SM210-E     | 55688    | F1669RRP | 118       |
| 1A2150      | 17883    | F494     | 77          | 1382-11     | 55688    | F1669RRP | 118       |
| 1B1135      | 17888    | 10193    | 73          | 1418-25     | 55720    | F1693RR  | 120       |
| 1-17371     | 17927    | F597     | 77          | 1418-26     | 55721    | F1689RR  | 119       |
| 5A12163-5   | 54016    | F308     | 83,85,87    | 1514        | 55748    | F459     | 94        |
| FG18B       | 54036    | F533P    | 132         | 1382-9      | 55749    | F721L    | 93        |
| WA44B       | 54046    | F529     | 90          | 1510        | 55749    | F727L    | 93        |
| 45-006-600  | 54071    | 49993    | 97          | 1528        | 55749    | F721L    | 93        |
| 40-011-600  | 54105    | 10763    | 95          | 1517        | 55750    | F725     | 93        |
| 45-012-600  | 54106    | F782L    | 97          | 1527        | 55753    | F723     | 93        |
| 45-013-600  | 54107    | F783     | 97          | 1817        | 55758    | F724     | 93        |
| 40-032-600  | 54149    | F776     | 97          | 1612        | 55764    | F461     | 94        |
| SH139       | 54464    | F419P    | 100         | 1736        | 55772    | F462     | 94        |
| SD139A      | 54465    | F410P    | 100         | 1382A6      | 55864    | F454P    | 100       |
| ST139-T     | 54467    | F1619RRP | 116         | 2-55446-6   | 58937    | 41651    | 81        |
| 1-44115     | 54494    | 50826    | 112         | 56936MI     | 58995    | F415     | 101       |
| Tx152       | 54520    | F424     | 98          | SE183G      | 59778    | F534     | 101,133   |
| SG183A      | 54580    | F403     | 101         | 74057       | 59778    | F534     | 101,133   |
| SH183E      | 54581    | F421     | 101         | 74319       | 59784    | F537     | 132       |
| SE183F      | 54582    | F402     | 101         | 74321       | 59786    | F535     | 132       |
| SD183H      | 54583    | F414     | 101         | 82105       | 59824    | F536     | 132       |
| SD183J      | 54584    | F404     | 101         | 82498       | 59840    | F423P    | 100       |
| SD183K      | 54585    | F401     | 101         | 82499       | 59841    | F422     | 100       |

# Fairbanks Cross Reference By Equivalent Fairbanks Number

| EQUIV. FB # | FB NEW # | RL PN   | PAGE #      | EQUIV. FB # | FB NEW # | RL PN  | PAGE # |
|-------------|----------|---------|-------------|-------------|----------|--------|--------|
| 82543       | 59846    | F304P   | 85,89,99    | 85414       | 60375    | F747   | 96     |
| 83364       | 59851    | F751    | 98          | 87222       | 60375    | F747   | 96     |
| 83742       | 59911    | F306    | xx          | 80261       | 60377    | F560   | 103    |
| 84009       | 59930    | F302    | 83,86       | 87225       | 60377    | F560   | 103    |
| 84011       | 59931    | F312L   | 83,86       | 80264       | 60378    | F563   | 103    |
| 87461       | 59931    | F312L   | 83,86       | 87226       | 60378    | F563   | 103    |
| 84013       | 59932    | F301    | 83,86       | 80267       | 60379    | F505   | 103    |
| 84026       | 59937    | F319    | xx          | 87227       | 60379    | F505   | 103    |
| 84117       | 59943    | F305SS  | xx          | 80270       | 60380    | F513   | 103    |
| 84118       | 59944    | F304PSS | xx          | 87228       | 60380    | F513   | 103    |
| 84119       | 59945    | F755SS  | xx          | 82108       | 60381    | F745   | 103    |
| 84120       | 59946    | F754SS  | xx          | 87229       | 60381    | F745   | 103    |
| 84121       | 59947    | F303SS  | xx          | 85412       | 60382    | F746   | 96     |
| 84122       | 59948    | F309PSS | xx          | 87230       | 60382    | F746   | 96     |
| 84125       | 59950    | F753P   | xx          | 80260       | 60384    | F558   | 104    |
| 84126       | 59951    | F753PSS | 85,87       | 87233       | 60384    | F558   | 104    |
| 84136H      | 59953    | F325L   | 85,86       | 80263       | 60385    | F561   | 104    |
| 87244       | 59953    | F325L   | 85,86       | 87234       | 60385    | F561   | 104    |
| 87466       | 59953    | F325L   | 85,86       | 80266       | 60386    | F503   | 104    |
| 84138       | 59954    | F328    | 85,86       | 87235       | 60386    | F503   | 104    |
| 84310       | 59982    | F323P   | 85,87,89,99 | 80269       | 60387    | F515   | 104    |
| 84320       | 59983    | F323PSS | xx          | 87236       | 60387    | F515   | 104    |
| 86694       | 60247    | F472    | 98,102      | 80811       | 60389    | F713   | 104    |
| 86754       | 60265    | F473    | 98,102      | 87237       | 60389    | F713   | 104    |
| 86755       | 60266    | F557    | 102         | 85411       | 60392    | 50319  | 96,104 |
| 1418-4      | 60267    | F471    | 98,102      | 87239       | 60392    | 50319  | 96,104 |
| 86756       | 60267    | F471    | 98,102      | RA135       | 60393    | F475AL | 98     |
| 86691       | 60286    | F474    | 98,102      | 87240       | 60393    | F475AL | 98     |
| 86823       | 60286    | F474    | 98,102      | RB135       | 60394    | F476BL | 103    |
| RA191       | 60368    | F559    | 104         | RC135       | 60395    | F477CL | 103    |
| 87215       | 60368    | F559    | 104         | 87242       | 60395    | F477CL | 103    |
| RB191       | 60369    | F562    | 104         | RD135       | 60396    | F478DL | 96,103 |
| 87216       | 60369    | F562    | 104         | 87243       | 60396    | F478DL | 96,103 |
| RC191       | 60370    | F504    | 104         | SGC19       | 60398    | F748   | 102    |
| 87217       | 60370    | F504    | 104         | 86739       | 60398    | F748   | 102    |
| RC191A      | 60371    | F508    | 104         | 87245       | 60398    | F748   | 102    |
| 87218       | 60371    | F508    | 104         | SD19A       | 60399    | F736   | 102    |
| 87931       | 60371    | F508    | 104         | SD19E       | 60399    | F736   | 102    |
| RD191       | 60372    | F514    | 104         | 86693       | 60399    | F736   | 102    |
| 87219       | 60372    | F514    | 104         | 87246       | 60399    | F736   | 102    |
| 80253       | 60373    | F564    | 104         | 86764       | 60400    | 10292  | 102    |
| 87220       | 60373    | F564    | 104         | 86797       | 60406    | F506   | 102    |
| 87221       | 60374    | 131389  | xx          | 87255       | 60406    | F506   | 102    |
| 87465       | 60374    | F327    | 85,86       | SD682MI     | 60407    | F507   | 102    |

xx Call for details.

# Fairbanks Cross Reference By Equivalent Fairbanks Number

| EQUIV. FB # | FB NEW # | RL PN  | PAGE # | EQUIV. FB # | FB NEW # | RL PN    | PAGE # |
|-------------|----------|--------|--------|-------------|----------|----------|--------|
| 86822       | 60407    | F507   | 102    | 2-55446-13  |          | 41642    | 81     |
| 87256       | 60407    | F507   | 102    | 2-55446-69  |          | 41643    | 81     |
| 86880       | 60408    | F728   | 102    | 2-55446-10  |          | 41650    | 81     |
| 87257       | 60408    | F728   | 102    | 45-017-600  |          | 49992    | 97     |
| 87391       | 60527    | F712P  | 100    | 2-55446-30  |          | 50931    | 81     |
| 84016       | 60537    | F305   | 87     | 90290       |          | 67298    | xx     |
| 87460       | 60537    | F305   | 87     | 90291       |          | 67298    | xx     |
| 70329       | 60540    | F327   | 85,86  | N/A         |          | 67385    | xx     |
| 82107       | 60540    | 131389 | xx     | SX46-B      |          | 94837    | xx     |
| 84135       | 60540    | F327   | 85,86  | 2-44313-2   |          | 101852   | 107    |
| 1-29383-1   | 61316    | F730P  | 88     | 3-55125-1   |          | 105625   | 107    |
| 89603       | 61316    | F730P  | 88     | 1-3839-1    |          | D951     | 77     |
| 1-27979-1   | 61317    | F729P  | 88     | SQ46-P      |          | F1563RR  | 118    |
| 89604       | 61317    | F729P  | 88     | 82873B      |          | F1563RR  | 118    |
| IA222       | 61318    | F762   | 88     | S2LF138-C   |          | F1564RR  | 118    |
| 89605       | 61318    | F762   | 88     | SQ278-A     |          | F1572RR  | 118    |
| 1-29250-1   | 61331    | F731   | 89     | SM278-B     |          | F1579RR  | 119    |
| 89620       | 61331    | F731   | 89     | SP407-A     |          | F1581RR  | 119    |
| 1-34815-1   | 61332    | F737   | 89     | TU259-G     |          | F1586RRP | xx     |
| 1-29255-1   | 61335    | F740   | 89     | SM46-Y      |          | F1600RR  | 119    |
| 89624       | 61335    | F740   | 89     | S6N46-F     |          | F1602RR  | xx     |
| 5A9356-10   | 61337    | F742   | 89     | SX46        |          | F1603RR  | xx     |
| 89625       | 61337    | F742   | 89     | TU46-C      |          | F1605RR  | xx     |
| 5A9356-12   | 61338    | F741   | 89     | TU46-D      |          | F1606RR  | xx     |
| 89626       | 61338    | F741   | 89     | SM46-Z      |          | F1609RR  | 119    |
| 2-29377-1   | 61348    | F739   | 89     | TU125-C     |          | F1610RRP | 119    |
| 89651       | 61348    | F739   | 89     | SX138       |          | F1611RR  | xx     |
| 2-55444-55  |          | 10156  | 72     | SX139       |          | F1613RRP | xx     |
| 2-55444-46  |          | 10158  | 72     | TU139-B     |          | F1614RRP | xx     |
| PB20G       |          | 10185  | 73,107 | SW139-C     |          | F1615RRP | xx     |
| A8234       |          | 10186  | 73     | SM139-V     |          | F1620RRP | 119    |
| A8234       |          | 10187  | 73     | SM139-W     |          | F1621RRP | 119    |
| PB20G       |          | 10188  | 73     | SX194       |          | F1624RR  | xx     |
| A8234       |          | 10188  | 73     | SX238       |          | F1625RRP | xx     |
| PAZ21       |          | 10270  | 73     | SX247       |          | F1626RRP | xx     |
| 21931       |          | 10272  | 73     | SM247-B     |          | F1627RRP | 119    |
| 21930       |          | 10274  | 73     | SX248       |          | F1628RRP | xx     |
| 90357       |          | 10900  | 95     | SX255       |          | F1629RRP | xx     |
| 90284       |          | 10960  | 107    | SX259       |          | F1630RRP | xx     |
| 90280       |          | 10961  | 107    | SM407-A     |          | F1631RR  | 119    |
| 90282       |          | 10962  | 107    | SX414-B     |          | F1632RR  | xx     |
| 40-008-600  |          | 10963  | 95     | SX415       |          | F1633RR  | xx     |
| SP12.3      |          | 15277  | 77     | 73905       |          | F1634RR  | xx     |
| 90329       |          | 22267  | 107    | SC139       |          | F1635RRP | xx     |

# Fairbanks Cross Reference By Equivalent Fairbanks Number

FAIRBANKS

| EQUIV. FB # | FB NEW # | RL PN    | PAGE # | EQUIV. FB # | FB NEW # | RL PN    | PAGE #   |
|-------------|----------|----------|--------|-------------|----------|----------|----------|
| SC247       |          | F1636RRP | xx     | 3188        |          | F1700RR  | 120      |
| SC248       |          | F1637RRP | xx     | 1382-18     |          | F1701RRP | xx       |
| SC255       |          | F1638RRP | xx     | 1418-16     |          | F1702RR  | xx       |
| SC259       |          | F1639RRP | xx     | 1548        |          | F1703RR  | xx       |
| SC238       |          | F1640RRP | xx     | N/A         |          | F1705RR  | xx       |
| SC353       |          | F1641RR  | xx     | SQ186-S     |          | F1706RR  | xx       |
| SC138       |          | F1642RR  | xx     | SQ186-M     |          | F1707RR  | xx       |
| SC46        |          | F1643RR  | xx     | SM154-D     |          | F1708RR  | xx       |
| SC194       |          | F1644RR  | xx     | 1564        |          | F1709RR  | xx       |
| SM278-B     |          | F1645RR  | xx     | N/A         |          | F1712RR  | xx       |
| Sc415       |          | F1647RR  | xx     | 82551C      |          | F303     | 83,85,86 |
| SC414       |          | F1648RR  | xx     | 82551B      |          | F310     | 83,85,86 |
| SC771       |          | F1652RR  | xx     | 89622       |          | F311     | 86,88    |
| 73935       |          | F1653RR  | xx     | 1-32552-2   |          | F311SS   | xx       |
| SX210       |          | F1655RRP | xx     | 82548       |          | F321     | xx       |
| 5872        |          | F1655RRP | xx     | 83884B      |          | F322     | xx       |
| SX210-A     |          | F1656RRP | xx     | 84167       |          | F324     | xx       |
| SX771       |          | F1657RR  | xx     | 85309       |          | F326SS   | xx       |
| 2136        |          | F1663RR  | 120    | 60245       |          | F441P    | xx       |
| 2135        |          | F1664RR  | 120    | 48210       |          | F442P    | xx       |
| 1542        |          | F1666RR  | 120    | 2117        |          | F464     | 94       |
| 1547        |          | F1667RR  | xx     | FG313A      |          | F465PSS  | xx       |
| 1382-8      |          | F1668RRP | xx     | 1463-5      |          | F466P    | 99       |
| 1418-8      |          | F1670RR  | xx     | DG26M       |          | F467P    | xx       |
| 1418-6      |          | F1671RR  | 120    | 54415x      |          | F478DL   | 96,103   |
| SQ143       |          | F1678RR  | xx     | PQ33D       |          | F480P    | 75       |
| SQ191-E     |          | F1679RR  | xx     | SP13        |          | F481     | 77       |
| SQ9-A       |          | F1680RR  | xx     | 1A493       |          | F481     | 77       |
| SQ155       |          | F1681RR  | xx     | 1A494       |          | F481     | 77       |
| SQ3050      |          | F1682RR  | 120    | PA26        |          | F485     | 75       |
| SM143       |          | F1683RRL | 120    | PB42A       |          | F488P    | 75,77    |
| SM191-C     |          | F1684RR  | 120    | PB50        |          | F489P    | 75,77    |
| SM9-E       |          | F1685RR  | 120    | PQ19AC      |          | F490     | 75       |
| SM155       |          | F1686RR  | 120    | PQ190AU     |          | F501     | 75       |
| 1382-23     |          | F1687RRP | 120    | PQ679       |          | F501     | 75       |
| 1382-24     |          | F1688RRP | 120    | PQ1002E     |          | F501     | 75       |
| SU244       |          | F1690RR  | xx     | PQ24C       |          | F502     | 75       |
| SP186-R     |          | F1691RR  | xx     | PQ190AN     |          | F502     | 75       |
| SP191-C     |          | F1692RR  | xx     | 84586B      |          | F525     | xx       |
| 4436        |          | F1696RR  | 120    | 81650       |          | F527     | xx       |
| 4438        |          | F1697RR  | 120    | WA18C       |          | F540P    | 90       |
| 3190        |          | F1698RR  | 120    | WA19        |          | F541P    | 90       |
| 3189        |          | F1699RR  | 120    | WA20A       |          | F542P    | 90       |
| 3189        |          | F1699RR  | 120    | WA61        |          | F543     | 90       |


# Fairbanks Cross Reference By Equivalent Fairbanks Number

| EQUIV. FB # | FB NEW # | RL PN   | PAGE # | EQUIV. FB # | FB NEW # | RL PN  | PAGE # |
|-------------|----------|---------|--------|-------------|----------|--------|--------|
| WB10-MI     |          | F544    | 91     | WJ390A      |          | F735   | 92     |
| WDA31       |          | F545P   | 90     | 1-32552-3   |          | F738   | 88     |
| WA329       |          | F546    | 91     | 89623       |          | F738   | 88     |
| WA328       |          | F547    | 91     | 85413       |          | F749   | 96     |
| W3A20       |          | F548P   | 90     | 87223       |          | F749   | 96     |
| WA23        |          | F549    | 90     | WJ379       |          | F750P  | 92     |
| WJ280A      |          | F554P   | 92     | WJ31        |          | F759P  | 92     |
| WJ281       |          | F555P   | 92,100 | 86181       |          | F761   | 100    |
| WJ362B      |          | F556    | 87,92  | 1-37967-1   |          | F764P  | 75,121 |
| 76404       |          | F569    | xx     | PQ190BQ     |          | F773   | 121    |
| 76405       |          | F570    | xx     | 1382-15     |          | F778P  | 100    |
| WR613       |          | F571    | 92     | 1-13122     |          | F780SS | 121    |
| WJ390       |          | F572    | 92     | 88970       |          | F780SS | 121    |
| 1A2078      |          | F574P   | 77     | 45-015-600  |          | F787   | 95     |
| WA21A       |          | F582    | 91     | 45-014-600  |          | F788   | 95     |
| WG21A       |          | F585    | 91     | 87390       |          | F789   | 94     |
| WD18A       |          | F586P   | 90     | WG328       |          | F792   | 91     |
| 2496        |          | F722    | 93     | WG329       |          | F793   | 91     |
| 1-29558-1   |          | F729PSS | xx     |             |          |        |        |
| 1-29559-1   |          | F730PSS | xx     |             |          |        |        |
| 1-29561-1   |          | F731SS  | xx     |             |          |        |        |
| 1-29560-1   |          | F732SS  | xx     |             |          |        |        |


# Individual Fairbanks Scale Parts

Counterpoise Weights For Portable Platform Scales, Overhead Track, Warehouse and Floor Scale Weights

| RL PN | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |
|-------|---|--------------|----------------|
| 10154 | Equiv. Fairbanks no. PA48<br>50 lb x 1/2 lb<br>Dia 2 7/8 in       | <b>94080</b> | \$42.00        |
| 10156 | Equiv. Fairbanks no. PA32<br>100 lb x 1 lb<br>Dia 4 in            | <b>94052</b> | \$48.00        |
| 10158 | Equiv. Fairbanks no. PA21<br>200 lb x 2 lb<br>Dia 4 in            | <b>94032</b> | \$42.00        |
| 10160 | Equiv. Fairbanks no. PB52<br>500 lb x 5 lb<br>Dia 4 in            | <b>94085</b> | \$48.00        |
| 10152 | Equiv. Fairbanks no. PBC32<br>100 lb x 1/2 lb<br>Dia 2 7/8 in     | <b>94053</b> | \$42.00        |
| 10168 | Equiv. Fairbanks no. PBC21<br>200 lb x 1 lb<br>Dia 3 9/16 in      | <b>94034</b> | \$54.00        |
| 10189 | Equiv. Fairbanks no. AZ1028<br>300 lb x 1 1/2 lb<br>Dia 3 9/16 in | <b>n/a</b>   | \$42.00        |
| 10170 | Equiv. Fairbanks no. PBC52<br>500 lb x 2 1/2 lb<br>Dia 3 9/16 in  | <b>94086</b> | \$61.00        |
| 10196 | Equiv. Fairbanks no. 199C<br>1000 lb x 5 lb<br>Dia 4 in           | <b>94182</b> | \$73.00        |
| 10191 | Equiv. Fairbanks no. 1A2349<br>50 lb x 1/2 lb<br>Square 2 1/4 in  | <b>94473</b> | \$48.00        |
| 10162 | Equiv. Fairbanks no. 1A1469<br>100 lb x 1 lb<br>Square 3 1/2 in   | <b>17870</b> | \$48.00        |
| 10164 | Equiv. Fairbanks no. 1A1470<br>200 lb x 2 lb<br>Square 3 1/2 in   | <b>17871</b> | \$54.00        |
| 10166 | Equiv. Fairbanks no. 1A1471<br>500 lb x 5 lb<br>Square 3 1/2 in   | <b>17872</b> | \$91.00        |



Ratio: 1 lb to 100lb  
Round, Slotted



Ratio: 1 lb to 100lb  
Square, slotted weights  
used on Fairbanks  
code 1124-A and Hobart



FAIRBANKS



# Individual Fairbanks Scale Parts

Counterpoise Weights and Hangers For Portable Platform Scales, Overhead Track,  
Warehouse and Floor Scale Weights


| RL PN | DESCRIPTION   | FB NEW# | SUGGESTED LIST |
|-------|---|---------|----------------|
| 10188 | Equiv. Fairbanks no. A8234, PB20G<br>Counterpoise hangers<br>Round<br>Gross weight: 7 oz  | n/a     | \$78.00        |
| 10185 | Equiv. Fairbanks no. A8234, PB20G<br>Counterpoise hangers<br>Round<br>Gross weight: 12 oz | n/a     | \$78.00        |
| 10186 | Equiv. Fairbanks no. A8234, PB20G<br>Counterpoise hangers<br>Round<br>Gross weight: 17 oz | n/a     | \$78.00        |
| 10187 | Equiv. Fairbanks no. A8234, PB20G<br>Counterpoise hangers<br>Round<br>Gross weight: 21 oz | n/a     | \$78.00        |
| 10193 | Equiv. Fairbanks no. 1B1135<br>Counterpoise hanger<br>Square<br>Gross weight: 21 oz       | 17888   | \$78.00        |



FAIRBANKS

## Metric Hexagon Counterpoise Weights




| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| 10266 | Equiv. Fairbanks no. N/a<br>10 kg x 100 g<br>2 1/4 in overall   | \$48.00        |
| 10268 | Equiv. Fairbanks no. N/a<br>25 kg x 250 g<br>3 1/4 in overall   | \$48.00        |
| 10270 | Equiv. Fairbanks no. Paz21<br>50 kg x 500 g<br>4 1/2 in overall | \$52.00        |
| 10272 | Equiv. Fairbanks no. 21931<br>100 kg x 1 kg<br>4 1/2 in overall | \$58.00        |
| 10274 | Equiv. Fairbanks no. 21930<br>200 kg x 2 kg<br>4 1/2 in overall | \$63.00        |



These weights will stack on  
10185, 10186, 10187, 10188  
counterpoise hangers

# Fairbanks Reference Sheet

Portable Platform Scale Parts, Models 1124, 1280 and 12064  
Old Style with Check Rods



FAIRBANKS

# Individual Fairbanks Scale Parts

Portable Platform Scale Parts, Models 1124, 1280 and 12064

| REF | QTY | RL PN | EQUIV.<br>FAIRBANKS # | FB<br>NEW # | DESCRIPTION  | SUGGESTED LIST |
|-----|-----|-------|-----------------------|-------------|--|----------------|
| 1   | 2   | F489P | PB50                  | n/a         | Pivot, beam, fulcrum and load, 9/32 in x 2 in  | \$18.00        |
| 2   | 1   | F488P | PB42A                 | n/a         | Pivot, beam, tip, 1/4 in x 1 1/8 in  | \$16.00        |
| 3   | 2   | 10156 | PA32                  | n/a         | Counterpoise weight, 100 x 1   | \$48.00        |
| 4   | 1   | 10158 | PA21                  | n/a         | Counterpoise weight, 200 x 2   | \$42.00        |
| 5   | 1   | 10160 | PB52                  | n/a         | Counterpoise weight, 500 x 5   | \$48.00        |
| 6   | 1   | 10185 | PR20G, A8234          | n/a         | Counterpoise assembly, round<br>(replaces PB20G, PA18K, DSE19, AND PB127)                | \$78.00        |
| 7   | 4   | F486  | PQ25B                 | 94044       | Check rod  | \$27.00        |
| 8   | 4   | F484  | PQ149A                | 94159       | Pin, all four corners  | \$25.00        |
| 9   | 1   | F501  | n/a                   | n/a         | Center connection assembly<br>(replaces PQ679, PQ1002E, AND PQ190AU)                     | \$28.00        |
| 10  | 1   | F479P | PQ33C                 | 17863       | Pivot, upper, long lever, center conn.   | \$22.00        |
| 11  | 4   | F502  | n/a                   | n/a         | Loop with bearing, all 4 corners, 2 1/8 in<br>inside length (replaces PQ24C AND PQ190AN) | \$24.00        |
| 12  | 8   | F452P | PB31D                 | n/a         | Pivots, load and fulcrum, 1/2 in x 2 5/32 in   | \$28.00        |
| 12  | 4   | F764P | 1-37967-1             | n/a         | Pivots, load and fulcrum, 2000 lb scale  | \$49.00        |
| 13  | 1   | F480P | PQ33D                 | n/a         | Pivot, lower, short lever center conn.   | \$28.00        |
| 14  | 4   | F498  | PA594                 | 17879       | Shim, load bearing   | \$9.00         |
| 15  | 4   | F485  | PA26                  | n/a         | Bearing steel, load with bolt<br>roll pin, shim  | Consult        |
| 16  | 4   | F483  | PQ190AC               | 94178       | Bearing, beam, fulcrum, and load   | \$27.00        |
| 17  | 1   | F490  | PQ19AC                | n/a         | Bearing, nose iron   | \$31.00        |
| 18  | 1   | F493  | 1A1991                | n/a         | Tip loop, beam   | \$21.00        |
| 19  | 4   | F744  | n/a                   | n/a         | Wheel  | \$80.00        |

Order kit no. F-474-K


FAIRBANKS

# Fairbanks Reference Sheet

Hobart Portable Platform Scale Parts

Models: RL1100, 1124A, 1280A, 12064A, 11774A, 41-3032, 41-3132, 41-3141,  
41-3160, 41-3132-A21, 41-3132-S40, 41-3132-201

Call for parts on the scales with  
full capacity beams



FAIRBANKS

# Individual Fairbanks Scale Parts

## Hobart Portable Platform Scale Parts

Models: RL1100, 1124A, 1280A, 12064A, 11774A, 41-3032, 41-3132, 41-3141, 41-3160, 41-3132-A21, 41-3132-S40, 41-3132-201 16:1 Multi.

| REF      | QTY     | RL PN                   | EQUIV.<br>FAIRBANKS # | FB<br>NEW#       | DESCRIPTION   | SUGGESTED LIST |
|----------|---------|-------------------------|-----------------------|------------------|---|----------------|
| A .....  | 1 ..... | 10166 .....             | 1A1471 .....          | <b>17872</b> ..  | Counterpoise weight, 500 x 5 sq.....  | \$91.00        |
| B .....  | 1 ..... | 10164 .....             | 1A1470 .....          | <b>17871</b> ..  | Counterpoise weight, 200 x 2 sq.....  | \$54.00        |
| C .....  | 2 ..... | 10162 .....             | 1A1469 .....          | <b>17870</b> ..  | Counterpoise weight, 100 x 1 sq.....  | \$48.00        |
| D .....  | 1 ..... | F488P .....             | 1A779 .....           | <b>17839</b> ..  | Pivot, beam, tip 1/4 in x 1 1/8 in tear drop.....   | \$16.00        |
| D .....  | 1 ..... | *F758P .....            | n/a.....              | <b>n/a</b> ..... | Pivot, beam, tip 1/4 in sq x 1 1/8 in.....  | \$24.00        |
| E .....  | 2 ..... | F489P .....             | 1A780 .....           | <b>17840</b> ..  | Pivot, beam 9/32 in x 2 in tear drop.....   | \$18.00        |
| E .....  | 1 ..... | F574P .....             | 1A2078                |                  |   |                |
|          |         | (For 413160, S40) ..... |                       | <b>n/a</b> ..... | Pivot, beam 9/32 in x 2 1/4 in tear drop .....  | \$25.00        |
| E .....  | 1 ..... | F589P .....             | n/a                   |                  |   |                |
|          |         | (For 413160, S40) ..... |                       | <b>n/a</b> ..... | Pivot, 5/16 in sq x 2 5/16 in .....   | \$28.00        |
| F .....  | 1 ..... | 10193 .....             | 1B1135 .....          | <b>17888</b> ..  | Counterpoise assembly, square.....  | \$78.00        |
| G .....  | 4 ..... | F498 .....              | 1A1920, PA594         | <b>17879</b> ..  | Shim, platform.....   | \$9.00         |
| H .....  | 4 ..... | F496 .....              | 1A495 .....           | <b>17835</b> ..  | V-bearing, platform, 3/4 in x 2 3/4 in .....  | \$19.00        |
| I .....  | 4 ..... | 15277 .....             | SP-12.3 .....         | <b>N/a</b> ..... | Groove-pin, 5/16 in x 1 1/4 in.....   | \$2.00         |
| J .....  | 4 ..... | F497 .....              | 1A1919 .....          | <b>17878</b> ..  | Stud, platform .....  | \$12.00        |
| K .....  | 8 ..... | F452P .....             | 1A1408 .....          | <b>17862</b> ..  | Pivot, load and fulcrum, 1/2 in x 2 5/32 in .....   | \$28.00        |
| L .....  | 2 ..... | F487P .....             | 1A1409 .....          | <b>17863</b> ..  | Pivot, center connection upper and lower,<br>9/32 in x 2 1/4 in.....                                    | \$21.00        |
| M .....  |         | F575 .....              | 1A1407 .....          | <b>10302</b> ..  | Bearing only for F482 and F492 loop.....  | \$16.00        |
| M .....  | 2 ..... | F492 .....              | 1A1922 .....          | <b>10336</b> ..  | Loop assembly, rear corner, 1 7/8 in x 4 5/8 in<br>(3 5/8 in inside length) .....                       | \$25.00        |
| N .....  | 1 ..... | F481 .....              | n/a.....              | <b>n/a</b> ..... | For Fairbanks scales, center conn assy,<br>upper and lower links 1 11/16 in inside dimensions.....      | \$24.00        |
| N .....  | 1 ..... | 71069 .....             | n/a.....              | <b>n/a</b> ..... | For rice lake scales 2 1/32 in inside dimensions .....  | \$24.00        |
| O .....  | 4 ..... | F495 .....              | 1A2143 .....          | <b>10359</b> ..  | Pin, corner loop, 3/8 x 1 1/2 in.....   | \$15.00        |
| P .....  | 2 ..... | F482 .....              | 1A1921 .....          | <b>10335</b> ..  | Loop assembly, front corner, short .....  | \$25.00        |
| Q .....  | 1 ..... | F493 .....              | 1A1991 .....          | <b>17881</b> ..  | tip loop.....   | \$21.00        |
| R .....  | 6 ..... | F494 .....              | 1A2150 .....          | <b>17883</b> ..  | Bearing, fulcrum and load beam, also nose iron bearing, 1 1/4<br>in L x 11/16 in W x 3/32 in thick..... | \$17.00        |
| S .....  | 1 ..... | 22309 .....             | 5C514-1 .....         | <b>10127</b> ..  | Beam support weight hanger .....  | \$44.00        |
| U .....  | 2 ..... | F597 .....              | 1-17371 .....         | <b>17927</b> ..  | Axle.....   | \$14.00        |
| V .....  | 1 ..... | 22316 .....             | n/a.....              | <b>n/a</b> ..... | Beam, with poise, pivots and balance balls .....  | \$230.00       |
| W .....  | 1 ..... | F786 .....              | n/a.....              | <b>n/a</b> ..... | Poise screw .....   | \$19.00        |
| AA ..... | 2 ..... | D951 .....              | 1-A3839-1 .....       | <b>n/a</b> ..... | Spider lock down .....  | \$16.00        |
| BB ..... | 3 ..... | 22315 .....             | n/a.....              | <b>n/a</b> ..... | Hanger.....   | \$30.00        |
| CC ..... | 1 ..... | 22314 .....             | n/a.....              | <b>n/a</b> ..... | Clamp .....   | \$9.00         |
| DD ..... | 1 ..... | 22310 .....             | n/a.....              | <b>n/a</b> ..... | Beam support .....  | CONSULT        |
| EE ..... | 1 ..... | 22320 .....             | n/a.....              | <b>n/a</b> ..... | Cover .....   | \$94.00        |
| GG ..... | 1 ..... | 22306 .....             | n/a.....              | <b>n/a</b> ..... | Column .....  | \$85.00        |
| KK ..... | 1 ..... | 22308 .....             | n/a.....              | <b>n/a</b> ..... | Steel yard rod.....   | \$22.00        |
| LL ..... | 2 ..... | 22307 .....             | n/a.....              | <b>n/a</b> ..... | Rod, pillar.....  | \$25.00        |


Order kit no. F-475-K

FAIRBANKS

# Fairbanks Reference Sheet

Models: F594PLS

FAIRBANKS



# Rice Lake Full Capacity Beam Parts

Call for Compatible Fairbanks Parts

Models: F594PLS


| REF      | RL PN          | DESCRIPTION   | SUGGESTED LIST |
|----------|----------------|---|----------------|
| A .....  | 33956 .....    | Balance ball assembly .....   | \$174.00       |
|          |                | Includes balance ball, balance ball adjustment, screw balance ball bracket, pin with nuts |                |
| B .....  | 33980 .....    | Balance ball assembly with back balance .....   | \$226.00       |
| C .....  | F594SA .....   | Complete beam with loop, pivots, balance ball and poise .....                             | \$768.00       |
| D .....  | F594-12 .....  | Fulcrum stand with bearings and friction plates .....                                     | \$132.00       |
| E .....  | F594-22 .....  | Bearing only .....  | \$29.00        |
| F .....  | F594-17 .....  | Friction plate only .....   | \$28.00        |
| G .....  | F594-16 .....  | Stand, trig assembly .....  | \$163.00       |
| H .....  | F594-23 .....  | Poise dog (screw part #14909) .....   | \$24.00        |
| I .....  | F594-18 .....  | Pillar cap (casting) .....  | \$100.00       |
| J .....  | F594-14 .....  | Hook, load .....  | \$27.00        |
| K .....  | F594-11 .....  | Shelf, top plate .....  | \$103.00       |
| L .....  | F594-15A ..... | Shelf lever assembly .....  | \$136.00       |
| M .....  | F594-24 .....  | Thumb screw .....   | \$14.00        |
| *N ..... | F594-29 .....  | Pivot fulcrum, f594p for fairbanks scales .....   | \$78.00        |
| O .....  | F493 .....     | Loop .....  | \$21.00        |
| *P ..... | F594-28 .....  | Pivot, load, f488p for fairbanks scales .....   | \$34.00        |
| Q .....  | 32294 .....    | Lower beam sub-assembly .....   | \$337.00       |
| *R ..... | F594-27 .....  | Pivot, f489p for fairbanks scales .....   | \$34.00        |
| S .....  | 22315 .....    | Loop, load on small beam (not shown) .....  | \$30.00        |
| T .....  | F594-4 .....   | Poise, top .....  | \$108.00       |
| U .....  | F594-9 .....   | Stop (screw 21999) .....  | \$15.00        |
| V .....  | F594-2 .....   | Upper beam .....  | \$197.00       |

FAIRBANKS

# Fairbanks Reference Sheet

1124, 1125, 1126, TS1000, MPS1203 and RL1200  
New Style (No Check Rods)

FAIRBANKS



See next page



# Individual Fairbanks Scale Parts

Portable Platform Scale Parts  
1124, 1125, 1126, TS 1000, MPS1203 and RL1200  
New Style (No Check Rods)

| REF     | RL PN        | EQUIV.<br>FAIRBANKS # | FB<br>NEW #        | DESCRIPTION   | SUGGESTED LIST |
|---------|--------------|-----------------------|--------------------|---|----------------|
| 1 ..... | 162302 ..... | 2-55441-BA .....      | <b>95843</b> ..... | Beam assembly, lb.....                                | \$187.00       |
| .....   | 162301 ..... | .....                 | <b>N/a</b> .....   | Beam assembly, kg.....                                | \$187.00       |
| 2 ..... | *50930 ..... | 2-55441-BBI .....     | <b>95845</b> ..... | Brass beam insert set .....                           | \$79.00        |
| 5 ..... | F493 .....   | n/a.....              | <b>n/a</b> .....   | Tip, loop .....                                       | \$21.00        |
| 6 ..... | 10188 .....  | N/a.....              | <b>58935</b> ..... | Counter poise hanger .....                            | \$78.00        |
| 7 ..... | 10156 .....  | 2-55444-55.....       | <b>94052</b> ..... | Counter poise weight, 100 lb. x 1 .....               | \$48.00        |
| 8 ..... | 10158 .....  | 2-55444-56.....       | <b>94032</b> ..... | Counter poise weight, 200 lb. x 2 .....               | \$42.00        |
| 9 ..... | 10160 .....  | N/a.....              | <b>94085</b> ..... | Counter poise weight, 500 lb. x 5 .....               | \$48.00        |
| 10..... | 162244 ..... | 2-55441-39.....       | <b>95839</b> ..... | Weight rack .....                                     | \$33.00        |
| 12..... | 162239 ..... | 2-55443-2.....        | <b>58933</b> ..... | Pillar.....   | \$94.00        |
| 13..... | 162247 ..... | 2-55443-4.....        | <b>95848</b> ..... | Base frame .....                                      | \$154.00       |
| 14..... | 162246 ..... | 2-55443-3.....        | <b>95847</b> ..... | Cover.....  | \$230.00       |
| 15..... | 162240 ..... | 2-55443-15.....       | <b>58934</b> ..... | Steel yard rod with hock and bearing.....             | \$44.00        |
| 16..... | 162252 ..... | 2-55443-25.....       | <b>72948</b> ..... | Short main lever assembly .....                       | \$75.00        |
| 17..... | 162253 ..... | 2-55443-33.....       | <b>72947</b> ..... | Long main lever assembly.....                         | \$83.00        |
| 18..... | 162248 ..... | 2-55447-16.....       | <b>95869</b> ..... | Wheels 5 in diameter x 5/8 in bore, set of four ..... | \$44.00        |
| 19..... | 41650 .....  | 2-55446-10.....       | <b>95859</b> ..... | Pins, fulcrum loops .....                             | \$13.00        |
| 20..... | 41642 .....  | 2-55446-13.....       | <b>58938</b> ..... | Fulcrum loops 1 15/16 in inside dimensions .....      | \$28.00        |
| 21..... | 41645 .....  | 2-55446-24.....       | <b>95861</b> ..... | Load and fulcrum pivots M.L.....                      | \$25.00        |
| 22..... | 41651 .....  | 2-55446-6.....        | <b>58937</b> ..... | Bearing, load, plate form.....                        | \$17.00        |
| 23..... | 41643 .....  | 2-55446-69.....       | <b>58939</b> ..... | Center connection with bearings.....                  | \$28.00        |
| 24..... | 50931 .....  | 2-55446-30.....       | <b>N/a</b> .....   | Pivot, tip, short lever, 2 in .....                   | \$24.00        |
| 25..... | 51981 .....  | 2-55446-31.....       | <b>95863</b> ..... | Pivot, center of long lever, 3 3/4 in .....           | \$27.00        |
| 26..... | 62980 .....  | 2-55446-34.....       | <b>95864</b> ..... | Pivot, tip, long lever.....                           | \$27.00        |
| 27..... | Call .....   | 2-55446-45.....       | <b>95841</b> ..... | Beam cap.....   | Consult        |

\*This PN includes both front and back. These are brass and need to be applied with contact cement.


xx Call for details.

FAIRBANKS

# Fairbanks Reference Sheet

Pipe Lever Scale Parts On Stands, 10,000 lb

FAIRBANKS



# Individual Fairbanks Scale Parts

Pipe Lever Scale Parts On Stands, 10,000 lb

| REF | QTY | RL PN | EQUIV.<br>FAIRBANKS # | FB<br>NEW #  | DESCRIPTION   | SUGGESTED LIST |
|-----|-----|-------|-----------------------|--------------|---|----------------|
| 2   | 8   | F309P | 82543A                | <b>96317</b> | ..pivot, 1/4 in x 1/2 in x 15/16 in                               | \$27.00        |
| 6   | 4   | F301  | 84013                 | <b>59932</b> | ..trunnion bar assembly   | \$51.00        |
| 7   | 4   | 15242 | n/a                   | <b>n/a</b>   | ..spring pin, 5/32 in x 1/2 in l                                  | \$1.00         |
| 8   | 8   | F312L | 84011, 87461          | <b>59931</b> | ..link, 5/8 in dia, inside length 3/4 in                          | \$60.00        |
| 9   | 4   | F302  | 84009                 | <b>59930</b> | ..saddle block assembly   | \$155.00       |
| 10  | 8   | F303  | 82551C                | <b>n/a</b>   | ..bearing steel, 1 in square, no tapped hole                      | \$41.00        |
| 11  | 10  | 15292 | n/a                   | <b>n/a</b>   | ..spring pin, 3/8 in x 1 3/4 in l                                 | \$4.00         |
| 14  | 16  | F304P | 82543                 | <b>n/a</b>   | ..pivot, 1/4 in x 1/2 in x 1 1/8 in                               | \$27.00        |
| 16  | 4   | F305  | 84016, 87460          | <b>60537</b> | ..bearing steel, 1 in x 3/4 in x 3 1/8 in                         | \$63.00        |
| 18  | 4   | 10848 | 82551A,<br>A12417-2   | 94893        | ..bearing steel, 1 in square, 2 tapped holes                      | \$43.00        |
| 19  | 12  | F308  | WJ361A,<br>5A12163-5  | 54816        | ..friction plate  | \$13.00        |
| 20  | 12  | 14884 | n/a                   | <b>n/a</b>   | ..screws, 1/4-20 x 5/16 in l                                      | \$0.50         |
| 21  | 4   | 15294 | n/a                   | <b>n/a</b>   | ..spring pin, 3/8 in x 2 in                                       | \$5.00         |
| 22  | 8   | F309P | 82543A                | <b>96317</b> | ..pivot, 1/4 in x 1/2 in x 15/16 in                               | \$27.00        |
| 23  |     | F323P | 84310                 | <b>59982</b> | ..pivot, 1/4 in x 1/2 in x 1 1/2 in both ends<br>tapered same way | \$40.00        |
| 30  | 4   | F310  | 82551B,<br>A12417-2   | <b>n/a</b>   | ..bearing, steel, 1 in square, 1 tapped hole                      | \$44.00        |


Order kit no. **F-468-K**

FAIRBANKS

# Fairbanks Reference Sheet

Pipe Lever Scale Parts On Stands, 20,000 lb

FAIRBANKS



# Individual Fairbanks Scale Parts

Pipe Lever Scale Parts On Stands, 20,000 lb

| REF | QTY | RL PN   | EQUIV.<br>FAIRBANKS # | FB<br>NEW #  | DESCRIPTION             | SUGGESTED LIST |
|-----|-----|---------|-----------------------|--------------|-------------------------|----------------|
| 1   | 8   | F465P   | FG313, FG313A         | <b>54789</b> | Pivot, load and fulcrum | \$42.00        |
| 2   | 4   | F538    | 74322, 85111          | <b>96300</b> | Bearing, load           | \$51.00        |
| 3   | 2   | F309P   | 82543A, 84122         | <b>96317</b> | Pivot, tip              | \$27.00        |
| 4   | 4   | F326    | 84154, 85309          | <b>96323</b> | Bearing                 | \$67.00        |
| 5   | 2   | F303    | 82551C, 84121         | <b>n/a</b>   | Bearing                 | \$41.00        |
| 6   | 2   | F307    | 82551A,<br>A12417-1   | <b>94893</b> | Bearing                 | \$35.00        |
| 7   | 8   | F308    | WJ361A,<br>5A12163-5  | <b>54816</b> | Friction plate          | \$13.00        |
| 8   | 2   | F323P   | 84310                 | <b>59982</b> | Pivot, load             | \$40.00        |
| 10  | 2   | F753PSS | 84126                 | <b>59951</b> | Pivot, tip              | \$40.00        |
| 11  | 2   | F310    | 82551B,<br>A12417-2   | <b>n/a</b>   | Bearing                 | \$44.00        |

Order kit no. **F-521-K**

## Suspension Kit Parts (For The Scale Listed Above)







| REF | QTY | RL PN | EQUIV.<br>FAIRBANKS # | FB<br>NEW #  | DESCRIPTION            | SUGGESTED LIST |
|-----|-----|-------|-----------------------|--------------|------------------------|----------------|
| 13  | 8   | F325L | 87244                 | <b>59953</b> | Link casting no. 84136 | \$67.00        |
| 14  | 4   | F327  | 87465                 | <b>60540</b> | Saddle block no. 84135 | \$248.00       |
| 15  | 4   | F328  | 84138                 | <b>59954</b> | Trunnion               | \$59.00        |

Order kit no. **F-522-K**

FAIRBANKS

# Individual Fairbanks Scale Parts

## Pipe Lever Scale Parts





| RL PN  | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |   |
|--------|---|--------------|----------------|---|
| *F302  | Equiv. Fairbanks no. 84009<br>Size: 3 in x 1 1/2 in x 3 1/4 in<br>Saddle assembly<br>10,000 lb  | <b>59930</b> | \$155.00       |    |
| *F327  | Equiv. Fairbanks no. 70329,<br>87465, 84135<br>Size: 1 3/8 in x 1 15/16 in x 4 1/16 in<br>Saddle block, F538 bearing<br>Insert included 20,000 lb | <b>60540</b> | \$248.00       |    |
| *F301  | Equiv. Fairbanks no. 84013<br>Size: 3/4 in dia x 4 5/8 in<br>Trunnion bar assembly<br>10,000 lb   | <b>59932</b> | \$51.00        |    |
| *F328  | Equiv. Fairbanks no. 84138<br>Size: 1 1/4 in dia x 5 1/4 in<br>Grooves 2 1/2 in apart<br>Trunnion bar, roll pin 5/32 in<br>20,000 lb              | <b>59954</b> | \$59.00        |   |
| F312L  | Equiv. Fairbanks no. 84011, 87461<br>Size: 5/8 in dia x 3 1/4 in inside<br>Length link 10,000 lb  | <b>59931</b> | \$60.00        |   |
| *F325L | Equiv. Fairbanks no. 84136H,<br>87466, 87244<br>Size: 11/16 in wide x 7/16 in thick<br>Inside length 5 1/2 in, link 40/50<br>20,000 lb cast       | <b>59953</b> | \$67.00        |   |
| *F303  | Equiv. Fairbanks no. 82551C<br>Stainless steel bearing,<br>1 in square  | <b>59947</b> | \$41.00        |  |
| F311   | Equiv. Fairbanks no. 1-32552-1, 89622, 82551<br>Size: 1 in x 1 in x 1 3/16 in used in fairbanks hopper<br>Overhead type hanging scale             | <b>n/a</b>   | \$42.00        |   |
| *F307  | Equiv. Fairbanks no. 82551A,<br>A12417-2  |              | \$35.00        |   |
| F780SS | Equiv. Fairbanks no. 88970<br>Bearing steel, 1 in square<br>Two tapped holes<br>Use f-308 and 14884 friction and screw                            | <b>94893</b> | \$99.00        |  |
| *F310  | Equiv. Fairbanks no. 82551B<br>Bearing steel, 1 in square, one tapped hole<br>use F308 and 14884 friction and screw                               | <b>n/a</b>   | \$44.00        |   |

Threaded  
hole - both  
ends

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

# Individual Fairbanks Scale Parts

## Pipe Lever Scale Parts (cont.)

| RL PN         | DESCRIPTION  | FB NEW #                     | SUGGESTED LIST    |   |
|---------------|--|------------------------------|-------------------|---|
| F308<br>14884 | Equiv. Fairbanks no. CI817<br>Friction plate and screw<br>Screw 1/4-20 x 5/16 in   | <b>54816</b>                 | \$13.00<br>\$0.50 |    |
| F756<br>22003 | Equiv. Fairbanks no. WJ361A<br>Friction plate and screw<br>Screw 10-24 x 5/16 in   | <b>54816</b>                 | \$13.00<br>\$0.50 |   |
| F304P         | Equiv. Fairbanks no. 82543<br>Stainless steel<br>Size: 1/4 in x 1/2 in x 1 1/8 in pivot  | <b>59846</b>                 | \$27.00           |    |
| F309P         | Equiv. Fairbanks no. 82543A<br>Size: 1/4 in x 1/2 in x 15/16 in<br>Pivot, both ends tapered  | <b>96317</b><br><b>59948</b> | \$27.00           |   |
| *F753PSS      | Size: 1/4 in x 1/2 in x 1 in<br>Straight ends  | <b>59951</b>                 | \$40.00           |   |
| *F323P        | Equiv. Fairbanks no. 84310<br>Size: 1/4 in x 1/2 in x 1 1/2 in<br>Pivot, both ends tapered same way  | <b>59982</b><br><b>59983</b> | \$40.00           |   |
| *F305         | Equiv. Fairbanks no. 84016,<br>87460<br>Size: 1 in x 3/4 in x 3 1/8 in<br>includes 3/8 in x 3/4 in roll pin<br>bearing, 10,000 lb fulcrum          | <b>60537</b><br><b>59943</b> | \$63.00           |   |
| F556          | Equiv. Fairbanks no. WJ362B<br>Size: 1 in x 3/4 in x 3 1/8 in with 3/8 in roll pin<br>bearing with one friction plate                              | <b>n/a</b>                   | \$63.00           |   |
| F326          | Equiv. Fairbanks no. 84154<br>Size: 1 in x 1 1/4 in x 4 1/16 in<br>includes 3/8 in x 3/4 in roll pin/friction plates<br>bearing, 20,000 lb fulcrum | <b>96303</b>                 | \$67.00           |  |
| 15242.....    | Spring pin, 5/32 in x 1/2 in long  | <b>n/a</b>                   | \$1.00            |   |
| 15292.....    | Spring pin, 3/8 in x 1 3/4 in long   |                              | \$4.00            |   |
| 15294.....    | Spring pin, 3/8 in x 2 in long   |                              | \$5.00            |   |
| 15265.....    | Spring pin, 1/4 in x 1 in long   |                              | \$1.00            |   |
| 25526.....    | Spring pin, 1/4 in x 1/2 in long   |                              | Consult           |   |
| 110817.....   | Spring pin, 1/2 in x 2 1/2 in  |                              | \$4.00            |   |
| 15290.....    | Spring pin, 3/8 in x 1 1/2 in  |                              | \$2.00            |   |
| 110816.....   | Spring pin, 3/8 in x 2 1/2 in  |                              | \$3.00            |   |
| 15263.....    | Spring pin, 1/4 in x 3/4 in  |                              | \$1.10            |   |
| 108662.....   | Spring pin, 1/2 in x 1 1/2 in  |                              | \$10.00           |   |
| 15285.....    | Spring pin, 3/8 in x 1 in  |                              | \$1.00            |   |
| 15274.....    | Spring pin, 5/16 in x 3/4 in   |                              | \$1.00            |   |





\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

# Individual Fairbanks Scale Parts

Warehouse and Floor Scale Parts

Steel Fabricated Models: 23-2001 Through 23-2006 and 23-2011

Levertronic Models: 14-2001, 14-2002, and 14-2004

| RL PN  | DESCRIPTION  | FB NEW #     | SUGGESTED LIST |   |
|--------|--|--------------|----------------|---|
| F729P  | Equiv. Fairbanks no. 1-27979-1,<br>89604<br>Size: 1/2 in x 1/2 in x 3 7/8 in<br>7/16-20 thread<br>Knife edge: 2 13/16 in pivot | <b>61317</b> | \$49.00        |    |
| *F730P | Equiv. Fairbanks no. 1-29383-1,<br>89603<br>Size: 1/2 in x 1/2 in x 3 5/8 in pivot   | <b>61316</b> | \$46.00        |    |
| F762   | Equiv. Fairbanks no. 89605,<br>1A222 size: 1 in dia<br>Friction plate  | <b>61318</b> | \$15.00        |    |
| F311   | Equiv. Fairbanks no. 1-32552-1,<br>89622, 82551<br>Size: 1 in x 1 in x 1 3/16 in long<br>Hole size: 13/32 in bearing           | <b>96318</b> | \$42.00        |  |
| *F738  | Equiv. Fairbanks no. 1-32552-3,<br>89623 Size: 1 in x 1 in x 1 1/2 in long<br>Hole size: 3/8 in<br>Bearing                     | <b>N/a</b>   | \$43.00        |   |
| F731   | Equiv. Fairbanks no. 1-29250-1,<br>89620<br>Size: 1 in x 1 in x 1 25/32 in long<br>Hole size: 13/32 in bearing                 | <b>61331</b> | \$44.00        |   |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

FAIRBANKS







# Individual Fairbanks Scale Parts

Warehouse and Floor Scale Parts

Steel Fabricated Models: 23-2001 Through 23-2006 and 23-2011

Levertronic Models: 14-2001, 14-2002, and 14-2004 (cont.)







| RL PN | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |   |
|-------|---|--------------|----------------|---|
| *F737 | Equiv. Fairbanks no. 1-34815-1,<br>89621<br>Size: 13/16 in x 1 1/8 in x 1 13/16 in<br>Hole size: 25/64 in<br>Bearing, stand | <b>61332</b> | \$46.00        |    |
| *F739 | Equiv. Fairbanks no. 2-29377-1,<br>89651<br>Size: 1/2 in dia x 2 9/16 in x 3/4 in long use pin F742                         | <b>61348</b> | \$77.00        |    |
| *F740 | Equiv. Fairbanks no. 1-29255-1,<br>89624, Size: 1/2 in dia x 2 1/2 in<br>Wide x 3 7/16 in long u-bolt, load                 | <b>61335</b> | \$60.00        |   |
| *F741 | Equiv. Fairbanks no. 5A9356-12,<br>89626<br>Size: 3/8 in dia x 2 1/16 in long<br>Pin with snap rings                        | <b>61338</b> | \$21.00        |  |
| *F742 | Equiv. Fairbanks no. 5A9356-10,<br>89625<br>Size: 3/8 in dia x 1 7/8 in long<br>Pin with snap rings                         | <b>61337</b> | \$21.00        |   |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

FAIRBANKS

# Individual Fairbanks Scale Parts

Truss Lever Stock Scale Models 11492, 11514, 11548, 11596


| RL PN | DESCRIPTION  | FB NEW # | SUGGESTED LIST |   |
|-------|--|----------|----------------|---|
| F541P | Equiv. Fairbanks no. WA19<br>Size: 7/16 in x 7/8 in x 3 1/4 in<br>Load pivot                             | n/a      | \$70.00        |    |
| F540P | Equiv. Fairbanks no. WA18C<br>Size: 13/16 in x 5 in<br>Fulcrum pivot, 5 ton                              | n/a      | \$71.00        |    |
| F586P | Equiv. Fairbanks no. WD18A<br>Size: 7/8 in x 5 in<br>Fulcrum pivot, 10 ton                               | n/a      | \$73.00        |   |
| F545P | Equiv. Fairbanks no. WDA31<br>Size: 5/8 in x 3 1/2 in<br>Shelf lever pivot                               | n/a      | \$68.00        |   |
| F542P | Equiv. Fairbanks no. WA20A<br>Size: 7/16 in x 2 1/16 in<br>Center pin pivot                              | n/a      | \$56.00        |   |
| F548P | Equiv. Fairbanks no. W3A20<br>Size: 7/16 in x 2 1/4 in<br>14 u. S. Standard thread<br>Threaded pin pivot | n/a      | \$56.00        |  |
| F549  | Equiv. Fairbanks no. WA23<br>Size: 2 1/8 in x 2 1/4 in<br>Button, nose iron                              | n/a      | \$73.00        |  |
| F529  | Equiv. Fairbanks no. WA44B<br>54046 Size: 25/32 in dia x 13/32 in<br>Pivot cup                           | 54046    | \$33.00        |  |
| F543  | Equiv. Fairbanks no. WA61<br>Size: 1/4 in x 1 1/4 in x 3 1/2 in<br>Bearing steel                         | n/a      | \$81.00        |  |

FAIRBANKS

# Individual Fairbanks Scale Parts

Truss Lever Stock Scale Models 11492, 11514, 11548, 11596








| RL PN | DESCRIPTION   | FB NEW # | SUGGESTED LIST |
|-------|---|----------|----------------|
| F544  | Equiv. Fairbanks no. WB10-MI<br>Size: 3 15/16 in x 3 5/8 in<br>Loop fulcrum                           | n/a      | \$200.00       |
| F546  | Equiv. Fairbanks no. WA329<br>Size: 3/4 in dia rod 10 in<br>Eye and loop fulcrum, 5-ton               | n/a      | \$236.00       |
| F547  | Equiv. Fairbanks no. WA328<br>Size: 3/4 in dia rod 7 in<br>Eye and loop fulcrum, 5-ton                | n/a      | \$236.00       |
| F792  | Equiv. Fairbanks no. WG328<br>Size: 1 in dia rod x 9 1/4 in<br>Eye and loop fulcrum, 10-ton           | n/a      | \$337.00       |
| F793  | Equiv. Fairbanks no. WG329<br>Size: 1 in dia rod x 12 1/4 in<br>Eye and loop fulcrum, 10-ton          | n/a      | \$337.00       |
| F582  | Equiv. Fairbanks no. WA21A<br>Size: 1 1/4 in x 1 1/2 in x 5 9/16 in<br>Nose iron, single pivot, 5-ton | n/a      | \$234.00       |
| F583  | Equiv. Fairbanks no. WA22A<br>Size: 1 1/4 in x 1 1/2 in x 5 9/16 in<br>Nose iron, double pivot, 5-ton | 94036    | \$221.00       |
| F584  | Equiv. Fairbanks no. WG22A<br>Size: 1 1/4 in x 2 in x 5 3/4 in<br>Nose iron, single pivot, 10-ton     | 94037    | \$234.00       |
| F585  | Equiv. Fairbanks no. WG21A<br>Size: 1 1/4 in x 2 in x 5 3/4 in<br>Nose iron, double pivot, 10-ton     | n/a      | \$234.00       |



FAIRBANKS

# Individual Fairbanks Scale Parts




Self-Contained Wagon, 5 and 10-Ton

| RL PN | DESCRIPTION   | FB NEW # | SUGGESTED LIST |   |
|-------|---|----------|----------------|---|
| F735  | Equiv. Fairbanks no. WJ390A<br>Size: 3/4 in x 3/4 in x 1 in<br>Bearing  | n/a      | \$41.00        |    |
| F759P | Equiv. Fairbanks no. WJ31<br>Size: 9/16 in sq x 5 1/2 in<br>Pivot   | n/a      | \$68.00        |    |
| F750P | Equiv. Fairbanks no. WJ379<br>Size: 9/16 in hex x 1 15/16 in<br>Pivot, hex<br>Thread size 3/8 in-16unc  | n/a      | \$62.00        |    |
| F458P | Equiv. Fairbanks no. WR281<br>Size: 1/2 in x 1 in x 3 in<br>Tapered on both ends  | 54736    | \$34.00        |   |
| F532P | Equiv. Fairbanks no. SE255<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Tapered on both ends  | 54715    | \$28.00        |   |
| F554P | Equiv. Fairbanks no. WJ280A<br>Size: 7/16 in x 7/8 in x 1 in<br>Tapered on both ends  | n/a      | \$33.00        |   |
| F555P | Equiv. Fairbanks no. WJ281<br>Size: 7/16 in x 7/8 in x 3 in<br>Tapered on both ends   | n/a      | \$40.00        |   |
| F556  | Equiv. Fairbanks no. WJ362B<br>Size: 1 in x 3/4 in x 3 1/8 in with 3/8 in<br>Roll pin one friction plate<br>One end tapped: 1/4-20<br>Bearing | n/a      | \$63.00        |  |
| F571  | Equiv. Fairbanks no. WR613<br>Size: 3/4 in x 3/4 in x 1 1/4 in<br>Hole size: 1/4 in<br>Bearing  | n/a      | \$41.00        |  |
| F572  | Equiv. Fairbanks no. WJ390<br>Size: 7/16 in x 7/8 in x 1 in<br>Hole size: 1/4 in<br>Bearing   | n/a      | \$41.00        |  |

FAIRBANKS

# Individual Fairbanks Scale Parts

## Portable Contractor








| RL PN | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |  |
|-------|---|--------------|----------------|--|
| F721L | Equiv. Fairbanks no. 1528<br>Size: 3/4 in x 4 in x 11 3/4 in<br>Link, 8 1/4 in inside dimensions<br>Used in model 4535  | <b>55754</b> | \$127.00       |   |
| F727L | Equiv. Fairbanks no. 1516<br>Size: 3/4 in x 5 in x 12 3/4 in<br>8 1/2 in inside   | <b>55749</b> | \$127.00       |  |
| F722  | Equiv. Fairbanks no. 2496<br>Size: 3 1/2 in between grooves<br>Center to center<br>Saddle block   |              | \$290.00       |   |
| F724  | Equiv. Fairbanks no. 1817<br>Size: 4 in between grooves<br>Center to center<br>Saddle block<br>Used in model 4535   | <b>55778</b> | \$290.00       |  |
| F723  | Equiv. Fairbanks no. 1527<br>Size: 3 1/2 in between grooves<br>Center to center 2 in dia x<br>7 7/16 in overall hole for 3/8 in<br>Pin, one end trunnion block                  | <b>55753</b> | \$221.00       |  |
| F725  | Equiv. Fairbanks no. 1517<br>Size: 4 in between grooves-<br>Center to center 2 in<br>Dia x 8 in overall<br>Hole for 3/8 in pin, one end<br>Trunnion block<br>Used in model 4535 | <b>55750</b> | \$221.00       |  |

FAIRBANKS

# Individual Fairbanks Scale Parts

Portable Contractor (Cont.)






FAIRBANKS

| RL PN   | DESCRIPTION  | FB NEW #     | SUGGESTED LIST   |
|---------|--|--------------|--|
| F460    | Equiv. Fairbanks no. 1819<br>Bearing: 1 in x 3/4 in x 2 1/16 in<br>Block: 2 in x 1 in x 5 1/4 in - 3/4 in holes<br>3 11/16 in between centers<br>ML tip bearing and strap        | <b>94418</b> | \$82.00<br>   |
| F461    | Equiv. Fairbanks no. 1612<br>Bearing: 1 in x 3/4 in x 2 1/16 in<br>Block: 2 in x 1 in x 5 1/4 in - 3/4 in holes<br>3 11/16 in between center<br>TL load bearing and strap        | <b>55764</b> | \$80.00<br>   |
| F463    | Equiv. Fairbanks no. 2195<br>Bearings: 1 in x 3/4 in x 2 1/16 in<br>Block: 3/4 in x 2 in x 5 1/4 in - 17/32 in holes<br>3 11/16 in between centers<br>TL tip bearing and strap   | <b>55803</b> | \$82.00<br>   |
| F464    | Equiv. Fairbanks no. 2117<br>Bearing: 1 in x 3/4 in x 3 in<br>Block: 3/4 in x 2 in x 5 1/4 in - 17/32 in holes<br>3 11/16 in between centers<br>SL tip, load and fulcrum bearing | <b>N/a</b>   | \$80.00<br>   |
| F726    | Equiv. Fairbanks no. N/a<br>Size: 1 in x 2 in x 3 in<br>Hole size: 5/8 in<br>Bearing<br>Used in model 4535   | <b>n/a</b>   | \$78.00<br>  |
| F459    | Equiv. Fairbanks no. 1514<br>Bearing: 1 in x 3/4 in x 6 7/16 in<br>5 1/16 in between bearing feet<br>ML load and fulcrum bearing   | <b>55748</b> | \$70.00  |
| F462    | Equiv. Fairbanks no. 1736<br>Bearing: 1 in x 3/4 in x 6 in<br>4 1/16 in between bearing feet<br>TL fulcrum stand bearing   | <b>55772</b> | \$68.00<br> |
| F468    | Equiv. Fairbanks no. N/a<br>Bearing: 1 in x 3/4 in x 5 in<br>3 13/16 in between bearing feet   | <b>n/a</b>   | \$63.00<br> |
| F781    | Equiv. Fairbanks no. N/a<br>Bearing: 1 in x 3/4 in x 5 in<br>3 9/16 in between bearing feet  | <b>n/a</b>   | \$63.00  |
| F714    | Equiv. Fairbanks no. N/a<br>Bearing: 1 in x 3/4 in x 10 in<br>8 1/8 in between bearing feet  | <b>60526</b> | \$108.00   |
| F789    | Equiv. Fairbanks no. 87390<br>Bearing: 1 in x 3/4 in x 10 1/8 in   | <b>N/a</b>   | \$108.00   |
| F785    | Equiv. Fairbanks no. N/a<br>Bearing: 1 in x 3/4 in x 12 1/2 in   | <b>n/a</b>   | \$135.00   |
| F1711RR | Equiv. Fairbanks no. N/a<br>Bearing: 1 in x 3/4 in x 12 1/2 in<br>11 1/16 in between bearing feet  | <b>n/a</b>   | \$231.00   |

These bearings vary in length. Measure the length and distance between the feet. If the size you need is not listed, we will make it at no additional cost.

# Individual Fairbanks Scale Parts






Motor Truck Scales, Holman Type  
Steel Pipe Lever Scale

| RL PN | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |   |
|-------|---|--------------|----------------|---|
| 10763 | Equiv. Fairbanks no. 40-011-600<br>Size: 1/2 in sq x 6 1/2 in<br>Pivot, load and fulcrum  | <b>54105</b> | \$49.00        |    |
| 10873 | Size: 1/2 in sq x 6 in<br>For other brands of scales  | <b>n/a</b>   | \$49.00        |   |
| 10699 | Equiv. Fairbanks no. 40-334-600<br>Equiv. Fairbanks no. 90341 With pin<br>Size: 1 in x 1 in x 6 1/2 in<br>3 holes 1/4 in dia<br>Bearing, load and fulcrum | <b>54807</b> | \$70.00        |    |
| 10900 | Equiv. Fairbanks no. 90357<br>Size: 1 in x 1 in x 10 in<br>Roll pin pn 15265  | <b>n/a</b>   | \$112.00       |   |
| 10963 | Equiv. Fairbanks no. 40-008-600<br>Size: 1/2 in x 1 1/8 in x 2 5/8 in<br>Pivot, tip   | <b>n/a</b>   | \$49.00        |    |
| F787  | Equiv. Fairbanks no. 45-015-600<br>Size: 2 in x 1 5/8 in x 6 in<br>Bearing, main lever tip  | <b>54110</b> | \$82.00        |  |
| F788  | Equiv. Fairbanks no. 45-014-600<br>Size: 3 in x 1 5/8 in x 6 in<br>Load, torque tube  | <b>54109</b> | \$80.00        |  |

FAIRBANKS

# Individual Fairbanks Scale Parts

Motor Truck Scales, Holman Type  
With Cast Iron Suspension







| RL PN                     | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |   |
|---------------------------|---|--------------|----------------|---|
| 70795<br>Replaces YSD19PV | Equiv. Fairbanks no. 91152<br>Size: 6 in x 7 1/2 in x 14 1/2 in   | <b>62026</b> | \$380.00       |    |
| 50319                     | Equiv. Fairbanks no. 85411,87239<br>Size: 13 3/4 in x 6 in x 12 in<br>Girder chair, cast<br>Fits trunnion F746          | <b>60392</b> | \$501.00       |    |
| Consult                   | Equiv. Fairbanks 91171<br>Sizes<br>Stand, torque tube<br>Cast iron  | <b>62030</b> | Consult        |   |
| F478DL                    | Equiv. Fairbanks no. RD-135,<br>87243 Size: 8 1/2 in inside length<br>Used in models with cast suspension               | <b>60396</b> | \$178.00       |    |
| F746                      | Equiv. Fairbanks no. 85412,<br>87230, 8 lb size:<br>1 7/8 in x 4 1/4 in x 7 1/4 in<br>Trunnion block                    | <b>60382</b> | \$234.00       |   |
| F747                      | Equiv. Fairbanks no. 85414,<br>87222, 9 Lb size: 5 1/4 in x 3 5/8 in x 5 in<br>Use bearing F459<br>Saddle block         | <b>60375</b> | \$269.00       |  |
| F749                      | Equiv. Fairbanks no. 85413,<br>87223, 7 1/2 lb size: 5 1/4 in x<br>3 5/8 in x 3 1/2 in use bearing F781<br>Saddle block | <b>N/a</b>   | \$269.00       |   |

FAIRBANKS



# Individual Fairbanks Scale Parts










Motor Truck Scales, Holman Type  
Steel Pipe Lever with Steel Suspension

| RL PN | DESCRIPTION  | FB NEW #     | SUGGESTED LIST |   |
|-------|--|--------------|----------------|---|
| 49993 | Equiv. Fairbanks no. 45-006-600<br>Size: 10 in x 12 in base, 10 1/8 in tall<br>fulcrum stand, M.L.<br>Steel  | <b>54071</b> | \$405.00       |    |
| 49992 | Equiv. Fairbanks no. 45-017-600<br>Size: 6 in x 14 in base, 12 1/2 in tall<br>Girder chair, steel<br>Fits trunnion F776<br>Steel   | <b>54113</b> | \$392.00       |    |
| 99781 | Equiv. Fairbanks no. 45-007-600<br>Size: 10 in x 12 in base 22 1/4 in high<br>Bottom to bearing is 21 1/2 in<br>Stand, torque tube<br>Steel                                  | <b>54072</b> | \$446.00       |    |
| F782L | Equiv. Fairbanks no. 45-012-600<br>Size: 3/4 in x 5 in x 13 1/2 in<br>inside length: 9 in<br>link, steel<br>newer scales used cast link, F478DL                              | <b>54106</b> | \$127.00       |   |
| F783  | Equiv. Fairbanks no. 45-013-600<br>Size: 5 3/8 in x 3 1/4 in x 5 in<br>Hole size: 1/4 in dia<br>Saddle block, steel<br>Newer scale used cast saddle F747                     | <b>54107</b> | \$254.00       |  |
| F776  | Equiv. Fairbanks no. 40-032-600<br>Size: 2 3/8 in dia x 9 in<br>Trunnion, steel<br>Fit girder chair 49992<br>New scale used cast trunnion F746<br>New style uses chair 50319 | <b>54149</b> | \$201.00       |  |

FAIRBANKS

# Individual Fairbanks Scale Parts


## Motor Truck and Contractor Scale Parts

| RL PN | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |   |
|-------|---|--------------|----------------|---|
| F424  | Equiv. Fairbanks no. TX152<br>Size: 1/8 in x 3/4 in x 1 9/16 in long<br>Anti-friction plate             | <b>54520</b> | \$10.00        |    |
| F751  | Equiv. Fairbanks no. 83364<br>Size: 1/8 in x 1 3/8 in x 1 1/2 in<br>Anti-friction plate                 | <b>59851</b> | \$13.00        |    |
| 22005 | Screw, machined<br>Size: 1/4 in - 20NC x 1/2 in<br>Slotted round head,<br>Steel zinc plated             | <b>10941</b> | \$0.35         |    |
| F474  | Equiv. Fairbanks no. 86691, 86823<br>Size: 1/2 in x 1 3/8 in x 1 1/2 in<br>Friction plate, bolt #14739  | <b>60286</b> | \$15.00        |    |
| F406  | Equiv. Fairbanks no. SD244A<br>Size: 1/2 in x 1 in x 7/8 in<br>Offset hole size: 1/4 in<br>Beam bearing | <b>11414</b> | \$36.00        |    |
| F763P | Equiv. Fairbanks no. 1-35398-1<br>Size: 1/2 in x 1/2 in x 2 7/8 in<br>Pivot, beam                       | <b>11427</b> | \$36.00        |   |
| 71821 | Equiv. Fairbanks no. 1-35408-1<br>Size: 1/8 in x 7/16 in x 2 1/2 in<br>Poise spring                     | <b>11439</b> | \$54.00        |  |
| F761  | Equiv. Fairbanks no. 86181<br>Bearing size: 9/16 in x 9/16 in x 2 1/8 in                                | <b>N/a</b>   | \$51.00        |  |
| F471  | Equiv. Fairbanks no. 86756, 1418-4<br>Size: 1 in x 1/2 in x 5 in<br>Bearing                             | <b>60267</b> | \$52.00        |   |
| F472  | Equiv. Fairbanks no. 86694<br>Size: 1 in x 1/2 in x 5 25/64 in<br>Bearing for F506, F507, F736, F748    | <b>60247</b> | \$53.00        |  |
| F473  | Equiv. Fairbanks no. 86754<br>Size: 1 in x 1/2 in x 7 in<br>Bearing                                     | <b>60265</b> | \$58.00        |   |


# Individual Fairbanks Scale Parts

Motor Truck and Contractor Scale Parts (Cont.)


| RL PN | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |
|-------|---|--------------|----------------|
| F407P | Equiv. Fairbanks no. SD253<br>Size: 1/2 in x 1 in x 1 in<br>Tapered on both ends B, pivot                 | <b>54710</b> | \$21.00        |
| F411P | Equiv. Fairbanks no. SH253<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Tapered on one end, pivot                 | <b>54711</b> | \$24.00        |
| F531P | Equiv. Fairbanks no. SE255A<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Tapered on both ends A, pivot            | <b>54718</b> | \$27.00        |
| F532P | Equiv. Fairbanks no. SE255<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Tapered on both ends B, pivot             | <b>54715</b> | \$28.00        |
| F408P | Equiv. Fairbanks no. SG255<br>Size: 1/2 in x 1 in x 2 in<br>Tapered on both ends B, pivot                 | <b>54716</b> | \$28.00        |
| F457P | Equiv. Fairbanks no. 1463A1,<br>Sg255a size: 1/2 in x 1 in x 2 in<br>Tapered on both ends A, pivot        | <b>54719</b> | \$29.00        |
| F412P | Equiv. Fairbanks no. SD255A<br>Size: 1/2 in x 1 in x 2 1/2 in<br>Tapered on one end, pivot                | <b>54717</b> | \$31.00        |
| F458P | Equiv. Fairbanks no. 1382A2,<br>WR281, 1463-2 size: 1/2 in x 1 in x 3 in<br>Tapered on both ends A, pivot | <b>54736</b> | \$34.00        |
| F409P | Equiv. Fairbanks no. SD255C<br>Size: 1/2 in x 1 in x 3 1/4 in<br>Tapered on one end, pivot                | <b>54721</b> | \$34.00        |
| F420P | Equiv. Fairbanks no. SH255A<br>Size: 1/2 in x 1 in x 3 7/8 in<br>Tapered on one end, pivot                | <b>54720</b> | \$37.00        |
| F465P | Equiv. Fairbanks no. FG313<br>Stainless steel size: 1/2 in x 1 in x 4 in<br>Tapered on both ends A, pivot | <b>54789</b> | \$42.00        |
| F466P | Equiv. Fairbanks no. 1463-5<br>Size: 1/2 in x 1 in x 5 in<br>Tapered on both ends A, pivot                | <b>55681</b> | \$43.00        |




Square both ends



Tapered One end



Tapered both ends A



Tapered both ends B same direction




FAIRBANKS

# Individual Fairbanks Scale Parts

Motor Truck and Contractor Scale Parts (Cont.)

| RL PN   | DESCRIPTION   | FB NEW #                     | SUGGESTED LIST |
|---------|---|------------------------------|----------------|
| F410P   | Equiv. Fairbanks no. SD139A<br>Size: 1/2 in x 1 in x 5 1/4 in<br>tapered on both ends A, pivot  | <b>54465</b>                 | \$43.00        |
| F454P   | Equiv. Fairbanks no. 1382A6<br>Size: 1/2 in x 1 in x 6 in<br>square on both ends, pivot   | <b>55684</b>                 | \$43.00        |
| F413P   | Equiv. Fairbanks no. SH139A<br>Size: 1/2 in x 1 in x 6 1/2 in<br>tapered on both ends, A  | <b>94138</b>                 | \$44.00        |
| 10800   | Equiv. Fairbanks no. 1382A7<br>Size: 1/2 in x 1 in x 6 1/2 in<br>square on both ends  | <b>55685</b>                 | \$44.00        |
| F419P   | Equiv. Fairbanks no. SH139<br>Size: 1/2 in 1 in x 7 in<br>tapered on both ends, A   | <b>54464</b>                 | \$47.00        |
| F712P   | Equiv. Fairbanks. No. 1382-9,<br>87391 Size: 1/2 in x 1 in x 10 in<br>tapered on both ends, A   | <b>60527</b>                 | \$91.00        |
| F778P   | Equiv. Fairbanks no. 1382-15<br>Size: 1/2 in x 1 in x 12 1/2 in square ends   |                              | \$99.00        |
| F423P   | Equiv. Fairbanks no. 82498<br>Size: 1/2 in x 1 in x 5 1/4 in<br>Transverse lever fulcrum pivot<br>used in four- and five-section scales | <b>59840</b>                 | \$46.00        |
| F309P   | Equiv. Fairbanks no. 82543A<br>Size: 1/4 in x 1/2 in x 15/16 in<br>Tapered on both ends, A  | <b>96317</b><br><b>59948</b> | \$27.00        |
| F753PSS | Equiv. Fairbanks no. 84126,<br>Stainless steel size: 1/4 in x<br>1/2 in x 1 in tapered both ends, B                                     | <b>59951</b>                 | \$40.00        |
| F304P   | Equiv. Fairbanks no. 82543<br>Size: 1/4 in x 1/2 in 1 1/8 in straight ends  | <b>59846</b>                 | \$27.00        |
| F323P   | Equiv. Fairbanks no. 84310<br>Size: 1/4 in x 1/2 in x 1 1/2 in tapered both ends, B   | <b>59982</b>                 | \$40.00        |
| F554P   | Equiv. Fairbanks no. WJ280A<br>Size: 7/16 in x 7/8 in x 1 in<br>Tapered on both ends  | <b>n/a</b>                   | \$33.00        |
| F555P   | Equiv. Fairbanks no. WJ281<br>Size: 7/16 in x 7/8 in x 3 in<br>Tapered on both ends   | <b>n/a</b>                   | \$40.00        |




See previous  
page for picture




# Individual Fairbanks Scale Parts

## Motor Truck and Contractor Scale Parts (Cont.)

| RL PN | DESCRIPTION  | FB NEW #     | SUGGESTED LIST |
|-------|--|--------------|----------------|
| F401  | Equiv. Fairbanks no. SD183K<br>Size: 1/2 in x 1 in x 1 1/16 in<br>Hole size: 3/8 in  | <b>54585</b> | \$21.00        |
| F534  | Equiv. Fairbanks no. 74057,<br>SE183G size: 1/2 in x 1 in x 1 9/16 in<br>Hole size: 3/8 in   | <b>59778</b> | \$29.00        |
| F402  | Equiv. Fairbanks no. SE183F<br>Size: 1/2 in x 1 in x 1 9/16 in<br>Bearing  | <b>54582</b> | \$29.00        |
| F403  | Equiv. Fairbanks no. SG183A<br>Size: 1/2 in x 1 in x 2 1/16 in<br>Bearing  | <b>54580</b> | \$34.00        |
| F414  | Equiv. Fairbanks no. SD183H<br>Size: 1/2 in x 1 in x 2 9/16 in<br>Bearing  | <b>54583</b> | \$37.00        |
| F404  | Equiv. Fairbanks no. SD183J<br>Size: 1/2 in x 1 in x 3 5/16 in<br>Bearing  | <b>54584</b> | \$41.00        |
| F421  | Equiv. Fairbanks no. SH183E<br>Size: 1/2 in x 1 1/4 in x 3 7/8 in<br>Bearing   | <b>54581</b> | \$43.00        |
| F539  | Equiv. Fairbanks no. 74335<br>Size: 1 in x 1/2 in x 5 1/4 in   | <b>96301</b> | \$58.00        |
| F405  | Equiv. Fairbanks no. SD194AMI<br>Size: 1 in x 1/2 in x 5 1/2 in<br>Bearing, steel, tapered fulcrum<br>For bearing block SD682MI                                | <b>54603</b> | \$55.00        |
| F405N | Equiv. Fairbanks no. SD194AMI<br>Same as f405 only slightly<br>Narrower/20 and 50 ton<br>Size: 1 in x 1/2 in x 5 1/2 in<br>For bearing block SDC682MI          | <b>n/a</b>   | \$55.00        |
| F418  | Equiv. Fairbanks no. n/a<br>Size: 1 in x 1/2 in x 6 3/4 in   | <b>n/a</b>   | \$67.00        |
| F415  | Equiv. Fairbanks no. 56936MI<br>Size: 1 in x 1/2 in x 7 3/8 in<br>Bearing, steel, tapered  | <b>58995</b> | \$67.00        |
| F422  | Equiv. Fairbanks no. 82499<br>Size: 1 in x 1/2 in x 5 1/2 in long<br>Transverse lever tapered<br>Fulcrum bearing steel, only<br>Used in 4 and 5 section scales | <b>59841</b> | \$55.00        |



Made oversized, must be hand ground to fit width and length.






FAIRBANKS

# Individual Fairbanks Scale Parts

Motor Truck and Contractor Scale Parts (Cont.)


| RL PN | DESCRIPTION  | FB NEW #     | SUGGESTED LIST |
|-------|--|--------------|----------------|
| F471  | Equiv. Fairbanks no. 86756, 1418-4<br>Size: 1 in x 1/2 in x 5 in<br>Bearing  | <b>60267</b> | \$52.00        |
| F472  | Equiv. Fairbanks no. 86694<br>Size: 1 in x 1/2 in x 5 25/64 in<br>Bearing for F506, F507, F736, F748   | <b>60247</b> | \$53.00        |
| F557  | Equiv. Fairbanks no. 86755<br>Same as F472 with v down center  | <b>60266</b> | \$53.00        |
| F473  | Equiv. Fairbanks no. 86754<br>Size: 1 in x 1/2 in x 7 in<br>Bearing  | <b>60265</b> | \$58.00        |
| F474  | Equiv. Fairbanks no. 86691, 86823<br>Size: 9/16 in x 1 1/2 in x 1 17/32 in<br>Thrust cap   | <b>60286</b> | \$15.00        |
| F506  | Equiv. Fairbanks no. 86797, 87255<br>Size: 1 3/4 in x 5 13/32 in<br>Bearing block for stand no. SGC19<br>Use F472 bearing, replaces SDC682MI   | <b>60406</b> | \$60.00        |
| F507  | Equiv. Fairbanks no. 86822, 87256<br>Size: 2 in x 5 13/32 in<br>Bearing block for SD19E stand<br>Use F472 bearing, replaces SD682MI  | <b>60407</b> | \$60.00        |
| F728  | Equiv. Fairbanks no. 86880, 87257<br>Size: 2 1/4 in x 2 in x 7 in<br>Bearing block for 40 ton per section  | <b>60408</b> | \$77.00        |
| F748  | Equiv. Fairbanks no. 86739,<br>87245 - 20 Lb replaces SGC19<br>Size: 5 1/4 in x 12 3/4 in x 9 1/2 in<br>9 in center to center of anchor holes<br>Bearing and frictions are supplied with stand                       | <b>60398</b> | \$409.00       |
| F736  | Equiv. Fairbanks no. 87246, 86693-<br>29 1/2 Lb replaces sd19e and sd19a<br>Size: 6 1/2 in x 14 3/4 in x 11 3/8 in<br>Bearings and frictions<br>Are supplied with stand<br>11 in center to center of<br>Anchor holes | <b>60399</b> | \$451.00       |
| 10292 | Equiv. Fairbanks no. 86764, 87247 - 47 Lb<br>Replaces SH19B<br>Size: 7 1/4 in x 17 in x 11 3/8 in<br>Bearing and frictions are<br>Supplied with stand<br>13 1/2 in center to center of anchor holes                  | <b>60400</b> | \$484.00       |
| 70795 | Equiv. Fairbanks no. 91152<br>Replaces YSD19PV<br>Size: 6 in x 7 1/2 in x 14 1/2 in  | <b>62026</b> | \$380.00       |






# Individual Fairbanks Scale Parts

## Motor Truck and Axle Load Suspension Parts

| RL PN   | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |
|---|---|--------------|----------------|
| F745  | Equiv. Fairbanks no. 82108,<br>87229 - 4 Lb<br>Size: 1 1/2 in x 2 1/4 in x 5 3/4 in<br>Used in built-in scales  | <b>60381</b> | \$248.00       |
| F560  | Equiv. Fairbanks no. 80261,<br>87225 - 5 1/2 Lb<br>Size: 1 3/8 in x 2 3/4 in x 6 1/4 in<br>Used in 10-ton scales  | <b>60377</b> | \$302.00       |
| F563  | Equiv. Fairbanks no. 80264,<br>87226 - 7 Lb 14 oz<br>Size: 1 5/8 in x 3 3/8 in x 6 5/8 in<br>Used in 15-ton scales  | <b>60378</b> | \$309.00       |
| F505<br>80267 - 9 1/2 Lb<br>Size: 13/4 in x 3 3/8 in x 7 in | Equiv. Fairbanks no. 87227,<br>Used in 20, 26, and 50-ton scales  | <b>60379</b> | \$309.00       |
| F513  | Equiv. Fairbanks no. 87228,<br>80270 - 13 3/4 Lb<br>Size: 1 7/8 in x 4 1/4 in x 7 5/8 in<br>Used in 30 and 60-ton scales and larger   | <b>60380</b> | \$345.00       |
| F475AL  | Equiv. Fairbanks no. RA135<br>Equiv. Fairbanks new no. 87240<br>Size: 6 in inside length<br>Used in: built-in,<br>Livestock and motor truck   | <b>60393</b> | \$137.00       |
| F477CL  | Equiv. Fairbanks no. RC135<br>Equiv. Fairbanks new no. 87242<br>Size: 6 7/8 in inside length<br>Used in: 50-ton, 4 and 5-section<br>20-ton motor truck scales<br>And axle load  | <b>60395</b> | \$169.00       |
| F478DL  | Equiv. Fairbanks no. RD135<br>Equiv. Fairbanks new no. 87243<br>Size: 8 1/2 in inside length<br>Used in: 30-ton and 60-ton<br>Motor truck and dump scales   | <b>60396</b> | \$178.00       |
| F476BL  | Equiv. Fairbanks no. RB135<br>Equiv. Fairbanks new no. 87241<br>7 7/8 in inside length<br>Used in: 10-ton motor<br>Truck scales models: 12083,<br>12084, 12085, and 12086 15-ton motor truck scales<br>Models: 12087, 12088, 12089, and 12090 | <b>60394</b> | \$137.00       |
| 131389  | Equiv. Fairbanks no. 87465,<br>87221, 84135, 70329, 82107<br>Size: 1 3/8 in x 1 15/16 in x 4 1/16 in<br>F538 bearing insert included  | <b>60374</b> | \$221.00       |





Trunnion block




# Individual Fairbanks Scale Parts

## Motor Truck and Axle Load Suspension Parts (Cont.)

| RL PN | DESCRIPTION  | FB NEW #     | SUGGESTED LIST |
|-------|--|--------------|----------------|
| F559  | Equiv. Fairbanks no. RA191, 87215 - 4 1/4 lb<br>Size: 6 1/8 in between friction<br>Plates used in 10-ton scales<br>Use F407P pivot with bearing F401 - 1 1/16 in                                     | <b>60368</b> | \$282.00       |
| F562  | Equiv. Fairbanks no. RB191, 87216 - 7 lb<br>Size: 6 13/16 in between friction plates<br>Used in 15-ton scales<br>Use F411P pivot with bearing F402 - 1 9/16 in                                       | <b>60369</b> | \$317.00       |
| F504  | Equiv. Fairbanks no. RC191, 87217 - 7 1/2 lb<br>Size: 8 3/8 in between friction plates<br>Used in 20-ton and 50-ton scales<br>Use F408P pivot with bearing F403 - 2 1/16 in                          | <b>60370</b> | \$319.00       |
| F508  | Equiv. Fairbanks no. RC191A, 87931 - 9 Lb MM5387, 87218<br>Size: 9 7/8 in between friction plates<br>Used in 26-ton and 50-ton (26 ton per section)<br>Use F412P pivot with bearing F414 - 2 9/16 in | <b>60371</b> | \$341.00       |
| F514  | Equiv. Fairbanks no. RD191, 87219 - 12 1/4 lb<br>Size: 11 1/2 in between friction plates<br>Used in 30-ton and 60-ton scales<br>Use F409P pivot with bearing F404 - 3 5/16 in                        | <b>60372</b> | \$357.00       |
| F564  | Equiv. Fairbanks no. 80253, 87220 - 14 lb<br>Size: 12 5/8 in between friction plates<br>Used in 40-ton and 75-ton scales<br>Use F420 pivot with bearing F421 - 3 7/8 in                              | <b>60373</b> | \$385.00       |
| F558  | Equiv. Fairbanks no. 80260, 87233 - 14 1/2 lb<br>Size: 9 1/8 in x 4 1/2 in x 5 5/8 in base<br>Used in 10-ton scales  | <b>60384</b> | \$292.00       |
| F561  | Equiv. Fairbanks no. 80263, 87234 - 19 lb<br>Size: 11 1/2 in x 4 1/2 in x 5 5/8 in<br>Used in 15-ton scale   | <b>60385</b> | \$330.00       |
| F503  | Equiv. Fairbanks no. 80266, 87235 - 26 1/2 lb<br>Size: 10 3/4 in x 4 1/2 in x 6 3/4 in<br>Used in 20, 26, and 50-ton scales  | <b>60386</b> | \$341.00       |
| F515  | Equiv. Fairbanks no. 80269, 87236 - 43 1/2 lb<br>Size: 12 in x 6 in x 7 3/4 in<br>Used in 30-ton and 60-ton scales   | <b>60387</b> | \$446.00       |
| F713  | Equiv. Fairbanks no. 80811, 87237 - 42 1/2 lb<br>Size: 14 3/8 in x 6 in x 7 3/4 in<br>Used in 75-ton and 50-ton axle load  | <b>60389</b> | \$479.00       |
| 50319 | Equiv. Fairbanks no. 85411, 87239<br>Size: 13 3/4 x 6 x 12<br>Used in pipe lever scales  | <b>60392</b> | \$501.00       |



Girder chair






Notes

# Individual Fairbanks Scale Parts






Modular PV Truck Scale

FAIRBANKS





# Individual Fairbanks Scale Parts



## Modular PV Truck Scale Parts

| RL PN | DESCRIPTION  | FB NEW # | SUGGESTED LIST |   |
|-------|--|----------|----------------|---|
| 22267 | Equiv. Fairbanks no. 90329<br>Size: 2 in dia x 6 1/4 in<br>Load pin, new style<br>For type B                   | n/a      | \$190.00       |  |
| 10960 | Equiv. Fairbanks no. 90284<br>Size: 1 3/4 in dia x 6 1/2 in<br>Load pin, straight pin,<br>Old style for type A | 61555    | \$190.00       |  |
| 10786 | Equiv. Fairbanks no. 90240<br>Size: 2 in dia x 1 1/2 in<br>Load pin cup, new style<br>For type B               | 61532    | \$107.00       |  |
| 10961 | Equiv. Fairbanks no. 90280<br>Size: 1 1/4 in dia x 2 5/16 in<br>Load pin, old style, lower<br>For type A       | 61551    | \$107.00       |  |
| 10962 | Equiv. Fairbanks no. 90282<br>Size: 1 3/4 in dia x 1 1/2 in<br>Load pin cup, upper, old style<br>For type A    | n/a      | \$107.00       |  |

## Full Electronic Rail Road Track Scale Parts


| RL PN  | DESCRIPTION  | FB NEW # | SUGGESTED LIST |   |
|--------|--|----------|----------------|---|
| F590   | Equiv. Fairbanks no. 90191<br>Size: 2 in - 12 UNF 2B x 1 1/2 in<br>Bearing upper | 61483    | \$302.00       |  |
| F590-1 | Equiv. Fairbanks no. 90191<br>Size: 2 in 12 UNF - 2A x 2 in<br>Bearing upper     | n/a      | \$302.00       |   |
| *F591  | Equiv. Fairbanks no. 90240<br>Size: 2 in hex x 5 9/16 in<br>Load pin             | 61482    | \$324.00       |  |

## Miscellaneous Floor Scale Parts

| RL PN  | DESCRIPTION   | FB NEW # | SUGGESTED LIST |   |
|--------|---|----------|----------------|---|
| 101852 | Equiv. Fairbanks no. 2-44313-2<br>Size: 1 3/16 in outside dimensions x 9/16 in inside dimensions<br>Rocker washer | 12021    | \$52.00        |  |
| 105625 | Equiv. Fairbanks no. 3-55125-1<br>Size: flexure 0.175 x 4 1/8 in x 3 1/8<br>Models 21-2102-21-2104                | 13029    | \$187.00       |  |

# Individual Fairbanks Scale Parts

FAIRBANKS




# Individual Fairbanks Scale Parts

## Fairbanks Rodan Truck Scale

| REF | QTY | RL PN | EQUIV.<br>FAIRBANKS # | FB<br>NEW #  | DESCRIPTION   | SUGGESTED LIST |
|-----|-----|-------|-----------------------|--------------|---|----------------|
| 1   | 1   | 44837 | 90841                 | <b>61713</b> | Bearing screw, 2-12 NF x 2 3/8 in                                   | \$134.00       |
| 2   | 1   | 50807 | 90863                 | <b>61729</b> | Load pin, 1 3/4 in dia x 4 1/16 in                                  | \$101.00       |
| 3   | 1   | 25524 | A90868                | <b>61733</b> | Load button assembly, 1 1/4 in dia x 3/4 in                         | \$53.00        |
| 4   | 1   | 47850 | 90814-60              | <b>61704</b> | Load cell 40k   | \$1,275.00     |
| 5   | 1   | 67387 | 91088-60              | <b>96435</b> | Load cell 50k   | \$1,425.00     |
| 6   | 4   | 50748 | 90966                 | <b>61833</b> | Bushing, 1 1/2 in dia x 7/8 in                                      | \$42.00        |
| 7   | 1   | 50767 | A90860                | <b>61727</b> | Stand, load cell, 4 5/8 in x 15 5/8 in x 6 1/4 in                   | \$337.00       |
| 8   | 2   | 50747 | 90900                 | <b>61770</b> | Pin, support, 3/4 in dia x 4 1/2 in                                 | \$37.00        |
| 9   | 2   | 15244 | N/a                   | <b>n/a</b>   | Pin, cotter, 5/32 in x 1 in   | \$1.50         |
| 10  | 4   | 15180 | N/a                   | <b>n/a</b>   | Washer, 13/16 in inside dimensions x 1 5/8 in<br>outside dimensions | \$2.30         |





FAIRBANKS

# Individual Fairbanks Scale Parts



# Individual Fairbanks Scale Parts

## Motor Truck and Axle Load Suspension Parts

| REF | RL PN  | DESCRIPTION  | FB NEW #     | SUGGESTED LIST |   |
|-----|--------|--|--------------|----------------|---|
| 7   | 105129 | Equiv. Fairbanks no. 91073<br>Size: 1.718 in diameter x 4 in<br>Load pin   | <b>61963</b> | \$154.00       |    |
| 8   | 25524  | Equiv. Fairbanks no. 90868<br>Size: 1/4 in dia x 3/4 in<br>Load button assy  | <b>61733</b> | \$53.00        |    |
| 9   | 105128 | Equiv. Fairbanks no. 61962<br>Size: 3 in x 3 1/2 in x 7 in<br>Load stand   | <b>61962</b> | \$281.00       |    |
| 4   | 10855  | Equiv. Fairbanks no. 90219<br>Size: 1 1/2 in diameter x 3 in<br>Screw, adjusting, old style  | <b>96397</b> | \$150.00       |    |
| 4   | 44836  | Equiv. Fairbanks no. 90671<br>Size: 1 1/2 in diameter x 2 5/8 in<br>Screw, adjusting, new style  | <b>61657</b> | \$143.00       |   |
| 5   | *10845 | Equiv. Fairbanks no. 90230<br>Size: 1 3/4 in diameter x 7 3/4 in<br>Pin, load, old style   | <b>61525</b> | Consult        |   |
| 5   | xx     | Equiv. Fairbanks no. 90660<br>Size: 1 1/4 in diameter x 7 11/16 in<br>Pin, load, new style   | <b>61651</b> | Consult        |  |
| 6   | xx     | Equiv. Fairbanks no. 90232<br>Size: 3/16 in x 2 1/2 in x 7 1/2 in<br>Center hole : 1 11/16 in diameter<br>Plate assembly, lower, old style | <b>96398</b> | Consult        |   |
| 6   | xx     | Equiv. Fairbanks no. 90672<br>Size: 3/16 in x 2 1/2 in x 7 1/2 in<br>Center hole: 1 1/4 in diameter<br>Plate assembly, lower, new style    | <b>61658</b> | Consult        |   |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

xx Call for details.

FAIRBANKS

# Individual Fairbanks Scale Parts

## MODELS

12-3360


12-3361




12-3370

12-3381

12-3371

12-3380




| REF | RL PN | DESCRIPTION  | FB NEW # | SUGGESTED LIST |   |
|-----|-------|--|----------|----------------|---|
| 1   | 50826 | Equiv. Fairbanks no. 144HS<br>Size: 7/8 in - 9NC x 15<br>Bolt, with nut                                      | 54494    | \$83.00        |  |
| 2   | 50764 | Equiv. Fairbanks no. 1-39548-1<br>Size: 2 1/4 in outside dimensions x 7/8 in inside dimensions<br>Washer, sp | 11621    | \$72.00        |  |
| 3   | 50763 | Equiv. Fairbanks no. 1-40791-1<br>Size: 2 1/2 in outside dimensions x 1 1/4 in tall<br>Washer, rocker        | 11898    | \$86.00        |  |



Notes

# Individual Fairbanks Scale Parts


FAIRBANKS



# Individual Fairbanks Scale Parts

## Motor Truck and Axle Load Suspension Parts


| REF     | RL PN   | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |
|---------|---------|---|--------------|----------------|
| A and I | 72103   | Equiv. Fairbanks no.<br>Size: 1/3 in dia x 2 1/2 in outside dimensions<br>O-ring, outer rec cup                 | <b>64340</b> | Consult        |
| B and G | 109228  | Equiv. Fairbanks no.<br>Size: 3 3/4 in dia x 1 3/8 in h<br>Receiver cup, upper and lower                        | <b>66980</b> | \$193.00       |
| C and E | 92988   | Equiv. Fairbanks no.<br>Size: 1/8 in dia x 1 1/2 in outside dimensions<br>O-ring, on load cell                  | <b>98359</b> | \$1.00         |
| D       | *170734 | Equiv. Fairbanks no. 64166<br>Fairbanks model LCF HR4020-2<br>Load cell, Flintec RC1<br>1000 ohm, 7 1/2 in tall | <b>64166</b> | \$1,095.00     |
| F       | 110816  | Equiv. Fairbanks no.<br>Size: 3/8 in dia x 2 1/2 in<br>Roll pin   | <b>63981</b> | \$3.00         |
| H       | 110817  | Equiv. Fairbanks no.<br>Size: 1/2 in dia x 2 1/2 in roll pin  | <b>64382</b> | \$4.00         |
| J       | 110632  | Equiv. Fairbanks no.<br>Size: 3/4 in x 6 in x 15 in<br>Base plate   | <b>64327</b> | \$193.00       |



\*Other part numbers are available

FAIRBANKS

# Individual Fairbanks Scale Parts



FAIRBANKS

# Individual Fairbanks Scale Parts

## Motor Truck and Axle Load Suspension Parts

| REF     | RL PN  | DESCRIPTION   | FB NEW # | SUGGESTED LIST |
|---------|--------|---|----------|----------------|
| A and J | 72103  | Equiv. Fairbanks no.<br>Size: 1/8 in thick x 2 1/4 in inside<br>Dimensions x 2 1/2 in outside dimensions<br>O-ring, outer | 64340    | Consult        |
| B       | 109332 | Equiv. Fairbanks no.<br>Size: 3.75 in dia x 1.38 in H<br>Upper receiver cup, with o-rings                                 | 70512    | \$143.00       |
| C and F | 109355 | Equiv. Fairbanks no.<br>Size: 1/8 in thick x 1 1/2 inside<br>Dimensions x 1 3/4 in outside dimensions<br>Inner o-ring     | 72274    | Consult        |
| D       | *84203 | Equiv. Fairbanks no. 70510<br>Fairbanks model LCF HR4020-2A<br>Load cell, Flintec RC3                                     |          | \$1,015.00     |
| E       | 174854 | Equiv. Fairbanks no. 107011<br>Size: 3 3/4 in outside dimensions<br>x 2 5/8 in tall boot with tie strap 79989             | 107011   | Consult        |
| G       | 15290  | Equiv. Fairbanks no.<br>Size: 3/8 in dia x 1 1/2 in<br>Roll pin   |          | \$2.00         |
| H       | 109331 | Equiv. Fairbanks no. 70511<br>Size: 3.75 in dia x 1.62 in H<br>Lower receiver cup with o rings                            | 70511    | \$116.00       |
| I       | 110817 | Equiv. Fairbanks no.<br>Size: 1/2 in dia x 2 1/2 in<br>Roll pin   | 64382    | \$4.00         |
| K       | 110632 | Equiv. Fairbanks no.<br>Size: 3/4 in x 6 x 15<br>Base plate   | 64327    | \$193.00       |

\*Other part numbers are available

FAIRBANKS

# Individual Fairbanks Scale Parts

## Railroad Track Scale Parts

| RL PN    | DESCRIPTION   | FB NEW #     | SUGGESTED LIST |
|----------|---|--------------|----------------|
| F1552RRP | Equiv. Fairbanks no. SQ139-U, 84874B<br>Pivot, size: 3/4 in x 1 1/2 in x 6 1/4 in   | <b>94147</b> | \$33.00        |
| F1553RRP | Equiv. Fairbanks no. SQ139-T, 84874AK<br>Pivot, size: 3/4 in x 1 1/2 in x 11 1/2 in | <b>94146</b> | \$289.00       |
| F1554RRP | Equiv. Fairbanks no. SQ139-M, 84874S<br>Pivot, size: 3/4 in x 1 1/2 in x 4 in       | <b>94143</b> | \$146.00       |
| F1555RRP | Equiv. Fairbanks no. TU259-C, 84874H<br>Pivot, size: 3/4 in x 1 1/2 in x 7 1/2 in   | <b>94204</b> | \$206.00       |
| F1556RRP | Equiv. Fairbanks no. TU259-F, 84874Y<br>Pivot, size: 3/4 in x 1 1/2 in x 9 in       | <b>94205</b> | \$236.00       |
| F1557RRP | Equiv. Fairbanks no. SM234-D, 84874AH<br>Pivot, size: 3/4 in x 1 1/4 in x 4 in      | <b>94195</b> | \$146.00       |
| F1558RRP | Equiv. Fairbanks no. SM210-E<br>Pivot, size: 3/4 in x 1 1/2 in x 1 1/4 in           | <b>94188</b> | \$78.00        |
| F1559RRP | Equiv. Fairbanks no. SM139AN<br>Pivot, size: 3/4 in x 1 1/2 in x 2 in               | <b>94151</b> | \$89.00        |
| F1560RRP | Equiv. Fairbanks no. SM210-H, 84874P<br>Pivot, size: 3/4 in x 1 1/2 in x 1 1/4 in   | <b>94189</b> | \$78.00        |
| F1561RRP | Equiv. Fairbanks no. SQ139-N, 84874AG<br>Pivot, size: 3/4 in x 1 1/2 in x 5 3/16 in | <b>94144</b> | \$150.00       |
| F1562RR  | Equiv. Fairbanks no. 76990<br>Bearing, size: 1 7/8 in x 1 3/4 in x 1 3/4 in         | <b>96310</b> | \$132.00       |
| F1563RR  | Equiv. Fairbanks no. SQ46-P, 84873B<br>Bearing, size: 3/4 in x 3/4 in x 6 3/8 in    | <b>n/a</b>   | \$144.00       |
| F1564RR  | Equiv. Fairbanks no. S2LF138-C<br>Bearing, size: 1 in x 3/4 in x 4 1/8 in           | <b>n/a</b>   | \$100.00       |
| F1565RR  | Equiv. Fairbanks no. SP46-H, 84873H<br>Bearing, size: 1 in x 3/4 in x 7 5/8 in      | <b>94072</b> | \$132.00       |
| F1566RR  | Equiv. Fairbanks no. SM46-T<br>Bearing, size: 1 in x 13/16 in x 4 1/8 in            | <b>94077</b> | \$99.00        |
| F1567RR  | Equiv. Fairbanks no. SM415-B<br>Bearing, size: 3/4 in x 1 in x 1 3/8 in             | <b>94223</b> | \$81.00        |
| F1568RR  | Equiv. Fairbanks no. SM414-A<br>Bearing, size: 1 in x 1 in x 2 1/16 in              | <b>94222</b> | \$105.00       |
| F1569RR  | Equiv. Fairbanks no. LX392-B<br>Bearing, size: 5/8 in x 3/4 in x 5 5/16 in          | <b>94219</b> | \$123.00       |
| F1570RR  | Equiv. Fairbanks no. SQ46-Q<br>Bearing, size: 3/4 in x 1 in x 11 5/8 in             | <b>94076</b> | \$229.00       |
| F1571RR  | Equiv. Fairbanks no. SQ138-A, TU194-B<br>Bearing, size: 3/4 in x 1 in x 9 1/8 in    | <b>94136</b> | \$214.00       |
| F1572RR  | Equiv. Fairbanks no. SQ278-A<br>Bearing, size: 1 in x 3/4 in x 9 1/8 in             | <b>n/a</b>   | \$214.00       |

FAIRBANKS

# Individual Fairbanks Scale Parts

## Railroad Track Scale Parts

| RL PN    | DESCRIPTION  | FB NEW #     | SUGGESTED LIST   |
|----------|--|--------------|------------------|
| F1573RRP | Equiv. Fairbanks no. SM249-B<br>Pivot, size: 3/4 in x 1 1/2 in x 12 in           | <b>94201</b> | \$272.00         |
| F1574RRP | Equiv. Fairbanks no. SM139-Z<br>Pivot, size: 3/4 in x 1 1/2 in x 2 in            | <b>94150</b> | \$91.00          |
| F1576RRP | Equiv. Fairbanks no. SP139-G<br>Pivot, size: 1 in x 2 in x 4 1/2 in              | <b>94139</b> | \$174.00         |
| F1577RRP | Equiv. Fairbanks no. SP139-J<br>Pivot, size: 1 in x 2 in x 11 1/2 in             | <b>94141</b> | \$345.00         |
| F1578RRP | Equiv. Fairbanks no. SP139-H, SP139L<br>Pivot, size: 1 in x 2 in x 7 1/2 in      | <b>94140</b> | \$259.00         |
| F1579RR  | Equiv. Fairbanks no. SM278-B<br>Bearing, size: 1 in x 3/4 in x 12 1/8 in         | <b>n/a</b>   | \$278.00         |
| F1581RR  | Equiv. Fairbanks no. SP407-A<br>Bearing, size: 1 in x 2 5/8 in x 4 5/8 in        | <b>n/a</b>   | Consult \$221.00 |
| F1583RR  | Equiv. Fairbanks no. SP46-J<br>Bearing, size: 1 1/4 in x 1 1/4 in x 11 5/8 in    | <b>94073</b> | \$301.00         |
| F1587RR  | Equiv. Fairbanks no. 77117<br>Girder block, size: 1 7/8 in x 1 3/4 in x 2 1/4 in | <b>96311</b> | \$235.00         |
| F1600RR  | Equiv. Fairbanks no. SM46-Y<br>Bearing, size: 1 in x 3/4 in x 10 1/8 in          | <b>n/a</b>   | \$220.00         |
| F1604RR  | Equiv. Fairbanks no. SM46-AA<br>Bearing, size: 1 1/4 in x 1 1/4 in x 12 7/8 in   | <b>94078</b> | \$433.00         |
| F1609RR  | Equiv. Fairbanks no. SM46-Z<br>Bearing, size: 1 1/4 in x 1 1/4 in x 16 1/8 in    | <b>n/a</b>   | \$402.00         |
| F1610RRP | Equiv. Fairbanks no. TU125-C<br>Pivot, size: 3/4 in x 1 1/2 in x 4 1/2 in        | <b>n/a</b>   | \$154.00         |
| F1620RRP | Equiv. Fairbanks no. SM139-V<br>Pivot, size: 1 in x 2 in x 10 in                 | <b>n/a</b>   | \$328.00         |
| F1621RRP | Equiv. Fairbanks no. SM139-W<br>Pivot, size: 1 in x 2 in x 16 in                 | <b>n/a</b>   | \$405.00         |
| F1622RRP | Equiv. Fairbanks no. SM139-X<br>Pivot, size: 1 in x 2 in x 5 in                  | <b>94148</b> | \$147.00         |
| F1623RRP | Equiv. Fairbanks no. SM139-Y<br>Pivot, size: 1 in x 2 in x 10 in                 | <b>94149</b> | \$328.00         |
| F1627RRP | Equiv. Fairbanks no. SM247-B<br>Pivot, size: 1 in x 2 in x 12 3/4 in             | <b>n/a</b>   | \$364.00         |
| F1631RR  | Equiv. Fairbanks no. SM407A<br>Bearing, size: 1 in x 3 1/4 in x 5 1/8 in         | <b>n/a</b>   | \$290.00         |
| F1650RRP | Equiv. Fairbanks no. n/a<br>Pivot, size: 1/2 in x 1 in x 10 1/2 in               | <b>55689</b> | \$117.00         |
| F1651RR  | Equiv. Fairbanks no. n/a<br>Bearing, size: 1 in x 3/4 in x 10 1/2 in             | <b>55712</b> | \$187.00         |

# Individual Fairbanks Scale Parts

## Railroad Track Scale Parts

| RL PN    | DESCRIPTION  | FB NEW # | SUGGESTED LIST |
|----------|--|----------|----------------|
| F1663RR  | Equiv. Fairbanks no. 2136<br>Bearing, size: 2 1/2 in x 3 in x 7 1/2 in               | n/a      | \$290.00       |
| F1664RR  | Equiv. Fairbanks no. 2135<br>Bearing, size: 2 1/2 in x 2 3/4 in x 7 1/2 in           | n/a      | \$282.00       |
| F1666RR  | Equiv. Fairbanks no. 1542<br>Link, size: 8 in x 1 in x 17 in                         | n/a      | \$774.00       |
| F1671RR  | Equiv. Fairbanks no. 1418-6<br>Bearing, size: 1 in x 3/4 in x 6 3/4 in               | 55907    | \$142.00       |
| F1682RR  | Equiv. Fairbanks no. SQ3050<br>Bolt, size: 1 in x 1 in x 7 3/8 in                    | n/a      | \$117.00       |
| F1683RRL | Equiv. Fairbanks no. SM143<br>Link, size: 8 in x 1 1/4 in x 25 in                    | n/a      | \$917.00       |
| F1684RR  | Equiv. Fairbanks no. SM191C<br>Saddle block, size: 8 1/6 in x 7 9/16 in x 17 9/16 in | n/a      | \$1,479.00     |
| F1685RR  | Equiv. Fairbanks no. SM9E<br>Trunnion, size: 1 1/2 in x 8 in x 26 3/4 in             | n/a      | \$1,427.00     |
| F1686RR  | Equiv. Fairbanks no. SM155<br>Wedge, size: 2 in x 4 7/16 in x 7 1/4 in, 4 in         | n/a      | \$306.00       |
| F1687RRP | Equiv. Fairbanks no. 1382-23<br>Bearing, size: 1/2 in x 1 in x 17 in                 | n/a      | \$255.00       |
| F1688RRP | Equiv. Fairbanks no. 1382-24<br>Pivot, size: 1/2 in x 1 in x 21 in                   | 55696    | \$330.00       |
| F1689RR  | Equiv. Fairbanks no. 1418-26<br>Bearing, size: 1 in x 3/4 in x 21 in                 | 55721    | \$385.00       |
| F1693RR  | Equiv. Fairbanks no. 1418-25<br>Bearing, size: 1 in x 3/4 in x 17 in                 | 55720    | \$333.00       |
| F1696RR  | Equiv. Fairbanks no. 4436<br>Bearing, size: 2 1/2 in x 2 in x 8 1/4 in               | n/a      | \$245.00       |
| F1697RR  | Equiv. Fairbanks no. 4438<br>Bearing, size: 3 in x 3 in x 8 1/2 in                   | n/a      | \$247.00       |
| F1698RR  | Equiv. Fairbanks no. 3190<br>Trunnion, size: 3 1/2 in dia x 13 in                    | n/a      | \$899.00       |
| F1699RR  | Equiv. Fairbanks no. 3189<br>Saddle block, size: 7 1/4 in 10 3/4 x 13 in             | n/a      | \$973.00       |
| F1700RR  | Equiv. Fairbanks no. 3188<br>Link, size: 9 in x 1 1/2 in x 26 in                     | n/a      | \$673.00       |
| F1711RR  | Equiv. Fairbanks no. N/a<br>Size: 1 in x 3/4 in x 12 1/2 in<br>Bearing               | n/a      | \$231.00       |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.



# Individual Fairbanks Scale Parts

Fairbanks Parts Available But Not Shown


| RL PN       | DESCRIPTION                                      | FB NEW #           | SUGGESTED LIST |
|-------------|--|--------------------|----------------|
| F594.....   | Equiv. Fairbanks no. n/a,<br>Beam assembly ..... | <b>n/a</b> .....   | \$993.00       |
| F764P ..... | Equiv. Fairbanks no. 1-37967-1 .....             | <b>N/a</b> .....   | \$49.00        |
| F765P ..... | Equiv. Fairbanks no. n/a .....                   | <b>n/a</b> .....   | \$58.00        |
| F771.....   | Equiv. Fairbanks no. n/a .....                   | <b>n/a</b> .....   | \$79.00        |
| F773.....   | Equiv. Fairbanks no. PQ190BQ .....               | <b>n/a</b> .....   | \$29.00        |
| F774.....   | Equiv. Fairbanks no. n/a .....                   | <b>n/a</b> .....   | \$29.00        |
| F775.....   | Equiv. Fairbanks no. n/a.....                    | <b>n/a</b> .....   | \$31.00        |
| F780SS..... | Equiv. Fairbanks no. 1-13122 .....               | <b>61110</b> ..... | \$99.00        |

FAIRBANKS

# Individual Fairbanks Scale Parts


## Reconditioned Parts

FAIRBANKS



Main Lever, Stand, Tip Connection and Suspension  
Call 715-234-9171 with Casting No for Price and Availability


# Individual Fairbanks Scale Parts




FAIRBANKS

End Extension, Bearing Block, Nose Iron and Stand  
Call 715-234-9171 with Casting No. for Price and Availability

# Reconditioned Parts




Center Extension, Nose Iron, Stand and Tip Connections  
Call 715-234-9171 with Casting No for Price and Availability



Even Lever, Anchor and Anchor Block  
Call 715-234-9171 with Casting No. for Price and Availability

# Reconditioned Parts

FAIRBANKS



Transverse Lever, Nose Iron, Connection and Anchor  
Call 715-234-9171 with Casting No for Price and Availability

# FAIRBANKS KITS

FAIRBANKS

# Fairbanks Kit Price Index By Rice Lake Weighing Systems PN

## FAIRBANKS

| RL PN    | SUGGESTED LIST | PAGE # |
|----------|----------------|--------|
| 34347    | \$3,456.00     | 152    |
| 34348    | \$4,653.00     | 152    |
| 34349    | \$4,319.00     | 153    |
| 34350    | \$5,816.00     | 153    |
| 49873    | \$1,712.00     | 155    |
| 49874    | \$2,567.00     | 155    |
| 49875    | \$3,422.00     | 155    |
| 49876    | \$4,277.00     | 155    |
| 49877    | \$2,190.00     | 156    |
| 49878    | \$3,284.00     | 156    |
| 49879    | \$4,379.00     | 156    |
| 49880    | \$5,473.00     | 156    |
| 49881    | \$2,190.00     | 156    |
| 49882    | \$3,284.00     | 156    |
| 49883    | \$4,379.00     | 156    |
| 49884    | \$5,473.00     | 156    |
| 52214    | \$6,329.00     | 153    |
| 71016    | \$3,491.00     | 154    |
| 71017    | \$2,327.00     | 154    |
| 71018    | \$2,533.00     | 154    |
| 71019    | \$3,799.00     | 154    |
| 71022    | \$2,593.00     | 154    |
| 71023    | \$1,729.00     | 153    |
| F-450-K1 | \$1,589.00     | 141    |
| F-450-K2 | \$1,748.00     | 141    |
| F-450-K3 | \$1,589.00     | 141    |
| F-451-K1 | \$1,642.00     | 139    |
| F-451-K2 | \$1,720.00     | 139    |
| F-451-K3 | \$1,575.00     | 139    |
| F-452-K1 | \$1,748.00     | 142    |
| F-452-K2 | \$1,911.00     | 142    |
| F-452-K3 | \$1,748.00     | 142    |
| F-453-K1 | \$1,765.00     | 140    |
| F-453-K2 | \$1,802.00     | 140    |
| F-453-K3 | \$1,562.00     | 140    |
| F-454-K1 | \$3,074.00     | 144    |
| F-454-K2 | \$1,802.00     | 144    |
| F-454-K3 | \$2,709.00     | 144    |
| F-455-K1 | \$3,627.00     | 147    |
| F-455-K2 | \$3,114.00     | 147    |
| F-455-K3 | \$2,909.00     | 147    |
| F-456-K1 | \$3,792.00     | 148    |
| F-456-K2 | \$4,105.00     | 148    |
| F-456-K3 | \$3,819.00     | 148    |
| F-457-K1 | \$1,886.00     | 137    |
| F-457-K2 | \$2,107.00     | 137    |
| F-457-K3 | \$1,842.00     | 137    |

| RL PN     | SUGGESTED LIST | PAGE #      |
|-----------|----------------|-------------|
| F-458-K1  | \$2,053.00     | 138         |
| F-458-K2  | \$2,053.00     | 138         |
| F-458-K3  | \$1,842.00     | 138         |
| F-459-K1  | \$1,803.00     | 136         |
| F-459-K2  | \$1,985.00     | 136         |
| F-459-K3  | \$1,743.00     | 136         |
| F-462-K1  | \$4,277.00     | 149         |
| F-462-K2  | \$4,625.00     | 149         |
| F-462-K3  | \$4,277.00     | 149         |
| F-463-K1  | \$5,426.00     | 150         |
| F-463-K2  | \$5,782.00     | 150         |
| F-463-K3  | \$5,426.00     | 150         |
| F-464-K1  | \$3,921.00     | 146         |
| F-464-K2  | \$4,063.00     | 146         |
| F-464-K3  | \$3,689.00     | 146         |
| F-465-K   | \$1,780.00     | 157         |
| F-466-K   | \$2,670.00     | 157         |
| F-467-K   | \$3,558.00     | 157         |
| F-468-K   | \$1,642.00     | 131         |
| F-469-K   | \$2,771.00     | 141         |
| F-470-K   | \$5,541.00     | 144         |
| F-471-K   | \$2,362.00     | 141         |
| F-472-K   | \$4,722.00     | 144         |
| F-473-K   | \$5,601.00     | 146         |
| F-474-K   | \$482.00       | XX          |
| F-475-K   | \$482.00       | XX          |
| F-476-K   | \$3,903.00     | 137,138,142 |
| F-477-K   | \$3,308.00     | 137,138,142 |
| F-478-K   | \$9,058.00     | 148         |
| F-479-K   | \$8,037.00     | 148         |
| F-480-K   | \$7,494.00     | 147         |
| F-481-K   | \$6,539.00     | 147         |
| F-482-K   | \$2,992.00     | 136         |
| F-483-K   | \$2,445.00     | 136         |
| F-484-K   | \$1,288.00     | XX          |
| F-485-K   | \$1,274.00     | 133         |
| *F-487-RK | CONSULT        | 159         |
| F-488-RK  | \$19,701.00    | 160         |
| F-489-RK  | \$20,386.00    | 161         |
| F-490-RK  | \$23,636.00    | 162         |
| F-491-RK  | \$23,636.00    | 163         |
| F-492-K   | \$2,278.00     | 139         |
| F-493-K   | \$1,609.00     | 139         |
| F-494-K   | \$3,045.00     | 140         |
| F-495-K   | \$2,233.00     | 140         |
| F-496-K   | \$7,814.00     | 149         |
| F-497-K   | \$9,665.00     | 150         |

| RL PN     | SUGGESTED LIST | PAGE #  |
|-----------|----------------|---------|
| F-498-K   | \$5,488.00     | 143     |
| F-499-K   | \$3,976.00     | 143     |
| F-500-RK  | \$36,939.00    | 164     |
| *F-501-RK | CONSULT        | 14      |
| F-503-K   | \$1,268.00     | 135     |
| F-504-K   | \$1,268.00     | 135     |
| F-505-K   | \$2,403.00     | 134     |
| F-507-K1  | \$2,224.00     | 143     |
| F-507-K2  | \$2,561.00     | 143     |
| F-507-K3  | \$2,224.00     | 143     |
| F-508-K   | \$2,485.00     | 158     |
| F-509-K   | \$3,719.00     | 158     |
| F-510-K   | \$4,968.00     | 158     |
| F-511-K   | \$2,622.00     | 158     |
| F-512-K   | \$3,945.00     | 158     |
| F-513-K   | \$5,119.00     | 158     |
| F-514-K   | \$804.00       | 132     |
| F-515-K   | \$2,533.00     | 158     |
| F-516-K   | \$5,064.00     | 152,158 |
| F-517-K   | \$5,406.00     | 145     |
| F-518-K   | \$4,489.00     | 145     |
| F-519-K1  | \$3,026.00     | 145     |
| F-519-K2  | \$3,175.00     | 145     |
| F-519-K3  | \$2,820.00     | 145     |
| F-520-K   | \$2,992.00     | 134     |
| F-521-K   | \$1,642.00     | 131     |
| F-522-K   | \$1,090.00     | 131     |
| F-526-K   | \$1,731.00     | 134     |
| F-527-K   | \$399.00       | 132     |
| F-528-K   | \$2,546.00     | 158     |
| F-529-K   | \$5,173.00     | 158     |
| F-530-K   | \$1,642.00     | 157     |
| F-531-K   | \$2,463.00     | 157     |
| F-532-K   | \$3,284.00     | 157     |
| F-533-RK  | \$11,665.00    | 165     |
| F-534-RK  | \$23,943.00    | 165     |
| F-535-RK  | \$12,109.00    | 165     |
| F-536-RK  | \$14,025.00    | 166     |
| F-537-RK  | \$24,834.00    | 166     |
| F-538-RK  | \$23,943.00    | 166     |
| F-539-RK  | \$17,000.00    | 167     |
| F-540-RK  | \$25,667.00    | 167     |
| F-541-RK  | \$26,570.00    | 161     |
| F-542-RK  | \$26,926.00    | 162     |
| F-543-RK  | \$34,204.00    | 163     |
| F-547-K   | \$6,859.00     | 146     |
| F-548-K   | \$11,048.00    | 149     |
| F-549-K   | \$5,680.00     | 151     |
| F-550-K   | \$4,543.00     | 151     |



# Fairbanks Kit Cross Reference By Equivalent Fairbanks Number

| EQUIV.<br>FRBNKS #                               | RL PN   | PAGE # |
|--|---------|--------|
| <b>Axle Load Pivot and Bearing Kits:</b>         |         |        |
| S-208  | F-459-K | 136    |
| S-308  | F-457-K | 137    |
| S-2010   | F-459-K | 136    |
| S-3010   | F-458-K | 138    |
| <b>Motor Truck Scale Pivot and Bearing Kits:</b> |         |        |
| 86281  | F-455-K | 147    |
| 86382  | F-462-K | 149    |
| 86383  | F-463-K | 150    |
| 86384  | F-464-K | 146    |
| RK-10  | F-451-K | 139    |
| RK-15  | F-453-K | 140    |
| RK-20  | F-450-K | 141    |
| RK-30  | F-452-K | 142    |
| RK-50  | F-454-K | 144    |

| EQUIV.<br>FRBNKS #                                      | RL PN    | PAGE #      |
|---|----------|-------------|
| <b>Motor Truck and Axle Load Suspension Parts Kits:</b> |          |             |
| 85333   | F-493-K  | 139         |
| 85334   | F-495-K  | 140         |
| 85336   | F-471-K  | 141         |
| 85337   | F-483-K  | 136         |
| 85338   | F-477-K  | 137,138,142 |
| 85339   | F-499-K  | 143         |
| 85341   | F-472-K  | 144         |
| 86418   | F-496-K  | 149         |
| 86419   | F-497-K  | 150         |
| 86420   | F-481-K  | 147         |
| 86421   | F-479-K  | 148         |
| 86422   | F-473-K  | 146         |
| 86560   | F-458-K3 | 138         |
| PLK10   | F-492-K  | 139         |
| PLK15   | F-494-K  | 140         |
| PLK20   | F-469-K  | 141         |

| EQUIV.<br>FRBNKS #  | RL PN   | PAGE #      |
|---|---------|-------------|
| <b>Motor Truck and Axle Load Suspension Parts Kits (Cont.):</b> |         |             |
| PLK20B  | F-482-K | 136         |
| PLK30   | F-476-K | 137,138,142 |
| PLK40   | F-498-K | 143         |
| PLK50   | F-470-K | 144         |
| PLK50A  | F-470-K | 144         |
| <b>Wagon Scales:</b>  |         |             |
| 11492   | F-505-K | 134         |
| 11514   | F-520-K | 134         |
| 11652   | F-503-K | 135         |
| 11926   | F-504-K | 135         |
| 11927   | F-504-K | 135         |
| <b>Portable Beam Scales:</b>                                    |         |             |
| 84762-A   | F-474-K | XX          |
| 84761-A   | F-475-K | XX          |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

xx Call for details.

# Portable Platform/OverheadTrack Scales

## Kit No. F-474-K

Portable Platform Scales, Models 1124, 1280 and 12064 (Old Style Only)

| QTY.   | RL PN       | EQUIV. FBKS #                       | DESCRIPTION                                 |
|--------|-------------|-------------------------------------|---|
| 8..... | F452P ..... | PB31D .....                         | Pivot, load and fulcrum                     |
| 1..... | F479P ..... | PQ33C .....                         | Pivot, upper, long lever center connection  |
| 1..... | F480P ..... | PQ33D .....                         | Pivot, lower, short lever center connection |
| 4..... | F483 .....  | PQ190AC .....                       | Bearing, beam, fulcrum and load             |
| 4..... | F484 .....  | PQ140A .....                        | Pin, all four corners                       |
| 4..... | F485 .....  | PA26 .....                          | Bearing steel, load                         |
| 4..... | F486 .....  | PQ25B .....                         | Check rod                                   |
| 1..... | F488P ..... | PB42A .....                         | Pivot, beam, tip, 1/4 in x 1 1/8 in         |
| 2..... | F489P ..... | PB50 .....                          | Pivot, beam, fulcrum and load, 9/32 x 2 in  |
| 1..... | F490 .....  | PQ19AC .....                        | Bearing, nose iron                          |
| 1..... | F493 .....  | 1A1991 .....                        | Tip loop, beam                              |
| 4..... | F498 .....  | PA594 .....                         | Bearing, shim load                          |
| 1..... | F501 .....  | PQ1002E, PQ679 and<br>PQ190AU ..... | Center connection assembly                  |
| 4..... | F502 .....  | PQ24C AND PQ190AN....               | Loop with bearing, four corners, roll pins  |

**\$482.00** Suggested list/6 lb shipping weight

## Kit No. F-475-K

Portable Platform Scales, Models RL1100, 1124A, 1280A, 12064A, 11774A, 41-3132, 41-3141, 41-3160, 41-3131, 41-3132-S40 and 41-3132-201

| QTY.   | RL PN       | EQUIV. FBKS #            | DESCRIPTION  |
|--------|-------------|--------------------------|--|
| 8..... | F452P ..... | 1A1408 .....             | Pivot, load and fulcrum, 1/2 in x 2 5/32 in                          |
| 1..... | F481 .....  | 1A493, 1A494, SP-13..... | Center connection. Assembly, upper and lower links and<br>Cotter pin |
| 2..... | F482 .....  | 1A1921 .....             | Loop assembly, front corner, short                                   |
| 2..... | F487P ..... | 1A1409 .....             | Pivot, center connection, upper and lower, 9/32 in x 2 1/4 in        |
| 1..... | F488P ..... | 1A779 .....              | Pivot, beam, tip, 1/4 in x 1 1/8 in                                  |
| 3..... | F489P ..... | 1A780 .....              | Pivot, beam, load and fulcrum, also nose iron, 9/32 in x 2 in        |
| 2..... | F492 .....  | 1A1922 .....             | Loop assembly, rear corner, 1 7/8 in x 4 5/8 in                      |
| 1..... | F493 .....  | 1A1991 .....             | Tip loop, beam   |
| 6..... | F494 .....  | 1A2150 .....             | Bearing, beam and fulcrum, and nose iron                             |
| 4..... | F495 .....  | 1A2143 .....             | Pin, corner loop, 3/8 in x 1 1/2 in                                  |
| 4..... | F496 .....  | 1A495 .....              | V-bearing, platform, 3/4 in x 2 3/4 in                               |
| 4..... | F497 .....  | 1A1919 .....             | Stud, platform   |
| 4..... | F498 .....  | 1A1920 .....             | Shim, platform   |
| 4..... | 15277 ..... | Sp-123 .....             | Groove pin, 5/16 in x 1 1/4 in                                       |

**\$482.00** Suggested list/6 lb shipping weight

# Pipe Lever Scale On Stands

## Kit No. F-468-K

Pipe Lever Scale On Stands 10,000 lb Capacity

| QTY.    | REF #    | RL PN       | EQUIV. FBKS # | DESCRIPTION           |
|---------|----------|-------------|---------------|-----------------------|
| 4.....  | 6 .....  | F301 .....  | .84013.....   | Trunnion bar assembly |
| 4.....  | 9 .....  | F302 .....  | .84009.....   | Saddle block assembly |
| 20..... | 14 ..... | F304P ..... | .82543.....   | Pivot                 |
| 4.....  | 16 ..... | F305 .....  | .84016.....   | Bearing               |
| 4.....  | 18 ..... | F307 .....  | .82551A ..... | Bearing               |
| 12..... | 18 ..... | F308 .....  | .WJ361A ..... | Friction plate        |
| 2.....  | 2 .....  | F309P ..... | .82543A ..... | Pivot                 |
| 4.....  | 31 ..... | F310 .....  | .82551B ..... | Bearing               |
| 8.....  | 8 .....  | F312I ..... | .84011.....   | Link                  |
| 4.....  | 21 ..... | F323P ..... | .84310.....   | Pivot                 |
| 2.....  | 3 .....  | F323P ..... | .84310.....   | Pivot                 |
| 12..... | 20 ..... | F315 .....  | .n/a.....     | Screws                |

**\$1,642.00** Suggested list/26 lb shipping weight

Available, But Not Included In Kit, Ask For:

|        |          |            |             |              |
|--------|----------|------------|-------------|--------------|
| 4..... | 12 ..... | F319 ..... | .84026..... | Girder chair |
|--------|----------|------------|-------------|--------------|

See page 84 for 10,000 lb drawing

See page 85 for reference numbers for 10,000 lb drawing

See page 86 for 20,000 lb drawing

See page 87 for reference numbers for 20,000 lb drawing

## Kit No. F-521-K

Pipe Lever Scale On Stands 20,000 lb Capacity

| QTY.   | RL PN        | EQUIV. FBKS #          | DESCRIPTION             |
|--------|--------------|------------------------|-------------------------|
| 8..... | F465P .....  | FG313A .....           | Pivot, load and fulcrum |
| 4..... | F326 .....   | .85309 .....           | Bearing, fulcrum        |
| 4..... | F538 .....   | .74322 and 85111 ..... | Bearing, load           |
| 2..... | F309P .....  | .84122 .....           | Pivot, tip              |
| 2..... | F303 .....   | .84121 .....           | Bearing, tip            |
| 2..... | F307 .....   | .84119 .....           | Bearing                 |
| 2..... | F323P .....  | .84320 .....           | Pivot, extension lever  |
| 4..... | F310 .....   | .84120 .....           | Bearing                 |
| 4..... | F753PSS..... | .84126 .....           | Pivot, transverse       |
| 8..... | F308 .....   | .WJ361A.....           | Plate, friction         |
| 8..... | F315 .....   | .n/a.....              | Screw                   |

**\$1,642.00** Suggested list/15 lb shipping weight

## Kit No. F-522-K

Suspension Kit For F-521-K

| QTY.   | RL PN       | EQUIV. FBKS # | DESCRIPTION  |
|--------|-------------|---------------|--------------|
| 8..... | F325L ..... | .87244 .....  | Link         |
| 4..... | F327 .....  | .87465 .....  | Saddle block |
| 4..... | F328 .....  | .84138 .....  | Trunnion     |

**\$1,090.00** Suggested list/33 lb shipping weight

# Floor Scale

## Kit No. F-514-K

### FB New # 96396

Warehouse and Floor Scale, Steel Fabricated, Models 23-2001 Through 23-2006 and 23-2011

| QTY.    | RL PN       | EQUIV. FBKS #           | DESCRIPTION                           |
|---------|-------------|-------------------------|---------------------------------------|
| 1.....  | F730P ..... | 1-293883-1, 89603 ..... | Pivot, center                         |
| 10..... | F729P ..... | 1-27979-1, 89604 .....  | Pivot, load, fulcrum, and nose iron   |
| 3.....  | F311 .....  | 1-32552-1, 89622 .....  | Bearing, load, fulcrum, and nose iron |
| 6.....  | F731 .....  | 1-29250-1 .....         | Bearing, load and fulcrum             |
| 2.....  | F732 .....  | 1-29314-1 .....         | Bearing, fulcrum                      |

**\$804.00** Suggested list/7 lb shipping weight

## Kit No. F-527-K

Warehouse and Floor Scale, Steel Fabricated, Models 23-2001 Through 23-2006 and 23-2011

| QTY.   | RL PN      | EQUIV. FBKS #          | DESCRIPTION         |
|--------|------------|------------------------|---------------------|
| 4..... | F739 ..... | 2-29377-1, 89651 ..... | Loop, load weldment |
| 4..... | F740 ..... | 1-29255-1 .....        | U-bolt, load        |






**\$399.00** Suggested list/6 lb shipping weight

# Built-in Floor Scale

## Kit No. F-485-K

### FB NEW # 60239

Equivalent To Fairbanks Kit #86561, Models 5712, 5716, 5717, 5750, 5751, 5752, 5755 and 5756

| QTY. | RL PN | DESCRIPTION   |   |
|------|-------|---|---|
| 4    | F530P | Equiv. Fairbanks no. SD253A<br>Size: 1/2 in x 1 in x 1 in<br>Tapered both ends, pivot                                   |   |
| 2    | F531P | Equiv. Fairbanks no. SE255A<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Tapered both ends, pivot                               |   |
| 2    | F532P | Equiv. Fairbanks no. SE255<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Tapered both ends same way, pivot                       |   |
| 2    | F457P | Equiv. Fairbanks no. SG255A<br>Size: 1/2 in x 1 in x 2 in<br>Tapered both ends, pivot                                   |   |
| 4    | F465P | Equiv. Fairbanks no. FG313<br>Size: 1/2 in x 1 in x 4 in<br>Tapered both ends, pivot                                    |   |
| 4    | F533P | Equiv. Fairbanks no. FG18B<br>Size: 1/2 in x 1 in x 5 in<br>Tapered both ends with center<br>Ground out 1 1/2 in, pivot |   |
| 2    | F534  | Equiv. Fairbanks no. 74057<br>Size: 1/2 in x 1 in x 1 9/16 in<br>Hole size: 3/8 in<br>Bearing                           |  |
| 2    | F535  | Equiv. Fairbanks no. 74321<br>Size: 3/4 in x 1/2 in x 2 in<br>Bearing   |  |
| 4    | F536  | Equiv. Fairbanks no. 82105<br>Size: 1 in x 1 1/4 in x 1 3/32 in<br>With anti-friction plates<br>Bearing                 |  |
| 1    | F537  | Equiv. Fairbanks no. 74319<br>Size: 1 in x 1 1/4 in x 1 5/8 in<br>With anti-friction plates<br>Bearing                  |   |
| 4    | F538  | Equiv. Fairbanks no. 74322<br>Size: 9/16 in x 9/16 in x 4 in<br>Bearing   |  |
| 4    | F539  | Equiv. Fairbanks no. 74335<br>Size: 1 in x 1/2 in x 5 1/4 in<br>Bearing, old style                                      |  |

**\$1,274.00** Suggested list

Order kit no. F-485-K for above pivots and bearings

Order kit no. F-526-K for suspension

FAIRBANKS

# Built-in Scale Suspension

## Kit No. F-526-K

Built-In Floor Scale 5- and 10-Ton, Main Lever Casting #82122, 82123, 82143, 82144, 82145, 82146

| QTY.   | RL PN        | EQUIV. FBKS # | DESCRIPTION  |
|--------|--------------|---------------|--------------|
| 8..... | F475AL ..... | RA135 .....   | Link         |
| 4..... | 131389 ..... | 87221 .....   | Saddle block |
| 4..... | F745 .....   | 82102 .....   | Trunnion     |

**\$1,731.00** Suggested list/47 lb shipping weight

## Truss Lever/Cattle Scale

## Kit No. F-505-K

Truss Type Wagon and Stock Scale, Model 11492, Capacity 5-Ton, Platform Size 14 ft 1 in x 8 ft 1 in

| QTY.   | RL PN       | EQUIV. FBKS # | DESCRIPTION                  |
|--------|-------------|---------------|------------------------------|
| 7..... | F529 .....  | WA44B .....   | Bearing, cup                 |
| 4..... | F540P ..... | WA18C .....   | Pivot, fulcrum               |
| 4..... | F541P ..... | WA19 .....    | Pivot, load                  |
| 2..... | F542P ..... | WA20A .....   | Center pin pivot             |
| 4..... | F543 .....  | WA61 .....    | Bearing, load                |
| 3..... | F545P ..... | WDA31 .....   | Pivot, shelf lever           |
| 3..... | F544 .....  | WB10-M1 ..... | Shelf lever loops            |
| 2..... | F547 .....  | WA328 .....   | Fulcrum loop 3/4 dia x 7 in  |
| 2..... | F546 .....  | WA329 .....   | Fulcrum loop 3/4 dia x 10 in |
| 2..... | F549 .....  | WA23 .....    | Nose iron button             |
| 1..... | F582 .....  | WA21A .....   | Nose iron                    |
| 1..... | F583 .....  | WA22A .....   | Nose iron                    |

**\$2,403.00** Suggested list/32 lb shipping weight

## Kit No. F-520-K

| Truss Type Wagon and Stock Scale, | Model | Capacity | Platform Size |
|-----------------------------------|-------|----------|---------------|
|                                   | 11514 | 10-Ton   | 16 ft x 8 ft  |
|                                   | 11548 | 8-Ton    | 16 ft x 9 ft  |
|                                   | 11592 | 10-Ton   | 18 ft x 8 ft  |
|                                   | 11593 | 10-Ton   | 22 ft x 8 ft  |

| QTY.   | RL PN       | EQUIV. FBKS # | DESCRIPTION                       |
|--------|-------------|---------------|-----------------------------------|
| 7..... | F529 .....  | WA44B .....   | Bearing, cup                      |
| 4..... | F586p ..... | WD18A .....   | Pivot, fulcrum                    |
| 4..... | F541p ..... | WA19 .....    | Pivot, load                       |
| 2..... | F542p ..... | WA20A .....   | Pivot, center pin                 |
| 4..... | F543 .....  | WA61 .....    | Bearing, load                     |
| 3..... | F545p ..... | WDA31 .....   | Pivot, shelf lever                |
| 2..... | F792 .....  | WG328 .....   | Fulcrum loop 1 in dia x 9 1/4 in  |
| 2..... | F793 .....  | WG329 .....   | Fulcrum loop 1 in dia x 12 1/4 in |
| 2..... | F549 .....  | WA23 .....    | Nose iron button                  |
| 3..... | F544 .....  | WB10-M1 ..... | Shelf lever loop                  |
| 1..... | F584 .....  | WG21-A .....  | Nose iron                         |
| 1..... | F585 .....  | WG22-A .....  | Nose iron                         |

**\$2,992.00** Suggested list/44 lb shipping weight

# Self-Contained Wagon and Stock Scale

## Kit No. F-503-K

Self-Contained Wagon and Stock Scale, Model 11652, Capacity 5-Ton, Platform Size 14 ft x 8 ft

| QTY.   | RL PN       | EQUIV. FBKS # | DESCRIPTION    |
|--------|-------------|---------------|----------------|
| 3..... | F529 .....  | WA44B .....   | Bearing, cup   |
| 8..... | F554P ..... | WJ280A.....   | Pivot, load    |
| 4..... | F555P ..... | WJ281 .....   | Pivot, fulcrum |
| 4..... | F556 .....  | WJ362B.....   | Bearing        |
| 4..... | F572 .....  | WJ390 .....   | Bearing        |
| 2..... | F750P ..... | WJ379 .....   | Pivot, pin     |
| 8..... | F735 .....  | WJ390A.....   | Bearing        |
| 2..... | F759P ..... | WJ31 .....    | Pivot          |

**\$1,268.00** Suggested list/8 lb shipping weight

## Kit No. F-504-K

|                                      |       |          |               |
|--------------------------------------|-------|----------|---------------|
| Self-Contained Wagon and Stock Scale | Model | Capacity | Platform Size |
|                                      | 11926 | 10-Ton   | 16 ft x 8 ft  |
|                                      | 11927 | 10-Ton   | 22 ft x 8 ft  |

| QTY.   | RL PN       | EQUIV. FBKS # | DESCRIPTION    |
|--------|-------------|---------------|----------------|
| 3..... | F529 .....  | WA44B .....   | Bearing, cup   |
| 8..... | F532P ..... | SE255.....    | Pivot, load    |
| 4..... | F556 .....  | WJ362B.....   | Bearing        |
| 8..... | F571 .....  | WR613 .....   | Bearing        |
| 4..... | F572 .....  | WJ390 .....   | Bearing        |
| 2..... | F750P ..... | WJ379 .....   | Pivot, pin     |
| 2..... | F759P ..... | WJ31 .....    | Pivot          |
| 4..... | F458P ..... | WR281 .....   | Pivot, fulcrum |

**\$1,268.00** Suggested list/8 lb shipping weight

Call For Information On Self-Contained Wagon and Stock Scales With The Following Model Numbers:

|  |       |          |               |
|--|-------|----------|---------------|
|  | Model | Capacity | Platform Size |
|  | 11997 | 15-Ton   | 18 ft x 9 ft  |
|  | 12236 | 15-Ton   | 22 ft x 9     |
|  | 12237 | 15-Ton   | 20 ft x 9 ft  |
|  | 12238 | 20-Ton   | 22 ft x 9 ft  |

# Axle Load Scales

Kit No. F-459-K1, Old Style

Kit No. F-459-K2, Conversion \*FB NEW # 96375

Kit No. F-459-K3, New Style FB NEW # 96376

20-Ton and 26-Ton Axle Load, Models S-208 and S-2010, 11-6198A, 11-6199A, 14-6198A, 14-6198A

Use Kits Listed Above For Axle Scales Having Main Lever Casting Numbers SD8F, 82102, SD8G

| RL PN       | EQUIV. FBKS #        | DESCRIPTION         | KIT #F-459-K1<br>OLD STYLE | *KIT #F-459-K2<br>CONVERSION<br>FB NEW # 96375 | KIT #F-459-K3<br>NEW STYLE |
|-------------|----------------------|---------------------|----------------------------|--|----------------------------|
| F401.....   | SD183K.....          | Bearing.....        | 20.....                    | 20.....  | 20.....                    |
| F405.....   | SD194AMI.....        | Bearing.....        | 7.....                     | 0.....   | 0.....                     |
| F407P.....  | SD253.....           | Pivot.....          | 20.....                    | 20.....  | 20.....                    |
| F410P.....  | SD139A.....          | Pivot.....          | 7.....                     | 7.....   | 7.....                     |
| F412P.....  | SD255A.....          | Pivot.....          | 8.....                     | 8.....   | 8.....                     |
| F414.....   | SD183H.....          | Bearing.....        | 8.....                     | 8.....   | 8.....                     |
| F751.....   | 83364.....           | Friction plate..... | 20.....                    | 20.....  | 20.....                    |
| F474.....   | 86691.....           | Friction plate..... | 0.....                     | 0.....   | 14.....                    |
| F472.....   | 86694.....           | Bearing.....        | 0.....                     | 7.....   | 7.....                     |
| F506**..... | 86797.....           | Bearing block.....  | 0.....                     | 7.....   | 0.....                     |
| 22002.....  | #10-24 x 3/8 in..... | Screws.....         | 20.....                    | 20.....  | 20.....                    |
| 22005.....  | 1/4-20 x 1/2 in..... | Screws.....         | 10.....                    | 10.....  | 10.....                    |


\* Need main lever fulcrum stand number for ordering the correct bearing block

\*\* F506 includes F474 thrust caps


F-459-K1 **\$1,803.00** Suggested list/25 lb shipping weight

F-459-K2 **\$1,985.00** Suggested list/50 lb shipping weight


F-459-K3 **\$1,743.00** Suggested list/28 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-482-K (With Chairs) FB NEW # 94031

Kit No. F-483-K (Without Chairs) FB NEW # 60074

Suspension Kit For F-459-K1, F-459-K2, F459-K3

| RL PN       | EQUIV. FBKS #      | DESCRIPTION       | KIT #F-482-K | KIT #F-483-K |
|-------------|--------------------|-------------------|--------------|--------------|
| F477CL..... | RC135, 87242.....  | Link.....         | 8.....       | 8.....       |
| F503.....   | 80266, 87235.....  | Chair.....        | 4.....       | 0.....       |
| F505.....   | 80267, 87227.....  | Trunnion.....     | 4.....       | 4.....       |
| F508.....   | RC191A, 87218..... | Saddle block..... | 4.....       | 4.....       |

F-482-K **\$2,992.00** Suggested list/200 lb shipping weight

F-483-K **\$2,445.00** Suggested list/105 lb shipping weight



# Axle Load Scales

Kit No. F-457-K1, Old Style

Kit No. F-457-K2, Conversion

Kit No. F-457-K3, New Style

30-Ton Axle Load, Model S-308

Use Kits Listed Above For Axle Scales Having Main Lever Casting Number 80733, End Ext #80820,  
Transverse Lever #80732


| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-457-K1<br>OLD STYLE | KIT #F-457-K2<br>CONVERSION | KIT #F-457-K3<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|-----------------------------|----------------------------|
| F401.....  | SD183K.....       | Bearing.....        | 20.....                    | 20.....                     | 20.....                    |
| F404.....  | SD183J.....       | Bearing.....        | 8.....                     | 8.....                      | 8.....                     |
| F405.....  | SD194AMI.....     | Bearing.....        | 7.....                     | 0.....                      | 0.....                     |
| F407P..... | SD253.....        | Pivot.....          | 20.....                    | 20.....                     | 20.....                    |
| F409P..... | SD255C.....       | Pivot.....          | 8.....                     | 8.....                      | 8.....                     |
| F410P..... | SD139A.....       | Pivot.....          | 7.....                     | 7.....                      | 7.....                     |
| F474.....  | 86691.....        | Friction plate..... | 0.....                     | 0.....                      | 14.....                    |
| F751.....  | 83364.....        | Friction plate..... | 20.....                    | 20.....                     | 20.....                    |
| F472.....  | 86694.....        | Bearing.....        | 0.....                     | 7.....                      | 7.....                     |
| F507*..... | 86822.....        | Bearing block.....  | 0.....                     | 7.....                      | 0.....                     |
| 22002..... | #10-24 x 3/8..... | Screws.....         | 20.....                    | 20.....                     | 20.....                    |
| 22005..... | 1/4-20 x 1/2..... | Screws.....         | 10.....                    | 10.....                     | 10.....                    |

\*F507 Includes F474 Friction Plate

F-457-K1 **\$1,886.00** Suggested list/30 lb shipping weight

F-457-K2 **\$2,107.00** Suggested list/55 lb shipping weight

F-457-K3 **\$1,842.00** Suggested list/30 lb shipping weight



OLD STYLE

CONVERSION

NEW STYLE

Kit No. F-476-K (With Chairs) or FB NEW # 94046

Kit No. F-477-K (Without Chairs) FB NEW # 60076

Suspension Kit For F-457-K1, F-457-K2, F457-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION       | KIT #F-476-K | KIT #F-477-K |
|-------------|-------------------|-------------------|--------------|--------------|
| F478DL..... | RD135, 87243..... | Link.....         | 8.....       | 8.....       |
| F513.....   | 80270, 87228..... | Trunnion.....     | 4.....       | 4.....       |
| F514.....   | RD191, 87219..... | Saddle block..... | 4.....       | 4.....       |
| F515.....   | 80269, 87236..... | Chair.....        | 4.....       | 0.....       |

F-476-K **\$3,903.00** Suggested list/337 lb shipping weight

F-477-K **\$3,308.00** Suggested list/150 lb shipping weight

# Axle Load Scales

Kit No. F-458-K1, Old Style

Kit No. F-458-K2, Conversion

Kit No. F-458-K3, New Style

30-Ton Axle Load, Model S-3010

Use Kits Listed Above For Axle Scales Having Main Lever Casting Number 80733,

End Ext #SH6BM-M1, Transverse Lever #80732


| RL PN      | EQUIV. FBKS #       | DESCRIPTION         | KIT #F-458-K1<br>OLD STYLE | KIT #F-458-K2<br>CONVERSION | KIT #F-458-K3<br>NEW STYLE |
|------------|---------------------|---------------------|----------------------------|-----------------------------|----------------------------|
| F401.....  | SD183K.....         | Bearing.....        | 16.....                    | 16.....                     | 16.....                    |
| F534.....  | 74057.....          | Bearing.....        | 4.....                     | 4.....                      | 4.....                     |
| F404.....  | SD183J.....         | Bearing.....        | 8.....                     | 8.....                      | 8.....                     |
| F405.....  | SD194AMI.....       | Bearing.....        | 4.....                     | 0.....                      | 0.....                     |
| F407p..... | SD253.....          | Pivot.....          | 16.....                    | 16.....                     | 16.....                    |
| F409p..... | SD255C.....         | Pivot.....          | 8.....                     | 8.....                      | 8.....                     |
| F410p..... | SD139A.....         | Pivot.....          | 4.....                     | 4.....                      | 4.....                     |
| F411p..... | SH253.....          | Pivot.....          | 4.....                     | 4.....                      | 4.....                     |
| F415.....  | 56936-M1.....       | Bearing.....        | 3.....                     | 0.....                      | 0.....                     |
| F419p..... | SH139.....          | Pivot.....          | 3.....                     | 3.....                      | 3.....                     |
| F751.....  | 83364.....          | Friction plate..... | 42.....                    | 42.....                     | 42.....                    |
| F472.....  | 86694.....          | Bearing.....        | 0.....                     | 4.....                      | 4.....                     |
| F473.....  | 86754.....          | Bearing.....        | 0.....                     | 3.....                      | 3.....                     |
| F507*..... | 86797.....          | Bearing block.....  | 0.....                     | 4.....                      | 0.....                     |
| F728.....  | 86680, 87257.....   | Bearing block.....  | 0.....                     | 3.....                      | 0.....                     |
| F474.....  | 86691.....          | Friction plate..... | 0.....                     | 0.....                      | 14.....                    |
| 22002..... | #10-24 x 3/8.....   | Screws.....         | 20.....                    | 20.....                     | 20.....                    |
| 22005..... | 1/4 x 20 x 1/2..... | Screws.....         | 10.....                    | 10.....                     | 10.....                    |

\*F507 includes F474 friction plate


F-458-K1 **\$2,053.00** Suggested list/32 lb shipping weight

F-458-K2 **\$2,053.00** Suggested list/65 lb shipping weight


F-458-K3 **\$1,842.00** Suggested list/30 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-476-K (With Chairs) or

Kit No. F-477-K (Without Chairs)

Suspension Kit For F-458-K1, F-458-K2, F-458-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION       | KIT #F-476-K | KIT #F-477-K |
|-------------|-------------------|-------------------|--------------|--------------|
| F478DL..... | RD135, 87243..... | Link.....         | 8.....       | 8.....       |
| F513.....   | 80270, 87228..... | Trunnion.....     | 4.....       | 4.....       |
| F514.....   | RD191, 87219..... | Saddle block..... | 4.....       | 4.....       |
| F515.....   | 80269, 87236..... | Chair.....        | 4.....       | 0.....       |

F-476-K **\$3,903.00** Suggested list/337 lb shipping weight

F-477-K **\$3,308.00** Suggested list/150 lb shipping weight

# Motor Truck Scales

Kit No. F-451-K1, Old Style

Kit No. F-451-K2, Conversion FB NEW # 60330

Kit No. F-451-K3, New Style FB NEW # 96364

5-Ton Cattle Scale

10-Ton, Two-section, Models 12083, 12086, 11-3102 and 11-6186A, 11-6187A, 11-6188A, 11-6189A, 11-6190A, 14-6187A, 14-6188A, 14-6189A, 14-6190A

Use These Kits With Scales Having Main Lever Casting Number SEC8A, SEC8


| RL PN       | EQUIV. FBKS #        | DESCRIPTION          | KIT #F-451-K1<br>OLD STYLE | KIT #F-451-K2<br>CONVERSION | KIT #F-451-K3<br>NEW STYLE |
|-------------|----------------------|----------------------|----------------------------|-----------------------------|----------------------------|
| F401.....   | SD183K .....         | Bearing .....        | 28.....                    | 28.....                     | 28.....                    |
| F405.....   | SD194AMI .....       | Bearing .....        | 7.....                     | 0.....                      | 0.....                     |
| F407P ..... | SD253 .....          | Pivot .....          | 28.....                    | 28.....                     | 28.....                    |
| F410P ..... | SD139A .....         | Pivot .....          | 7.....                     | 7.....                      | 7.....                     |
| F751.....   | 83364 .....          | Friction plate ..... | 20.....                    | 20.....                     | 20.....                    |
| F474.....   | 86691 .....          | Friction plate ..... | 0.....                     | 0.....                      | 14.....                    |
| F472.....   | 86694 .....          | Bearing .....        | 0.....                     | 7.....                      | 7.....                     |
| F506* ..... | 86797 .....          | Bearing block.....   | 0.....                     | 7.....                      | 0.....                     |
| 22002.....  | #10-24 x 3/8.....    | Screws .....         | 20.....                    | 20.....                     | 20.....                    |
| 22005.....  | 1/4 x 20 x 1/2 ..... | Screws .....         | 10.....                    | 10.....                     | 10.....                    |

\*F506 includes F474 friction plate


F-451-K1 **\$1,642.00** Suggested list/25 lb shipping weight

F-451-K2 **\$1,720.00** Suggested list/48 lb shipping weight


F-451-K3 **\$1,575.00** Suggested list/25 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-492-K (With Chairs) or FB NEW # 94018

Kit No. F-493-K (Without Chairs) FB NEW # 60071

Suspension Kit For F-451-K1, F-451-K2, F-451-K3

| RL PN        | EQUIV. FBKS #      | DESCRIPTION          | KIT #F-492-K | KIT #F-493-K |
|--------------|--------------------|----------------------|--------------|--------------|
| F475AL ..... | RA135, 87240.....  | Link .....           | 8.....       | 8.....       |
| F558.....    | 80260, 87233 ..... | Chair.....           | 4.....       | 0.....       |
| F559.....    | RA191, 87215.....  | Saddle block.....    | 4.....       | 4.....       |
| F560.....    | 80261, 87225 ..... | Trunnion block ..... | 4.....       | 4.....       |

F-492-K **\$2,278.00** Suggested list/116 lb shipping weight

F-493-K **\$1,609.00** Suggested list/56 lb shipping weight

# Motor Truck Scales

Kit No. F-453-K1, Old Style

Kit No. F-453-K2, Conversion FB NEW # 60331

Kit No. F-453-K3, New Style FB NEW # 96365

15-Ton, Two-section, Models 12087-12090 and 11537, 11540, 11547, 6502, 11-3116,  
14-6192 Cattle Scale

Use These Kits With Scales Having Main Lever Casting Number SE8A, SGC8, 80736


| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-453-K1<br>OLD STYLE | KIT #F-453-K2<br>CONVERSION | KIT #F-453-K3<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|-----------------------------|----------------------------|
| F401.....  | SD183K.....       | Bearing.....        | 20.....                    | 20.....                     | 20.....                    |
| F402.....  | SE183F.....       | Bearing.....        | 8.....                     | 8.....                      | 8.....                     |
| F405.....  | SD194AMI.....     | Bearing.....        | 7.....                     | 0.....                      | 0.....                     |
| F407p..... | SD253.....        | Pivot.....          | 20.....                    | 20.....                     | 20.....                    |
| F410p..... | SD139A.....       | Pivot.....          | 7.....                     | 7.....                      | 7.....                     |
| F532p..... | SE255.....        | Pivot.....          | 8.....                     | 8.....                      | 8.....                     |
| F751.....  | 83364.....        | Friction plate..... | 20.....                    | 20.....                     | 20.....                    |
| F472.....  | 86694.....        | Bearing.....        | 0.....                     | 7.....                      | 7.....                     |
| F506*..... | 86797.....        | Bearing block.....  | 0.....                     | 7.....                      | 0.....                     |
| 22002..... | #10-24 x 3/8..... | Screws.....         | 20.....                    | 20.....                     | 20.....                    |
| 22005..... | 1/4-20 x 1/2..... | Screws.....         | 10.....                    | 10.....                     | 10.....                    |

\*F506 includes F474 friction plate


F-453-K1 **\$1,765.00** Suggested list/23 lb shipping weight

F-453-K2 **\$1,802.00** Suggested list/48 lb shipping weight


F-453-K3 **\$1,562.00** Suggested list/25 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-494-K (With Chairs) or FB NEW # 54029

Kit No. F-495-K (Without Chairs) FB NEW # 60072

Suspension Kit For F-453-K1, F-453-K2, F453-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-494-K | KIT #F-495-K |
|-------------|-------------------|---------------------|--------------|--------------|
| F476BL..... | RB135, 87241..... | Link.....           | 8.....       | 8.....       |
| F561.....   | 80263, 87234..... | Chair.....          | 4.....       | 0.....       |
| F562.....   | RB191, 87216..... | Saddle block.....   | 4.....       | 4.....       |
| F563.....   | 80264, 87226..... | Trunnion block..... | 4.....       | 4.....       |

F-494-K **\$3,045.00** Suggested list/162 lb shipping weight

F-495-K **\$2,233.00** Suggested list/84 lb shipping weight

# Motor Truck Scales

Kit No. F-450-K1, Old Style

Kit No. F-450-K2, Conversion FB NEW # 60332

Kit No. F-450-K3, New Style FB NEW # 96366

20-Ton and 25-Ton, Two-section, Models 11-3129, 11-3134, 11-3141, 11541, 11544, 11545, 11546, 12091-12098, 6504, 6505 and 6506, 11-6197A, 14-6197A, 14-7181

Use These Kits With Scales Having Main Lever Casting #SG8, SG8A, SG8D-2, SDC8, 80738

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-450-K1<br>OLD STYLE | *KIT #F-450-K2<br>CONVERSION | KIT #F-450-K3<br>NEW STYLE |
|-------------|-------------------|---------------------|----------------------------|------------------------------|----------------------------|
| F401.....   | SD183K.....       | Bearing.....        | 20.....                    | 20.....                      | 20.....                    |
| F403.....   | SG183A.....       | Bearing.....        | 8.....                     | 8.....                       | 8.....                     |
| F405.....   | SD194AMI.....     | Bearing.....        | 7.....                     | 0.....                       | 0.....                     |
| F407p.....  | SD253.....        | Pivot.....          | 20.....                    | 20.....                      | 20.....                    |
| F408p.....  | SG255.....        | Pivot.....          | 8.....                     | 8.....                       | 8.....                     |
| F410p.....  | SD139A.....       | Pivot.....          | 7.....                     | 7.....                       | 7.....                     |
| F751.....   | 83364.....        | Friction plate..... | 20.....                    | 20.....                      | 20.....                    |
| F474.....   | 86691.....        | Friction plate..... | 0.....                     | 0.....                       | 14.....                    |
| F472.....   | 86694.....        | Bearing.....        | 0.....                     | 7.....                       | 7.....                     |
| F506**..... | 86797.....        | Bearing block.....  | 0.....                     | 7.....                       | 0.....                     |
| 22002.....  | #10-24 x 3/8..... | Screws.....         | 20.....                    | 20.....                      | 20.....                    |
| 22005.....  | 1/4-20 x 1/2..... | Screws.....         | 10.....                    | 10.....                      | 10.....                    |


\*Need main lever fulcrum stand number for ordering the correct bearing block

\*\*F506 includes F474 friction plate


F-450-K1 **\$1,589.00** Suggested list/25 lb shipping weight

F-450-K2 **\$1,748.00** Suggested list/50 lb shipping weight


F-450-K3 **\$1,589.00** Suggested list/27 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-469-K (With Chairs) or FB NEW # 54039

Kit No. F-471-K (Without Chairs) FB NEW # 60073

Suspension Kit For F-450-K1, F-450-K2, F-450-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION       | KIT #F-469-K | KIT #F-471-K |
|-------------|-------------------|-------------------|--------------|--------------|
| F477CL..... | RC135, 87242..... | Link.....         | 8.....       | 8.....       |
| F503.....   | 80266, 87235..... | Chair.....        | 4.....       | 0.....       |
| F504.....   | RC191, 87217..... | Saddle block..... | 4.....       | 4.....       |
| F505.....   | 80267, 87227..... | Trunnion.....     | 4.....       | 4.....       |

F-469-K **\$2,771.00** Suggested list/198 lb shipping weight

F-471-K **\$2,362.00** Suggested list/105 lb shipping weight

# Motor Truck Scales

Kit No. F-452-K1, Old Style

Kit No. F-452-K2, Conversion FB NEW # 60334

Kit No. F-452-K3, New Style FB NEW # 96368

30-Ton, Two-section, Models 6507, 6508, 12074-12077, 11-3158, 11-3153, 12099, 12101, 12102, 11-3153A, 11-3158, 14-7182

Use These Kits With Scales Having Main Lever Casting #SD8J, SD8L, SD8N, SD8K, SD8LN, 87380


| RL PN       | EQUIV. FBKS #      | DESCRIPTION          | KIT #F-452-K1<br>OLD STYLE | KIT #F-452-K2<br>CONVERSION | KIT #F-452-K3<br>NEW STYLE |
|-------------|--------------------|----------------------|----------------------------|-----------------------------|----------------------------|
| F401.....   | SD183K .....       | Bearing .....        | 20 .....                   | 20 .....                    | 20 .....                   |
| F404.....   | SD183J .....       | Bearing .....        | 8 .....                    | 8 .....                     | 8 .....                    |
| F405.....   | SD194AMI .....     | Bearing .....        | 7 .....                    | 0 .....                     | 0 .....                    |
| F407p.....  | SD253 .....        | Pivot .....          | 20 .....                   | 20 .....                    | 20 .....                   |
| F409p.....  | SD255C .....       | Pivot .....          | 8 .....                    | 8 .....                     | 8 .....                    |
| F410p.....  | SD139A .....       | Pivot .....          | 7 .....                    | 7 .....                     | 7 .....                    |
| F751.....   | 83364 .....        | Friction plate ..... | 20 .....                   | 20 .....                    | 20 .....                   |
| F472.....   | 86694 .....        | Bearing .....        | 0 .....                    | 7 .....                     | 7 .....                    |
| F507* ..... | 86822 .....        | Bearing block .....  | 0 .....                    | 7 .....                     | 0 .....                    |
| F474.....   | 86691 .....        | Friction plate ..... | 0 .....                    | 0 .....                     | 14 .....                   |
| 22002.....  | #10-24 x 3/8 ..... | Screws .....         | 20 .....                   | 20 .....                    | 20 .....                   |
| 22005.....  | 1/4-20 x 1/2 ..... | Screws .....         | 10 .....                   | 10 .....                    | 10 .....                   |

\*F507 includes F474 friction plate


F-452-K1 **\$1,748.00** Suggested list/30 lb shipping weight

F-452-K2 **\$1,911.00** Suggested list/55 lb shipping weight


F-452-K3 **\$1,748.00** Suggested list/30 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-476-K (With Chairs) or FB NEW # 94046

Kit No. F-477-K (Without Chairs) FB NEW # 60076

Suspension Kit For F-452-K1, F-452-K2, F-452-K3

| RL PN        | EQUIV. FBKS #      | DESCRIPTION        | KIT #F-476-K | KIT #F-477-K |
|--------------|--------------------|--------------------|--------------|--------------|
| F478DL ..... | RD135, 87243 ..... | Link .....         | 8 .....      | 8 .....      |
| F513.....    | 80270, 87228 ..... | Trunnion .....     | 4 .....      | 4 .....      |
| F514.....    | RD191, 87219 ..... | Saddle block ..... | 4 .....      | 4 .....      |
| F515.....    | 80269, 87236 ..... | Chair .....        | 4 .....      | 0 .....      |

F-476-K **\$3,903.00** Suggested list/337 lb shipping weight

F-477-K **\$3,308.00** Suggested list/150 lb shipping weight

# Motor Truck Scales

Kit No. F-507-K1, Old Style

Kit No. F-507-K2, Conversion

Kit No. F-507-K3, New Style

40-Ton, Two-section, Models 12078, 12082, 12254, and 12256

Use These Kits With Scales Having Main Lever Casting #74178, SH8E, SH8MI, 87426


| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-507-K1<br>OLD STYLE | KIT #F-507-K2<br>CONVERSION | KIT #F-507-K3<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|-----------------------------|----------------------------|
| F401.....  | SD183K.....       | bearing.....        | 16.....                    | 16.....                     | 16.....                    |
| F407P..... | SD253.....        | pivot.....          | 16.....                    | 16.....                     | 16.....                    |
| F411P..... | SH253.....        | pivot.....          | 4.....                     | 4.....                      | 4.....                     |
| F415.....  | 56936M.....       | bearing.....        | 7.....                     | 0.....                      | 0.....                     |
| F419P..... | SH139A.....       | pivot.....          | 7.....                     | 7.....                      | 7.....                     |
| F420P..... | SH255A.....       | pivot.....          | 8.....                     | 8.....                      | 8.....                     |
| F421.....  | SH183.....        | bearing.....        | 8.....                     | 8.....                      | 8.....                     |
| F422.....  | 82499.....        | bearing.....        | 1.....                     | 1.....                      | 1.....                     |
| F423P..... | 82498.....        | pivot.....          | 1.....                     | 1.....                      | 1.....                     |
| F424.....  | TX152.....        | friction plate..... | 2.....                     | 2.....                      | 2.....                     |
| F751.....  | 83364.....        | friction plate..... | 20.....                    | 20.....                     | 20.....                    |
| F473.....  | 86754.....        | bearing.....        | 0.....                     | 7.....                      | 7.....                     |
| F534.....  | 74057.....        | bearing.....        | 4.....                     | 4.....                      | 4.....                     |
| F728*..... | 86680, 87257..... | bearing block.....  | 0.....                     | 7.....                      | 0.....                     |
| F474.....  | 86691.....        | friction plate..... | 0.....                     | 0.....                      | 14.....                    |
| 22002..... | #10-24 x 3/8..... | screws.....         | 20.....                    | 20.....                     | 20.....                    |
| 22005..... | 1/4-20 x 1/2..... | screws.....         | 10.....                    | 10.....                     | 10.....                    |

\*F728 includes F474 friction plate

F-507-K1 **\$2,224.00** Suggested list/35 lb shipping weight

F-507-K2 **\$2,561.00** Suggested list/70 lb shipping weight

F-507-K3 **\$2,224.00** Suggested list/30 lb shipping weight



Kit No. F-498-K (With Chairs) or FB NEW # 94064

Kit No. F-499-K (Without Chairs) FB NEW # 60077

Suspension Kit For F-507-K1, F-507-K2, F-507-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-498-K | KIT #F-499-K |
|-------------|-------------------|---------------------|--------------|--------------|
| F478DL..... | RD135, 87243..... | Link.....           | 8.....       | 8.....       |
| F513.....   | 80270, 87228..... | Trunnion block..... | 4.....       | 4.....       |
| F515.....   | 80269, 87236..... | Chair.....          | 4.....       | 0.....       |
| F564.....   | 80253, 87220..... | Saddle block.....   | 4.....       | 4.....       |

F-498-K **\$5,488.00** Suggested list/329 lb shipping weight

F-499-K **\$3,976.00** Suggested list/161 lb shipping weight

# Motor Truck Scales

Kit No. F-454-K1, Old Style

Kit No. F-454-K2, Conversion \* FB NEW # 60335

Kit No. F-454-K3, New Style FB NEW # 60336

50-Ton, Four-section, Models 6509, 6510, 6512, 12301, 12302, 12304,  
11-3380, 11-3331, 11-3332, 11-3334

Use These Kits With Scales Having Main Lever Casting #80738, SG8D, SG8D2, SDC8, 87208

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-454-K1<br>OLD STYLE | *KIT #F-454-K2<br>CONVERSION | KIT #F-454-K3<br>NEW STYLE |
|-------------|-------------------|---------------------|----------------------------|------------------------------|----------------------------|
| F401.....   | SD183K.....       | Bearing.....        | 40.....                    | 40.....                      | 40.....                    |
| F403.....   | SG183K.....       | Bearing.....        | 16.....                    | 16.....                      | 16.....                    |
| F405n.....  | SD194AMl.....     | Bearing.....        | 12.....                    | 2.....                       | 0.....                     |
| F407p.....  | SD253.....        | Pivot.....          | 40.....                    | 40.....                      | 40.....                    |
| F408p.....  | SG255.....        | Pivot.....          | 16.....                    | 16.....                      | 16.....                    |
| F410p.....  | SD139A.....       | Pivot.....          | 12.....                    | 12.....                      | 12.....                    |
| F422.....   | 82499.....        | Bearing.....        | 1.....                     | 1.....                       | 0.....                     |
| F423p.....  | 82498.....        | Pivot.....          | 1.....                     | 1.....                       | 1.....                     |
| F424.....   | TX152.....        | Friction plate..... | 2.....                     | 2.....                       | 2.....                     |
| F751.....   | 83364.....        | Friction plate..... | 20.....                    | 20.....                      | 20.....                    |
| F474.....   | 86691.....        | Friction plate..... | 0.....                     | 0.....                       | 16.....                    |
| F472.....   | 86694.....        | Bearing.....        | 0.....                     | 10.....                      | 12.....                    |
| F507**..... | 86822.....        | Bearing block.....  | 0.....                     | 10.....                      | 0.....                     |
| F557.....   | 86755.....        | Bearing.....        | 0.....                     | 0.....                       | 1.....                     |
| 22002.....  | #10-24 x 3/8..... | Screws.....         | 20.....                    | 20.....                      | 20.....                    |
| 22005.....  | 1/4-20 x 1/2..... | Screws.....         | 10.....                    | 10.....                      | 10.....                    |

\*Need main lever fulcrum stand number for ordering the correct bearing block

\*\*F507 includes F474 friction plate


Stand number SD19E needs F507

Stand number SDC19 needs F506


F-454-K1 **\$3,074.00** Price/42 lb ship weight

F-454-K2 **\$1,802.00** Price/78 lb ship weight


F-454-K3 **\$2,709.00** Price/43 lb ship weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-470-K (With Chairs) or FB NEW # 54047

Kit No. F-472-K (Without Chairs) FB NEW # 60078

Suspension Kit For F-454-K1, F-454-K2, F-454-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-470-K | KIT #F-472-K |
|-------------|-------------------|---------------------|--------------|--------------|
| F477CL..... | RC135, 87242..... | Link.....           | 16.....      | 16.....      |
| F503.....   | 80266, 87235..... | Chair.....          | 8.....       | 0.....       |
| F504.....   | RC191, 87217..... | Saddle block.....   | 8.....       | 8.....       |
| F505.....   | 80267, 87227..... | Trunnion block..... | 8.....       | 8.....       |

F-470-K **\$5,541.00** Suggested list/580 lb shipping weight

F-472-K **\$4,722.00** Suggested list/200 lb shipping weight



# Motor Truck Scales

Kit No. F-519-K1, Old Style

Kit No. F-519-K2, Conversion FB NEW # 96372

Kit No. F-519-K3, New Style FB NEW # 96373

50-Ton, Four-section, Models 12257-12263, 26-Ton Sectional Capacity

Use These Kits With Scales Having Main Lever Casting #SD8F, SD8E, 83502, SD8D and SD8G

RARE SCALE  
USED ON 12 FT  
WIDE AND DUMP  
SCALE

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-519-K1<br>OLD STYLE | *KIT #F-519-K2<br>CONVERSION | KIT #F-519-K3<br>NEW STYLE |
|-------------|-------------------|---------------------|----------------------------|------------------------------|----------------------------|
| F401.....   | SD183K.....       | Bearing.....        | 40.....                    | 40.....                      | 40.....                    |
| F414.....   | SD183H.....       | Bearing.....        | 16.....                    | 16.....                      | 16.....                    |
| F405n.....  | SD194AMI.....     | Bearing.....        | 12.....                    | 2.....                       | 2.....                     |
| F407p.....  | SD253.....        | Pivot.....          | 40.....                    | 40.....                      | 40.....                    |
| F412p.....  | SD255A.....       | Pivot.....          | 16.....                    | 16.....                      | 16.....                    |
| F410p.....  | SD139A.....       | Pivot.....          | 12.....                    | 12.....                      | 12.....                    |
| F422.....   | 82499.....        | Bearing.....        | 1.....                     | 1.....                       | 1.....                     |
| F423p.....  | 82498.....        | Pivot.....          | 1.....                     | 1.....                       | 1.....                     |
| F424.....   | TX152.....        | Friction plate..... | 2.....                     | 2.....                       | 2.....                     |
| F751.....   | 83364.....        | Friction plate..... | 20.....                    | 20.....                      | 20.....                    |
| F474.....   | 86691.....        | Friction plate..... | 0.....                     | 0.....                       | 16.....                    |
| F472.....   | 86694.....        | Bearing.....        | 0.....                     | 10.....                      | 10.....                    |
| F507**..... | 86822.....        | Bearing block.....  | 0.....                     | 10.....                      | 0.....                     |
| 22002.....  | #10-24 x 3/8..... | Screws.....         | 20.....                    | 20.....                      | 20.....                    |
| 22005.....  | 1/4-20 x 1/2..... | Screws.....         | 10.....                    | 10.....                      | 10.....                    |


\*Need main lever fulcrum stand number for ordering the correct bearing block

\*\*F507 includes F474 friction plate


F-519-K1 **\$3,026.00** Suggested list/45 lb shipping weight

F-519-K2 **\$3,175.00** Suggested list/83 lb shipping weight


F-519-K3 **\$2,820.00** Suggested list/48 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-517-K (With Chairs) or FB NEW # 94084

Kit No. F-518-K (Without Chairs) FB NEW # 60079

Suspension Kit For F-519-K1, F-519-K2, F-519-K3

| RL PN       | EQUIV. FBKS #      | DESCRIPTION       | KIT #F-517-K | KIT #F-518-K |
|-------------|--------------------|-------------------|--------------|--------------|
| F477CL..... | RC135, 87242.....  | Link.....         | 16.....      | 16.....      |
| F503.....   | 80266, 87235.....  | Chair.....        | 8.....       | 0.....       |
| F505.....   | 80267, 87227.....  | Trunnion.....     | 8.....       | 8.....       |
| F508.....   | RC191A, 87218..... | Saddle block..... | 8.....       | 8.....       |

F-517-K **\$5,406.00** Suggested list/395 lb shipping weight

F-518-K **\$4,489.00** Suggested list/205 lb shipping weight

# Motor Truck Scales

Kit No. F-464-K1, Old Style

Kit No. F-464-K2, Conversion FB NEW # 60338

Kit No. F-464-K3, New Style FB NEW # 60339

50-Ton, Five-section, Models 6514C and 11-3436

Use These Kits With Scales Having Main Lever Casting #80738, SG8D, SG8D2, SDC8, 87208

| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-464-K1<br>OLD STYLE | *KIT #F-464-K2<br>CONVERSION | KIT #F-464-K3<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|------------------------------|----------------------------|
| F401.....  | SD183K.....       | Bearing.....        | 54.....                    | 54.....                      | 54.....                    |
| F403.....  | SG183A.....       | Bearing.....        | 20.....                    | 20.....                      | 20.....                    |
| F405.....  | SD194AMI.....     | Bearing.....        | 16.....                    | 4.....                       | 0.....                     |
| F407p..... | SD253.....        | Pivot.....          | 54.....                    | 54.....                      | 54.....                    |
| F408p..... | SG255.....        | Pivot.....          | 20.....                    | 20.....                      | 20.....                    |
| F410p..... | SD139A.....       | Pivot.....          | 16.....                    | 16.....                      | 16.....                    |
| F422.....  | 82499.....        | Bearing.....        | 1.....                     | 1.....                       | 0.....                     |
| F423p..... | 82498.....        | Pivot.....          | 1.....                     | 1.....                       | 1.....                     |
| F424.....  | TX152.....        | Friction plate..... | 2.....                     | 2.....                       | 2.....                     |
| F751.....  | 83364.....        | Friction plate..... | 24.....                    | 24.....                      | 24.....                    |
| F474.....  | 86691.....        | Friction plate..... | 0.....                     | 0.....                       | 32.....                    |
| F472.....  | 86694.....        | Bearing.....        | 0.....                     | 12.....                      | 16.....                    |
| F507.....  | 86797.....        | Bearing block.....  | 0.....                     | 12.....                      | 0.....                     |
| F557.....  | 86755.....        | Bearing.....        | 0.....                     | 0.....                       | 1.....                     |
| 22002..... | #10-24 x 3/8..... | Screws.....         | 22.....                    | 22.....                      | 22.....                    |
| 22005..... | 1/4-20 x 1/2..... | Screws.....         | 12.....                    | 12.....                      | 12.....                    |


\*Need main lever fulcrum stand number for ordering the correct bearing block

\*\*F507 includes F474 friction plate


F-464-K1 **\$3,921.00** Suggested list/56 lb shipping weight

F-464-K2 **\$4,063.00** Suggested list/98 lb shipping weight


F-464-K3 **\$3,689.00** Suggested list/68 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-547-K (With Chairs) or FB NEW # 54047

Kit No. F-473-K (Without Chairs) FB NEW # 60200

Suspension Kit For F-464-K1, F464-K2, F-464-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION       | KIT #F-547-K | KIT #F-473-K |
|-------------|-------------------|-------------------|--------------|--------------|
| F477CL..... | RC135, 87242..... | Link.....         | 20.....      | 20.....      |
| F503.....   | 80266, 87235..... | Chair.....        | 10.....      | 0.....       |
| F504.....   | RC191, 87217..... | Saddle block..... | 10.....      | 10.....      |
| F505.....   | 80267, 87227..... | Trunnion.....     | 10.....      | 10.....      |

F-547-K **\$6,859.00** Suggested list/478 lb shipping weight

F-473-K **\$5,601.00** Suggested list/238 lb shipping weight

# Motor Truck Scales

Kit No. F-455-K1, Old Style

Kit No. F-455-K2, Conversion FB NEW # 60340

Kit No. F-455-K3, New Style FB NEW # 96370

60-Ton Four-section, 30-Ton Sectional Capacity, 50-Ton Four-section With Main Lever #87380

Models 11-3381, 11-3382, 11-3383, 11-3342, 11-3344, 6516B OR 6517B

Use These Kits With Scales Having Main Lever Casting #SD8L, SD8K, SD8N, SD8LN and 87380


| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-455-K1<br>OLD STYLE | KIT #F-455-K2<br>CONVERSION | KIT #F-455-K3<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|-----------------------------|----------------------------|
| F401.....  | SD183K.....       | Bearing.....        | 40.....                    | 40.....                     | 40.....                    |
| F404.....  | SD183J.....       | Bearing.....        | 16.....                    | 16.....                     | 16.....                    |
| F405.....  | SD194AMI.....     | Bearing.....        | 12.....                    | 2.....                      | 0.....                     |
| F407P..... | SD253.....        | Pivot.....          | 40.....                    | 40.....                     | 40.....                    |
| F409P..... | SD255C.....       | Pivot.....          | 16.....                    | 16.....                     | 16.....                    |
| F410P..... | SD139A.....       | Pivot.....          | 12.....                    | 12.....                     | 12.....                    |
| F422.....  | 82499.....        | Bearing.....        | 1.....                     | 1.....                      | 0.....                     |
| F423P..... | 82498.....        | Pivot.....          | 1.....                     | 1.....                      | 1.....                     |
| F424.....  | TX152.....        | Friction plate..... | 2.....                     | 2.....                      | 2.....                     |
| F751.....  | 83364.....        | Friction plate..... | 20.....                    | 20.....                     | 20.....                    |
| F474.....  | 83391.....        | Friction plate..... | 0.....                     | 0.....                      | 26.....                    |
| F472.....  | 86694.....        | Bearing.....        | 0.....                     | 10.....                     | 12.....                    |
| F507*..... | 86822.....        | Bearing block.....  | 0.....                     | 10.....                     | 0.....                     |
| F557.....  | 86755.....        | Bearing.....        | 0.....                     | 0.....                      | 1.....                     |
| 22002..... | #10-24 x 3/8..... | Screws.....         | 20.....                    | 20.....                     | 20.....                    |
| 22005..... | 1/4-20 x 1/2..... | Screws.....         | 10.....                    | 10.....                     | 10.....                    |

\*F507 includes F474 friction plate


F-455-K1 **\$3,627.00** Suggested list/52 lb shipping weight

F-455-K2 **\$3,114.00** Suggested list/90 lb shipping weight


F-455-K3 **\$2,909.00** Suggested list/53 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-480-K (With Chairs) or

Kit No. F-481-K (Without Chairs) FB NEW # 60198

Suspension Kit For F-455-K1, F-455-K2, F-455-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION       | KIT #F-480-K | KIT #F-481-K |
|-------------|-------------------|-------------------|--------------|--------------|
| F478DL..... | RD135, 87243..... | Link.....         | 16.....      | 16.....      |
| F513.....   | 80270, 87228..... | Trunnion.....     | 8.....       | 8.....       |
| F514.....   | 87219, RD191..... | Saddle block..... | 8.....       | 8.....       |
| F515.....   | 80269, 87236..... | Chair.....        | 8.....       | 0.....       |

F-480-K **\$7,494.00** Suggested list/642 lb shipping weight

F-481-K **\$6,539.00** Suggested list/295 lb shipping weight

# Motor Truck Scales

Kit No. F-456-K1, Old Style

Kit No. F-456-K2, Conversion FB NEW # 60341

Kit No. F-456-K3, New Style FB NEW # 96371

60-Ton Five-section, 30-Ton Sectional Capacity, 50-Ton Capacity With Main Lever #87380

Models 6518B, 6518, 11-3384, 11-3446, 11-3385, 11-3484

Use These Kits With Scales Having Main Lever Casting #SD8L, SD8K, SD8N, SD8LN and 87380


| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-456-K1<br>OLD STYLE | KIT #F-456-K2<br>CONVERSION | KIT #F-456-K3<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|-----------------------------|----------------------------|
| F401.....  | SD183K.....       | Bearing.....        | 54.....                    | 54.....                     | 54.....                    |
| F404.....  | SD183J.....       | Bearing.....        | 20.....                    | 20.....                     | 20.....                    |
| F405.....  | SD194AMI.....     | Bearing.....        | 16.....                    | 4.....                      | 0.....                     |
| F407p..... | SD253.....        | Pivot.....          | 54.....                    | 54.....                     | 54.....                    |
| F409p..... | SD255C.....       | Pivot.....          | 20.....                    | 20.....                     | 20.....                    |
| F410p..... | SD139A.....       | Pivot.....          | 16.....                    | 16.....                     | 16.....                    |
| F422.....  | 82499.....        | Bearing.....        | 1.....                     | 1.....                      | 0.....                     |
| F423p..... | 82498.....        | Pivot.....          | 1.....                     | 1.....                      | 1.....                     |
| F424.....  | TX152.....        | Friction plate..... | 2.....                     | 2.....                      | 2.....                     |
| F751.....  | 83364.....        | Friction plate..... | 24.....                    | 24.....                     | 24.....                    |
| F474.....  | 83391.....        | Friction plate..... | 0.....                     | 0.....                      | 24.....                    |
| F472.....  | 86694.....        | Bearing.....        | 0.....                     | 12.....                     | 16.....                    |
| F507*..... | 86822.....        | Bearing block.....  | 0.....                     | 12.....                     | 0.....                     |
| F557.....  | 86755.....        | Bearing.....        | 0.....                     | 0.....                      | 1.....                     |
| 22002..... | #10-24 x 3/8..... | Screws.....         | 22.....                    | 22.....                     | 22.....                    |
| 22005..... | 1/4-20 x 1/2..... | Screws.....         | 12.....                    | 12.....                     | 0.....                     |

\*F507 includes F474 friction plate


F-456-K1 **\$3,792.00** Suggested list/66 lb shipping weight

F-456-K2 **\$4,105.00** Suggested list/110 lb shipping weight


F-456-K3 **\$3,819.00** Suggested list/67 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-478-K (With Chairs) or

Kit No. F-479-K (Without Chairs) FB NEW # 60199

Suspension Kit For F-456-K1, F-456-K2, F-456-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION       | KIT #F-478-K | KIT #F-479-K |
|-------------|-------------------|-------------------|--------------|--------------|
| F478DL..... | RD135, 87243..... | Link.....         | 20.....      | 20.....      |
| F513.....   | 80270, 87228..... | Trunnion.....     | 10.....      | 10.....      |
| F514.....   | RD191, 87219..... | Saddle block..... | 10.....      | 10.....      |
| F515.....   | 80269, 87236..... | Chair.....        | 10.....      | 0.....       |

F-478-K **\$9,058.00** Suggested list/805 lb shipping weight

F-479-K **\$8,037.00** Suggested list/375 lb shipping weight

# Motor Truck Scales

Kit No. F-462-K1, Old Style

Kit No. F-462-K2, Conversion

Kit No. F-462-K3, New Style

75-Ton Four-section, 40-Ton Sectional Capacity, 60-Ton Capacity With Main Lever #87426

Models 6520B, 6521B, 6523B, 11-3352, 11-3354, 11-3394 **11= mechanical transverse**

Use These Kits With Scales Having Main Lever Casting #74178, SH8MI, 87426

| RL PN       | EQUIV. FBKS #      | DESCRIPTION         | KIT #F-462-K1<br>OLD STYLE | KIT #F-462-K2<br>CONVERSION | KIT #F-462-K3**<br>NEW STYLE |
|-------------|--------------------|---------------------|----------------------------|-----------------------------|------------------------------|
| F401.....   | SD183K .....       | Bearing.....        | 32 .....                   | 32 .....                    | 32 .....                     |
| F407p.....  | SD253 .....        | Pivot.....          | 32 .....                   | 32 .....                    | 32 .....                     |
| F411p.....  | SH253 .....        | Pivot.....          | 8 .....                    | 8 .....                     | 8 .....                      |
| F415.....   | 56936MI.....       | Bearing.....        | 12 .....                   | 0 .....                     | 0 .....                      |
| F419p.....  | SH139A .....       | Pivot.....          | 12 .....                   | 12 .....                    | 12 .....                     |
| F420p.....  | SH255A .....       | Pivot.....          | 16 .....                   | 16 .....                    | 16 .....                     |
| F421.....   | SH183E .....       | Bearing.....        | 16 .....                   | 16 .....                    | 16 .....                     |
| F422.....   | 82499 .....        | Bearing.....        | 1 .....                    | 1 .....                     | 1 .....                      |
| F423p.....  | 82498 .....        | Pivot.....          | 1 .....                    | 1 .....                     | 1 .....                      |
| F424.....   | TX152 .....        | Friction plate..... | 2 .....                    | 2 .....                     | 2 .....                      |
| F751.....   | 83364 .....        | Friction plate..... | 20 .....                   | 20 .....                    | 20 .....                     |
| F474.....   | 86691 .....        | Friction plate..... | 0 .....                    | 0 .....                     | 26 .....                     |
| F473.....   | 86754 .....        | Bearing.....        | 0 .....                    | 12 .....                    | 12 .....                     |
| F534.....   | 74057 .....        | Bearing.....        | 8 .....                    | 8 .....                     | 8 .....                      |
| F728* ..... | 86680, 87257 ..... | Bearing block.....  | 0 .....                    | 12 .....                    | 0 .....                      |
| 22002.....  | #10-24 x 3/8 ..... | Screws .....        | 20 .....                   | 20 .....                    | 20 .....                     |
| 22005.....  | 1/4-20 x 1/2 ..... | Screws .....        | 10 .....                   | 10 .....                    | 10 .....                     |


\*F728 includes F474 friction plate

\*\*If ordering for models 11-3352 and 11-3354 kit F-462-K3, remove four of F419P and F473 and add four of F410P and F472


F-462-K1 **\$4,277.00** Suggested list/60 lb shipping weight

F-462-K2 **\$4,625.00** Suggested list/119 lb shipping weight


F-462-K3 **\$4,277.00** Suggested list/61 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-548-K (With Chairs) or

Kit No. F-496-K (Without Chairs) FB NEW # 60195

Suspension Kit For F-462-K1, F-462-K2, F-462-K3

| RL PN        | EQUIV. FBKS #      | DESCRIPTION         | KIT #F-548-K | KIT #F-496-K |
|--------------|--------------------|---------------------|--------------|--------------|
| F478DL ..... | RD135, 87243 ..... | Link.....           | 16 .....     | 16 .....     |
| F513.....    | 80270, 87228 ..... | Trunnion block..... | 8 .....      | 8 .....      |
| F564.....    | 80253, 87220 ..... | Saddle block .....  | 8 .....      | 8 .....      |
| F713.....    | 80811, 87237 ..... | Chair .....         | 8 .....      | 0 .....      |

F-548-K **\$11,048.00** Suggested list/672 lb shipping weight

F-496-K **\$7,814.00** Suggested list/325 lb shipping weight

# Motor Truck Scales

Kit No. F-463-K1, Old Style (86783)

Kit No. F-463-K2, Conversion

Kit No. F-463-K3, New Style

75-Ton and 80-Ton Five-section, 40-Ton Sectional Capacity, 60-Ton Five-section With Main Lever #87426

Models 11-3356, 11-3485, 11-3482, 6525B **11= mechanical transverse**

Use These Kits With Scales Having Main Lever Casting #74178, SH8MI, 87426

FAIRBANKS

| RL PN      | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-463-K1<br>OLD STYLE | KIT #F-463-K2<br>CONVERSION | KIT #F-463-K3**<br>NEW STYLE |
|------------|-------------------|---------------------|----------------------------|-----------------------------|------------------------------|
| F401.....  | SD183K.....       | Bearing.....        | 44.....                    | 44.....                     | 44.....                      |
| F405.....  | SD194AMI.....     | Bearing.....        | 1.....                     | 0.....                      | 0.....                       |
| F407P..... | SD253.....        | Pivot.....          | 44.....                    | 44.....                     | 44.....                      |
| F410P..... | SD139A.....       | Pivot.....          | 1.....                     | 1.....                      | 1.....                       |
| F411P..... | SH253.....        | Pivot.....          | 10.....                    | 10.....                     | 10.....                      |
| F415.....  | 56936MI.....      | Bearing.....        | 15.....                    | 0.....                      | 0.....                       |
| F419P..... | SH139A.....       | Pivot.....          | 15.....                    | 15.....                     | 15.....                      |
| F420P..... | SH255A.....       | Pivot.....          | 20.....                    | 20.....                     | 20.....                      |
| F421.....  | SH183.....        | Bearing.....        | 20.....                    | 20.....                     | 20.....                      |
| F422.....  | 82499.....        | Bearing.....        | 1.....                     | 1.....                      | 0.....                       |
| F557.....  | 86755.....        | Bearing.....        | 0.....                     | 0.....                      | 1.....                       |
| F423P..... | 82498.....        | Pivot.....          | 1.....                     | 1.....                      | 1.....                       |
| F424.....  | TX152.....        | Friction plate..... | 2.....                     | 2.....                      | 2.....                       |
| F751.....  | 83364.....        | Friction plate..... | 24.....                    | 24.....                     | 24.....                      |
| F474.....  | 83391.....        | Friction plate..... | 0.....                     | 0.....                      | 32.....                      |
| F472.....  | 86694.....        | Bearing.....        | 0.....                     | 1.....                      | 1.....                       |
| F473.....  | 86754.....        | Bearing.....        | 0.....                     | 15.....                     | 15.....                      |
| F534.....  | 74057.....        | Bearing.....        | 10.....                    | 10.....                     | 10.....                      |
| F728*..... | 86680, 87257..... | Bearing block.....  | 0.....                     | 15.....                     | 0.....                       |
| 22002..... | #10-24 x 3/8..... | Screws.....         | 22.....                    | 22.....                     | 22.....                      |
| 22005..... | 1/4-20 x 1/2..... | Screws.....         | 12.....                    | 12.....                     | 12.....                      |


\*F728 includes F474 friction plate

\*\*If ordering 11-3356 kit F-463-K3, remove five of F419P and F473 and add five of F410P and F472


**F-463-K1 \$5,426.00** Suggested list/75 lb shipping weight

**F-463-K2 \$5,782.00** Suggested list/150 lb shipping weight


**F-463-K3 \$5,426.00** Suggested list/75 lb shipping weight



OLD STYLE



CONVERSION



NEW STYLE

Kit No. F-497-K (Without Chairs)

Suspension Kit For F-463-K1, F463-K2, F463-K3

| RL PN       | EQUIV. FBKS #     | DESCRIPTION         | KIT #F-497-K |
|-------------|-------------------|---------------------|--------------|
| F478DL..... | RD135, 87243..... | Link.....           | 20.....      |
| F513.....   | 80270, 87228..... | Trunnion block..... | 10.....      |
| F564.....   | 80253, 87220..... | Saddle block.....   | 10.....      |

**F-497-K \$9,665.00** Suggested list/406 lb shipping weight

**RICE LAKE**  
WEIGHING SYSTEMS

An ISO 9001 registered company © 2025 Rice Lake Weighing Systems 12/01/2025 Prices and specifications subject to change without notice. Visit [ricelake.com](http://ricelake.com) for current prices.

# Motor Truck Scales

## Kit No. F-550-K

Type S, 120 Ton Four-section, 60-Ton Sectional Capacity, 60 Ft. With Main Lever #87392

Models 11-3364, 11-3374 Full Mechanical Mult. 600:1

Models 14-3364, 14-3374 Lever Tronic Mult. 90:1

| QTY.    | RL PN       | EQUIV. FBKS # | DESCRIPTION               |
|---------|-------------|---------------|---------------------------|
| 16..... | F712P ..... | 87391 .....   | Pivot, load and fulcrum   |
| 16..... | F789 .....  | 87390 .....   | Bearing, load and fulcrum |
| 32..... | F407P ..... | SD253 .....   | Pivot, tip                |
| 32..... | F401 .....  | SD183K.....   | Bearing, tip              |
| 4.....  | F473 .....  | 86754 .....   | Bearing, fulcrum          |
| 4.....  | F419P ..... | SH139 .....   | Pivot, fulcrum            |
| 8.....  | F411P ..... | SH253 .....   | Pivot, load               |
| 8.....  | F534 .....  | 74057 .....   | Bearing load              |
| 1.....  | F423P ..... | 82498 .....   | Pivot, fulcrum            |
| 1.....  | F557 .....  | 86755 .....   | Bearing fulcrum           |

**\$4,543.00** Suggested list/72 lb shipping weight

## Kit No. F-549-K

Type S, 120 Ton Five-section, 60-Ton Sectional Capacity, 70 Ft. With Main Lever #87392

Models 11-3466, 11-3476 Full Mechanical Mult. 600:1

Models 14-3466, 14-3476 Lever Tronic Mult. 90:1

| QTY.    | RL PN       | EQUIV. FBKS # | DESCRIPTION               |
|---------|-------------|---------------|---------------------------|
| 20..... | F712P ..... | 87391 .....   | Pivot, load and fulcrum   |
| 20..... | F789 .....  | 87390 .....   | Bearing, load and fulcrum |
| 44..... | F407P ..... | SD253 .....   | Pivot, tip                |
| 44..... | F401 .....  | SD183K.....   | Bearing, tip              |
| 1.....  | F410P ..... | SD139A.....   | Pivot, fulcrum            |
| 5.....  | F473 .....  | 86754 .....   | Bearing, fulcrum          |
| 5.....  | F419P ..... | SH139 .....   | Pivot, fulcrum            |
| 10..... | F411P ..... | SH253 .....   | Pivot, load               |
| 10..... | F543 .....  | 74057 .....   | Bearing, load             |
| 1.....  | F423P ..... | 82498 .....   | Pivot, fulcrum            |
| 2.....  | F557 .....  | 86755 .....   | Bearing, fulcrum          |

**\$5,680.00** Suggested list/94 lb shipping weight

# Motor Truck Scales

## HOLMAN STEEL PIPE LEVER TYPE

### Kit No. 34347 FB New # 94577

Holman Steel Pipe Lever Type, Pivot and Bearing Kit, Four-section

Models 11-4306, 11-4311 Full Mechanical Mult.

Models 14-4306, 14-4311 Lever Tronic Mult.

| QTY.    | RL PN       | EQUIV. FBKS #    | DESCRIPTION                   |
|---------|-------------|------------------|-------------------------------|
| 20..... | 10699 ..... | 90341 .....      | Bearing, load and fulcrum     |
| 25..... | 10763 ..... | 40-011-600 ..... | Pivot, load and fulcrum       |
| 5.....  | 10963 ..... | 40-008-600 ..... | Pivot, tip                    |
| 5.....  | F787 .....  | 45-016-600 ..... | Bearing, block assembly, tip  |
| 4.....  | F788 .....  | 45-015-600 ..... | Bearing, block assembly, load |
| 28..... | 15265 ..... |                  | Pin spring                    |

**\$3,456.00** Suggested list/80 lb shipping weight

### Kit No. 34348 FB New # 94578

Suspension Kit, Four-section, with Steel Suspension

| QTY.    | RL PN       | EQUIV. FBKS #    | DESCRIPTION  |
|---------|-------------|------------------|--------------|
| 16..... | F782L ..... | 45-012-600 ..... | Links        |
| 8.....  | F783 .....  | 45-013-600 ..... | Saddle block |
| 8.....  | F776 .....  | 40-032-600 ..... | Trunnion     |

**\$4,653.00** Suggested list/330 lb shipping weight

### Kit No. F-516-K FB New # 94579

Suspension Kit, Four-section, with Cast Suspension

| QTY.    | RL PN        | EQUIV. FBKS #     | DESCRIPTION  |
|---------|--------------|-------------------|--------------|
| 16..... | F478DL ..... | RD135 87243 ..... | Link         |
| 8.....  | F747 .....   | 85414 87222 ..... | Saddle block |
| 8.....  | F746 .....   | 85412 87230 ..... | Trunnion     |

**\$5,064.00** Suggested list/230 lb shipping weight



# Motor Truck Scales

## HOLMAN STEEL PIPE LEVER TYPE

### Kit No. 34349

Holman Steel Pipe Lever Type, Pivot and Bearing Kit, Five-sections  
Models 11-4304, 11-4305, 11-4307 Full Mechanical Mult.  
Models 14-4304, 14-4305, 14-4307 Lever Tronic Mult.

| QTY.    | RL PN       | EQUIV. FBKS #    | DESCRIPTION                   |
|---------|-------------|------------------|-------------------------------|
| 25..... | 10699 ..... | 90341 .....      | Bearing, load and fulcrum     |
| 30..... | 10763 ..... | 40-011-600 ..... | Pivot, load and fulcrum       |
| 6.....  | 10963 ..... | 40-008-600 ..... | Pivot, tip                    |
| 6.....  | F787 .....  | 45-016-600 ..... | Bearing, block assembly, tip  |
| 5.....  | F788 .....  | 45-015-600 ..... | Bearing, block assembly, load |
| 35..... | 15265 ..... |                  | Pin, spring                   |

**\$4,319.00** Suggested list/95 lb shipping weight

### Kit No. 34350

Suspension Kit, Five-section, with Steel Suspension

| QTY.    | RL PN       | EQUIV. FBKS #    | DESCRIPTION  |
|---------|-------------|------------------|--------------|
| 20..... | F782L ..... | 45-012-600 ..... | Links        |
| 10..... | F783 .....  | 45-013-600 ..... | Saddle block |
| 10..... | F776 .....  | 40-032-600 ..... | Trunnion     |

**\$5,816.00** Suggested list/400 lb shipping weight

### Kit No. 52214

Suspension Kit, Five-section, with Cast Suspension

| QTY.    | RL PN        | EQUIV. FBKS #      | DESCRIPTION  |
|---------|--------------|--------------------|--------------|
| 20..... | F478DL ..... | RD135, 87243 ..... | Links        |
| 10..... | F747 .....   | 85414, 87222 ..... | Saddle block |
| 10..... | F746 .....   | 85412, 87230 ..... | Trunnion     |

**\$6,329.00** Suggested list/288 lb shipping weight

### Kit No. 71023 FB New # 94556

Holman Steel Pipe Lever Type, Pivot and Bearing  
Two-section, Model 11-4300 and 4302, 14-4300 and 4302

| QTY.    | RL PN       | EQUIV. FBKS #    | DESCRIPTION               |
|---------|-------------|------------------|---------------------------|
| 12..... | 10763 ..... | 40-011-600 ..... | Pivot, load and fulcrum   |
| 10..... | 10699 ..... | 40-334-600 ..... | Bearing, load and fulcrum |
| 3.....  | 10963 ..... | wr-281 .....     | Pivot, tip                |
| 2.....  | F788 .....  | 45-014-600 ..... | Tip connection, upper     |
| 3.....  | F787 .....  | 45-015-600 ..... | Tip connection, lower     |
| 20..... | 15265 ..... | 316-pl .....     | Roll pin                  |

**\$1,729.00** Suggested list/40 lb shipping weight

# Motor Truck Scales

## HOLMAN STEEL PIPE LEVER TYPE

### Kit No. 71017 FB New # 94557

Suspension Kit, Two-section with Steel Suspension

| QTY.   | RL PN      | EQUIV. FBKS #   | DESCRIPTION  |
|--------|------------|-----------------|--------------|
| 8..... | F782L..... | 45-012-600..... | Links        |
| 4..... | F783.....  | 45-013-600..... | Saddle block |
| 4..... | F776.....  | 45-032-600..... | Trunnion     |

**\$2,327.00** Suggested list/165 lb shipping weight

### Kit No. 71018 FB New # 94558

Suspension Kit, Two-section, with Cast Suspension

| QTY.   | RL PN       | EQUIV. FBKS #    | DESCRIPTION  |
|--------|-------------|------------------|--------------|
| 8..... | F478DL..... | RD135 87243..... | Links        |
| 4..... | F747.....   | 85414 87222..... | Saddle block |
| 4..... | F746.....   | 85412 87230..... | Trunnion     |

**\$2,533.00** Suggested list/115 lb shipping weight

### Kit No. 71022 FB New # 94559

Holman Steel Pipe Lever Type, Pivot and Bearing. Three-section  
Model 11-4303 and 14-4303

| QTY.    | RL PN      | EQUIV. FBKS #   | DESCRIPTION               |
|---------|------------|-----------------|---------------------------|
| 18..... | 10763..... | 40-011-600..... | Pivot, load and fulcrum   |
| 15..... | 10699..... | 40-334-600..... | Bearing, load and fulcrum |
| 4.....  | 10963..... | WR281.....      | Pivot, tip                |
| 4.....  | F787.....  | 45-015-600..... | Tip connection, lower     |
| 3.....  | F788.....  | 45-014-600..... | Tip connection, upper     |
| 30..... | 15265..... | 316PI.....      | Roll pins                 |

**\$2,593.00** Suggested list/60 lb shipping weight

### Kit No. 71016 FB New # 94560

Suspension Kit, Three-section, with Steel Suspension

| QTY.    | RL PN      | EQUIV. FBKS #   | DESCRIPTION  |
|---------|------------|-----------------|--------------|
| 12..... | F782L..... | 45-012-600..... | Links        |
| 6.....  | F783.....  | 45-013-600..... | Saddle block |
| 6.....  | F776.....  | 45-032-600..... | Trunnion     |

**\$3,491.00** Suggested list/250 lb shipping weight

### Kit No. 71019 FB New # 94561

Suspension Kit, Three-section, with Cast Suspension


| QTY.    | RL PN       | EQUIV. FBKS #    | DESCRIPTION  |
|---------|-------------|------------------|--------------|
| 12..... | F478DL..... | RD135 87243..... | Links        |
| 6.....  | F747.....   | 85414.....       | Saddle block |
| 6.....  | F746.....   | 85412.....       | Trunnion     |

**\$3,799.00** Suggested list/173 lb shipping weight

# Modular PV Truck Scales

## PIVOTS AND BEARINGS FOR MODULAR PV TRUCK SCALE

Kit No. 49873  
Kit No. 49874  
Kit No. 49875  
Kit No. 49876



FAIRBANKS

| Two-section               | Three-section                         | Four-section   | Five-section |
|---------------------------|---------------------------------------|--|--------------|
| 8215, 8220, 8221,<br>8230 | 8240, 8241, 8245,<br>8246, 8250, 8251 | 8260, 8261, 8265,<br>8266, 8270, 8271,<br>8275, 8276 | 8280, 8281   |
| One Module                | Two Module                            | Three Module   | Four Module  |
| 15 ft - 30 ft             | 40 ft - 50 ft                         | 60 ft - 75 ft  | 80 ft        |

| RL PN | EQUIV.<br>FBKS # | DESCRIPTION | KIT #49873<br>TWO-SECTION | KIT #49874<br>THREE-SECTION | KIT #49875<br>FOUR-SECTION | KIT #49876<br>FIVE-SECTION |
|-------|------------------|-------------|---------------------------|-----------------------------|----------------------------|----------------------------|
| F752P | 1382-2           | Pivot       | 4                         | 6                           | 8                          | 10                         |
| F458P | WR281            | Pivot       | 3                         | 4                           | 5                          | 6                          |
| F457P | SG255A           | Pivot       | 4                         | 6                           | 8                          | 10                         |
| F413P | 1382-7           | Pivot       | 8                         | 12                          | 16                         | 20                         |
| F465P | FG313            | Pivot       | 3                         | 4                           | 5                          | 6                          |
| 10699 | n/a              | Bearing     | 8                         | 12                          | 16                         | 20                         |
| F761  | 86181            | Bearing     | 8                         | 12                          | 16                         | 20                         |
| F326  | 85309            | Bearing     | 2                         | 3                           | 4                          | 5                          |

49873 **\$1,712.00** Suggested list/30 lb shipping weight  
49874 **\$2,567.00** Suggested list/44 lb shipping weight  
49875 **\$3,422.00** Suggested list/58 lb shipping weight  
49876 **\$4,277.00** Suggested list/72 lb shipping weight

# Suspensions For Modular PV Truck Scale

## TYPE A

| RL PN      | EQUIV.<br>FBKS # | DESCRIPTION       | KIT #49877<br>TWO-SECTION | KIT #49878<br>THREE-SECTION | KIT #49879<br>FOUR-SECTION | KIT #49880<br>FIVE-SECTION |
|------------|------------------|-------------------|---------------------------|-----------------------------|----------------------------|----------------------------|
| 10960..... | 90284 .....      | Rocker pin .....  | 8 .....                   | 12 .....                    | 16 .....                   | 20 .....                   |
| 10961..... | 90280 .....      | Bottom seat ..... | 8 .....                   | 12 .....                    | 16 .....                   | 20 .....                   |
| 10962..... |                  | Bearing cup ..... | 8 .....                   | 12 .....                    | 16 .....                   | 20 .....                   |

49877 **\$2,190.00** Suggested list/40 lb shipping weight

49878 **\$3,284.00** Suggested list/60 lb shipping weight

49879 **\$4,379.00** Suggested list/80 lb shipping weight

49880 **\$5,473.00** Suggested list/100 lb shipping weight

## TYPE B


| RL PN      | EQUIV.<br>FBKS # | DESCRIPTION      | KIT #49881<br>TWO-SECTION | KIT #49882<br>THREE-SECTION | KIT #49883<br>FOUR-SECTION | KIT #49884<br>FIVE-SECTION |
|------------|------------------|------------------|---------------------------|-----------------------------|----------------------------|----------------------------|
| 22267..... | 90329 .....      | Rocker pin ..... | 8 .....                   | 12 .....                    | 16 .....                   | 20 .....                   |
| 10786..... | 90240 .....      | Load cup .....   | 16 .....                  | 24 .....                    | 32 .....                   | 40 .....                   |

49881 **\$2,190.00** Suggested list/358 lb shipping weight


49882 **\$3,284.00** Suggested list/536 lb shipping weight

49883 **\$4,379.00** Suggested list/715 lb shipping weight

49884 **\$5,473.00** Suggested list/894 lb shipping weight



TYPE "A"



TYPE "B"

# Portable Vehicle Scales

## Kit No. F-465-K

## Kit No. F-466-K

## Kit No. F-467-K

| F-465-K, Two-section Models | F-466-K, Three-section Models | F-467-K, Four-section Models |
|-----------------------------|-------------------------------|------------------------------|
| 2031-A-SF8 20 ft            | 3541-A-SF8 35 ft              | 4052-A-SF8 40 ft             |
| 2531-A-SF8 25 ft            | 3551-A-SF8 25 ft              | 5052-A-SF8 50 ft             |
| 3031-A-SF8 30 ft            |                               | 6052-A-SF8 60 ft             |

With 6 1/2 in Load and Fulcrum Pivots

| RL PN | EQUIV. FBKS # | DESCRIPTION | KIT #F-465-K<br>TWO-SECTION | KIT #F-466-K<br>THREE-SECTION | KIT #F-467-K<br>FOUR-SECTION |
|-------|---------------|-------------|-----------------------------|-------------------------------|------------------------------|
| F413P | 1382A-7       | Pivot       | 8                           | 12                            | 16                           |
| F454P | 1382A-6       | Pivot       | 4                           | 6                             | 8                            |
| F457P | 1463A-1       | Pivot       | 3                           | 4                             | 5                            |
| F458P | 1382A-2       | Pivot       | 3                           | 3                             | 3                            |
| F459  | 1514          | Bearing     | 8                           | 12                            | 16                           |
| F460  | 1819          | Bearing     | 2                           | 3                             | 4                            |
| F461  | 1612          | Bearing     | 2                           | 3                             | 4                            |
| F462  | 1736          | Bearing     | 2                           | 3                             | 4                            |
| F463  | 2195          | Bearing     | 1                           | 1                             | 1                            |
| F464  | 2117          | Bearing     | 3                           | 3                             | 3                            |

F-465-K **\$1,780.00** Suggested list/52 lb shipping weight

F-466-K **\$2,670.00** Suggested list/70 lb shipping weight

F-467-K **\$3,558.00** Suggested list/86 lb shipping weight

## Kit No. F-530-K

## Kit No. F-531-K

## Kit No. F-532-K

| F-530-K, Two-section              | F-531-K, Three-section | F-532K, Four-section |
|-----------------------------------|------------------------|----------------------|
| With 5 in Load and Fulcrum Pivots |                        |                      |

| RL PN | EQUIV. FBKS # | DESCRIPTION | KIT #F-530-K<br>TWO-SECTION | KIT #F-531-K<br>THREE-SECTION | KIT #F-532-K<br>FOUR-SECTION |
|-------|---------------|-------------|-----------------------------|-------------------------------|------------------------------|
| F466P | 1463A-5       | Pivot       | 8                           | 12                            | 16                           |
| F454P | 1382A-6       | Pivot       | 4                           | 6                             | 8                            |
| F457P | 1463A-1       | Pivot       | 3                           | 4                             | 5                            |
| F781  |               | Bearing     | 8                           | 12                            | 16                           |
| F460  | 1819          | Bearing     | 2                           | 3                             | 4                            |
| F461  | 1612          | Bearing     | 2                           | 3                             | 4                            |
| F462  | 1736          | Bearing     | 2                           | 3                             | 4                            |
| F463  | 2117          | Bearing     | 1                           | 1                             | 1                            |

F-530-K **\$1,642.00** Suggested list/37 lb shipping weight

F-531-K **\$2,463.00** Suggested list/56 lb shipping weight

F-532-K **\$3,284.00** Suggested list/74 lb shipping weight

# Portable Vehicle Scales

These Fairbanks portable contractor scales come in a few different configurations:

1. 5 in load and fulcrum pivots (light duty) or 6 1/2 in load and fulcrum pivots (heavy duty)
2. Steel fabricated suspension system or cast suspension
  - A. The steel fabricated come in 3 1/2 in saddle blocks (light duty) or 5 in saddle blocks (heavy duty)
  - B. The cast suspension come in 3 1/2 in (light duty) or 5 in (heavy duty)

These items have to be known in order to identify the right kits.

## With Steel Suspension

### Light Duty Steel Suspension

| RL PN      | DESCRIPTION                     | KIT #F-508-K<br>TWO-SECTION | KIT #F-509-K<br>THREE-SECTION | KIT #F-510-K<br>FOUR-SECTION |
|------------|---------------------------------|-----------------------------|-------------------------------|------------------------------|
| F721L..... | Link.....                       | 8.....                      | 12.....                       | 16.....                      |
| F722.....  | Saddle block 3 1/2 in long..... | 4.....                      | 6.....                        | 8.....                       |
| F723.....  | Trunnion.....                   | 4.....                      | 6.....                        | 8.....                       |

F-508-K **\$2,485.00** Suggested list/92 lb shipping weight

F-509-K **\$3,719.00** Suggested list/137 lb shipping weight

F-510-K **\$4,968.00** Suggested list/185 lb shipping weight

### Heavy Duty Steel Suspension

| RL PN      | EQUIV. FBKS # | DESCRIPTION                | KIT #F-511-K<br>TWO-SECTION | KIT #F-512-K<br>THREE-SECTION | KIT #F-513-K<br>FOUR-SECTION |
|------------|---------------|----------------------------|-----------------------------|-------------------------------|------------------------------|
| F724.....  | 1817.....     | Saddle block 5 in lng..... | 4.....                      | 6.....                        | 8.....                       |
| F725.....  | 1517.....     | Trunnion.....              | 4.....                      | 6.....                        | 8.....                       |
| F727L..... | 1510.....     | Link.....                  | 8.....                      | 12.....                       | 16.....                      |

F-511-K **\$2,622.00** Suggested list/130 lb shipping weight

F-512-K **\$3,945.00** Suggested list/192 lb shipping weight

F-513-K **\$5,119.00** Suggested list/260 lb shipping weight

## With Cast Suspension

### Light Duty Cast Suspension

| RL PN       | EQUIV. FBKS #     | DESCRIPTION                     | KIT #F-528-K<br>TWO-SECTION | KIT #F-529-K<br>FOUR-SECTION |
|-------------|-------------------|---------------------------------|-----------------------------|------------------------------|
| F478DL..... | RD135, 87243..... | Link.....                       | 8.....                      | 16.....                      |
| F749.....   | 85413.....        | Saddle block 3 1/2 in long..... | 4.....                      | 8.....                       |
| F746.....   | 85412.....        | Trunnion.....                   | 4.....                      | 8.....                       |

F-528-K **\$2,546.00** Suggested list/110 lb shipping weight

F-529-K **\$5,173.00** Suggested list/220 lb shipping weight

### Heavy Duty Cast Suspension

| RL PN       | EQUIV. FBKS #     | DESCRIPTION                 | KIT #F-515-K<br>TWO-SECTION | KIT #F-516-K<br>FOUR-SECTION |
|-------------|-------------------|-----------------------------|-----------------------------|------------------------------|
| F478DL..... | RD135, 87243..... | Link.....                   | 8.....                      | 16.....                      |
| F747.....   | 85414.....        | Saddle block 5 in long..... | 4.....                      | 8.....                       |
| F746.....   | 85412.....        | Trunnion.....               | 4.....                      | 8.....                       |

F-515-K **\$2,533.00** Suggested list/112 lb shipping weight

F-516-K **\$5,064.00** Suggested list/224 lb shipping weight

[illegible]

# Fairbanks Railroad Kits

## Kit No. F-488-RK

Equiv. Fairbanks #1-38044, Type S-10-60, 240,000 lb Capacity, 60-Ton Sectional  
50 Ft. Model 6805, 56 Ft. Model 6806, 60 Ft. Model 6806, Main Lever #ST8K

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                           | DESCRIPTION                       |
|---------|----------------|---------------|--------------------------------|-----------------------------------|
| 16..... | F1618RRP ..... | ST139-R       | 3/4 in x 1 1/2 in x 5 in       | Pivot, main lever load            |
| 8.....  | F1619RRP ..... | ST139-T       | 3/4 in x 1 1/2 in x 10 1/2 in  | Pivot, main lever fulcrum         |
| 8.....  | F1615RRP ..... | SW139-C       | 3/4 in x 1 1/2 in x 3 1/2 in   | Pivot, main lever tip             |
| 2.....  | F1555RRP ..... | TU259-C       | 3/4 in x 1 1/2 in x 7 1/2 in   | Pivot, end lever load             |
| 2.....  | F1556RRP ..... | TU259-F       | 3/4 in x 1 1/2 in x 9 in       | Pivot, end lever fulcrum          |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in       | Pivot, end lever nose iron        |
| 2.....  | F1555RRP ..... | TU259-C       | 3/4 in x 1 1/2 in x 7 1/2 in   | Pivot, center lever load          |
| 2.....  | F1556RRP ..... | TU259-F       | 3/4 in x 1 1/2 in x 9 in       | Pivot, center lever fulcrum       |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in       | Pivot, center lever nose iron     |
| 4.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in   | Pivot, center lever nose iron     |
| 2.....  | F1574RRP ..... | SM139-Z       | 3/4 in x 1 1/2 in x 2 in       | Pivot, transverse lever load      |
| 1.....  | F1556RRP ..... | TU259-F       | 3/4 in x 1 1/2 in x 9 in       | Pivot, transverse lever fulcrum   |
| 2.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in   | Pivot, transverse lever nose iron |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in   | Pivot, shelf-lever load           |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in   | Pivot, shelf-lever tip            |
| 1.....  | F1561RRP ..... | SQ139-N       | 3/4 in x 1 1/2 in x 5 3/16 in  | Pivot, shelf-lever fulcrum        |
| 16..... | F1562RR.....   | 76990         | 1 7/8 in x 1 3/4 in x 1 3/4 in | Block, girder chair               |
| 16..... | F1608RR.....   | ST46-N        | 3/4 in x 3/4 in x 5 1/8 in     | Bearing, main block               |
| 8.....  | F1601RR.....   | S6N46-C       | 1 in x 3/4 in x 3 5/8 in       | B.B. tip of main lever            |
| 4.....  | F1565RR.....   | SP46-H        | 1 in x 3/4 in x 7 5/8 in       | Bearing, ext lever load           |
| 4.....  | F1566RR.....   | SM46-T        | 1 in x 11/16 in x 4 1/8 in     | End and center lever              |
| 10..... | F1567RR.....   | SM415-B       | 3/4 in x 1 in x 1 3/8 in       | Fifth lever connector             |
| 2.....  | F1568RR.....   | SM414-A       | 1 in x 1 in x 2 1/16 in        | Bearing, fifth lever block        |
| 1.....  | F1569RR.....   | LX392-B       | 5/8 in x 11/16 in x 5 5/16 in  | Bearing, shelf-lever block        |
| 8.....  | F1607RR.....   | ST46-M        | 3/4 in x 1 in x 10 5/8 in      | Main lever stand                  |
| 2.....  | F1571RR.....   | SQ138-A       | 3/4 in x 1 in x 9 1/8 in       | End lever stand                   |
| 2.....  | F1571RR.....   | SQ138-A       | 3/4 in x 1 in x 9 1/8 in       | Center lever stand                |
| 1.....  | F1572RR.....   | SQ278-S       | 1 in x 11/16 in x 9 1/8 in     | Fifth lever stand                 |

**\$19,701.00** Suggested list/180 lb shipping weight

FAIRBANKS



# Fairbanks Railroad Kits

## Kit No. F-489-RK

Equiv. Fairbanks #1-13914, 300,000 lb Capacity, 75-Ton Sectional, Type S-12 1/2-75  
50 Ft. Model 6810, 56 Ft. Model 6811, 60 Ft. Model 6812, Main Lever #SQ8B, SQ8F, SQ8S

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                           | DESCRIPTION                      |
|---------|----------------|---------------|--------------------------------|----------------------------------|
| 16..... | F1552RRP ..... | 84874B        | 3/4 in x 1 1/2 in x 6 1/4 in   | Pivot, main lever load           |
| 8.....  | F1553RRP ..... | 84874AK       | 3/4 in x 1 1/2 in x 11 1/2 in  | Pivot, main lever fulcrum        |
| 8.....  | F1554RRP ..... | 84874S        | 3/4 in x 1 1/2 in x 4 in       | Pivot, main lever tip            |
| 4.....  | F1555RRP ..... | 84874H        | 3/4 in x 1 1/2 in x 7 1/2 in   | End and center lever load        |
| 5.....  | F1556RRP ..... | 84874Y        | 3/4 in x 1 1/2 in x 9 in       | End and center lever fulcrum     |
| 4.....  | F1557RRP ..... | 84874AH       | 3/4 in x 1 1/4 in x 4 in       | End and center lever nose        |
| 6.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in   | Center and transverse lever nose |
| 2.....  | F1559RRP ..... | SM139AN       | 3/4 in x 1 1/2 in x 2 in       | Pivot, transverse lever load     |
| 4.....  | F1558RRP ..... | 84874P        | 3/4 in x 1 1/2 in x 1 1/4 in   | Shelf-lever load and tip         |
| 1.....  | F1561RRP ..... | 84874AG       | 3/4 in x 1 1/2 in x 5 3/16 in  | Pivot, shelf-lever fulcrum       |
| 16..... | F1562RR .....  | 76990         | 1 7/8 in x 1 3/4 in x 1 3/4 in | Block, girder chair              |
| 16..... | F1563RR .....  | 84873B        | 3/4 in x 3/4 in x 6 3/8 in     | Main bearing block               |
| 8.....  | F1564RR .....  | S2LF138-C     | 1 in x 3/4 in x 4 1/8 in       | Bearing block tip, main          |
| 4.....  | F1565RR .....  | 84873H        | 1 in x 3/4 in x 7 5/8 in       | End extension load               |
| 4.....  | F1566RR .....  | SM46-T        | 1 in x 11/16 in x 4 1/8 in     | End extension lever              |
| 8.....  | F1567RR .....  | SM415-B       | 3/4 in x 1 in x 1 3/8 in       | Fifth lever connection           |
| 2.....  | F1568RR .....  | SM414-A       | 1 in x 1 in x 2 1/16 in        | Fifth lever bearing block        |
| 1.....  | F1569RR .....  | LX392-B       | 5/8 in x 11/16 in x 5 5/16 in  | Bearing, shelf-lever block       |
| 8.....  | F1570RR .....  | SQ46-Q        | 3/4 in x 1 in x 11 5/8 in      | Main lever stand                 |
| 4.....  | F1571RR .....  | SQ138A        | 3/4 in x 1 in x 9 1/8 in       | End and center lever stand       |
| 1.....  | F1572RR .....  | SQ278A        | 1 in x 11/16 in x 9 1/8 in     | Fifth lever stand                |

**\$20,386.00** Suggested list/180 lb shipping weight

## Kit No. F-541-RK

Suspension Kit For F-489-RK

| QTY     | RL PN         | EQUIV. FBKS # | DESCRIPTION  |
|---------|---------------|---------------|--------------|
| 16..... | F1678RR ..... | SQ143         | Link         |
| 8.....  | F1679RR ..... | SQ191E        | Saddle block |
| 8.....  | F1680RR ..... | SQ9A          | Cross bar    |
| 16..... | F1681RR ..... | SQ155         | Wedge        |
| 16..... | F1682RR ..... | SQ3050        | Screw        |

**\$26,570.00** Suggested list/1,355 lb shipping weight

Chairs Are Available, But Not Included In Kits

8.....F1706RR.....SQ186S Parallel link chairs

Call 715-234-9171 for t-bolt chairs

FAIRBANKS

# Fairbanks Railroad Kits

## Kit No. F-490-RK

Equiv. Fairbanks #1-39939-1, 300,000 lb Capacity, 75-Ton Sectional, Type S-15-75  
50 Ft. Model 6815, 56 Ft. Model 6816, 60 Ft. Model 6817, Main Lever Casting #SP8E

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                            | DESCRIPTION                       |
|---------|----------------|---------------|---------------------------------|-----------------------------------|
| 16..... | F1578RRP ..... | SP139-H       | 1 in x 2 in x 7 1/2 in          | Pivot, main lever load            |
| 8.....  | F1577RRP ..... | SP139-J       | 1 in x 2 in x 11 1/2 in         | Pivot, main lever fulcrum         |
| 8.....  | F1576RRP ..... | SP139-G       | 1 in x 2 in x 4 1/2 in          | Pivot, main lever tip             |
| 2.....  | F1578RRP ..... | SP139-L       | 1 in x 2 in x 7 1/2 in          | Pivot, end lever load             |
| 2.....  | F1575RRP ..... | SP248-A       | 1 in x 2 in x 9 1/2 in          | Pivot, end lever fulcrum          |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in        | Pivot, end lever nose iron        |
| 2.....  | F1578RRP ..... | SP139-L       | 1 in x 2 in x 7 1/2 in          | Pivot, center lever load          |
| 2.....  | F1575RRP ..... | SP248-A       | 1 in x 2 in x 9 1/2 in          | Pivot, center lever fulcrum       |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in        | Pivot, center lever nose iron     |
| 2.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, center lever nose iron     |
| 2.....  | F1574RRP ..... | SM139-Z       | 3/4 in x 1 1/2 in x 2 in        | Pivot, transverse lever load      |
| 1.....  | F1573RRP ..... | SM249-B       | 3/4 in x 1 1/2 in x 12 in       | Pivot, transverse lever fulcrum   |
| 4.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, transverse lever nose iron |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, shelf-lever nose iron      |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, shelf-lever tip            |
| 1.....  | F1561RRP ..... | SQ139-N       | 3/4 in x 1 1/2 in x 5 3/16 in   | Pivot, shelf-lever fulcrum        |
| 16..... | F1562RR .....  | 76990         | 1 7/8 in x 1 3/4 in x 1 3/4 in  | Block, girder chair               |
| 16..... | F1565RR .....  | SP46-H        | 1 in x 3/4 in x 7 5/8 in        | Bearing, main block               |
| 8.....  | F1581RR .....  | SP407-A       | 1 in x 2 5/8 in x 4 5/8 in      | Bearing block tip of main         |
| 4.....  | F1565RR .....  | SP46-H        | 1 in x 3/4 in x 7 5/8 in        | Extension lever load              |
| 4.....  | F1566RR .....  | SM46-T        | 1 in x 11/16 in x 4 1/8 in      | End and center levers             |
| 8.....  | F1567RR .....  | SM415-B       | 3/4 in x 1 in x 1 3/8 in        | Fifth lever connector             |
| 2.....  | F1568RR .....  | SM414-A       | 1 in x 1 in x 2 1/16 in         | Fifth lever bearing block         |
| 1.....  | F1569RR .....  | LX392-B       | 5/8 in x 11/16 in x 5 5/16 in   | Bearing, shelf-lever block        |
| 8.....  | F1583RR .....  | SP46-J        | 1 1/4 in x 1 1/4 in x 11 5/8 in | Main lever stand                  |
| 2.....  | F1582RR .....  | SP46-F        | 1 1/4 in x 1 1/4 in x 9 5/8 in  | End lever stand                   |
| 2.....  | F1582RR .....  | SP46-F        | 1 1/4 in x 1 1/4 in x 9 5/8 in  | Center lever stand                |
| 1.....  | F1579RR .....  | SM278-B       | 1 in x 11/16 in x 12 1/8 in     | Fifth lever stand                 |

**\$23,636.00** Suggested list/286 lb shipping weight

## Kit No. F-542-RK

Suspension Kit For F-490-RK

| QTY     | RL PN         | EQUIV. FBKS # | DESCRIPTION  |
|---------|---------------|---------------|--------------|
| 16..... | F1678RR ..... | SQ143         | Link         |
| 8.....  | F1680RR ..... | SQ9A          | Cross bar    |
| 8.....  | F1692RR ..... | SP191C        | Saddle block |
| 16..... | F1681RR ..... | SQ155         | Wedge        |
| 16..... | F1682RR ..... | SQ3050        | Screw        |

**\$26,926.00** Suggested list/1,370 lb shipping weight

Chairs Are Available, But Not Included In Kits

8.....F1691RR.....SP186R Parallel link chairs

Call 715-234-9171 for t-bolt chairs

FAIRBANKS

# Fairbanks Railroad Kits

## Kit No. F-491-RK

400,000 lb Capacity, 100-Ton Sectional, Type S-20-100, 50 Ft. Model 6820, 56 Ft. Model 6821, 60 Ft. Model 6822, 66 Ft. Model 6823, 72 Ft. Model 6824, Main Lever Casting #SM8E

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                            | DESCRIPTION                       |
|---------|----------------|---------------|---------------------------------|-----------------------------------|
| 16..... | F1620RRP ..... | SM139-V       | 1 in x 2 in x 10 in             | Pivot, main lever load            |
| 8.....  | F1621RRP ..... | SM139-W       | 1 in x 2 in x 16 in             | Pivot, main lever fulcrum         |
| 8.....  | F1622RRP ..... | SM139-X       | 1 in x 2 in x 5 in              | Pivot, main lever tip             |
| 2.....  | F1627RRP ..... | SM247-B       | 1 in x 2 in x 12 3/4 in         | Pivot, end lever fulcrum          |
| 2.....  | F1623RRP ..... | SM139-Y       | 1 in x 2 in x 10 in             | Pivot, end lever load             |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in        | Pivot, end lever nose iron        |
| 2.....  | F1627RRP ..... | SM247-B       | 1 in x 2 in x 12 3/4 in         | Pivot, center lever fulcrum       |
| 2.....  | F1623RRP ..... | SM139-Y       | 1 in x 2 in x 10 in             | Pivot, center lever load          |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in        | Pivot, center lever nose iron     |
| 2.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, center lever nose iron     |
| 2.....  | F1574RRP ..... | SM139-Z       | 3/4 in x 1 1/2 in x 2 in        | Pivot, transverse lever load      |
| 1.....  | F1573RRP ..... | SM249-B       | 3/4 in x 1 1/2 in x 12 in       | Pivot, transverse lever fulcrum   |
| 4.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, transverse lever nose iron |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, shelf-lever load           |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, shelf-lever tip            |
| 1.....  | F1561RRP ..... | SQ139-N       | 3/4 in x 1 1/2 in x 5 3/16 in   | Pivot, shelf-lever fulcrum        |
| 16..... | F1587RR .....  | 77117         | 1 7/8 in x 1 3/4 in x 2 1/4 in  | Block, girder chair               |
| 16..... | F1600RR .....  | SM46-Y        | 1 in x 3/4 in x 10 1/8 in       | Main bearing block                |
| 8.....  | F1631RR .....  | SM407-A       | 1 in x 3 1/4 in x 5 1/8 in      | Bearing block, tip or main        |
| 4.....  | F1600RR .....  | SM46-Y        | 1 in x 3/4 in x 10 1/8 in       | Bearing, ext lever load           |
| 4.....  | F1566RR .....  | SM46-T        | 1 in x 11/16 in x 4 1/8 in      | End and center levers             |
| 10..... | F1567RR .....  | SM415-B       | 3/4 in x 1 in x 1 3/8 in        | Fifth lever connection            |
| 2.....  | F1568RR .....  | SM414-A       | 1 in x 1 in x 2 1/16 in         | Bearing, fifth lever block        |
| 1.....  | F1569RR .....  | LX392-B       | 5/8 in x 11/16 in x 5 5/16 in   | Bearing, shelf-lever block        |
| 8.....  | F1609RR .....  | SM46-Z        | 1 1/4 in x 1 1/4 in x 16 1/8 in | Main lever stand                  |
| 2.....  | F1604RR .....  | SM46-AA       | 1 1/4 in x 1 1/4 in x 12 7/8 in | End lever stand                   |
| 2.....  | F1604RR .....  | SM46-AA       | 1 1/4 in x 1 1/4 in x 12 7/8 in | Center lever stand                |
| 1.....  | F1579RR .....  | SM278-B       | 1 in x 11/16 in x 12 1/8 in     | Fifth lever stand                 |

**\$23,636.00** Suggested list/400 lb shipping weight

## Kit No. F-543-RK

Suspension Kit For F-491-RK

| QTY     | RL PN          | EQUIV. FBKS # | DESCRIPTION  |
|---------|----------------|---------------|--------------|
| 16..... | F1682RR .....  | SQ3050        | Screw        |
| 16..... | F1683RRL ..... | SM143         | Link         |
| 8.....  | F1684RR .....  | SM191C        | Saddle block |
| 8.....  | F1685RR .....  | SM9E          | Cross bar    |
| 16..... | F1686RR .....  | SM155         | Wedge        |

**\$34,204.00** Suggested list/1,324 lb shipping weight

Chairs Are Available, But Not Included In Kits

8.....CALL..... SM186T Parallel link chairs

Call 715-234-9171 for t-bolt chairs

FAIRBANKS

# Fairbanks Railroad Kits

## Kit No. F-500-RK

400,000 lb Capacity, 150-Ton Sectional, Type S-25-150, 60 Ft. Model 6830, Main Lever #SC8M

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                            | DESCRIPTION                       |
|---------|----------------|---------------|---------------------------------|-----------------------------------|
| 16..... | F1638RRP ..... | SC255         | 1 in x 2 in x 12 1/2 in         | Pivot, main lever load            |
| 8.....  | F1635RRP ..... | SC139         | 1 in x 2 in x 20 in             | Pivot, main lever fulcrum         |
| 8.....  | F1639RRP ..... | SC259         | 1 in x 2 in x 7 1/4 in          | Pivot, main lever tip             |
| 2.....  | F1637RRP ..... | SC248         | 1 in x 2 in x 14 1/2 in         | Pivot, end lever load             |
| 2.....  | F1637RRP ..... | SC248         | 1 in x 2 in x 14 1/2 in         | Pivot, end lever fulcrum          |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in        | Pivot, end lever nose iron        |
| 2.....  | F1637RRP ..... | SC248         | 1 in x 2 in x 14 1/2 in         | Pivot, center lever load          |
| 2.....  | F1636RRP ..... | SC247         | 1 in x 2 in x 18 in             | Pivot, center lever fulcrum       |
| 2.....  | F1557RRP ..... | SM234-D       | 3/4 in x 1 1/4 in x 4 in        | Pivot, center lever nose iron     |
| 2.....  | F1654RRP ..... | SM210-F       | 3/4 in x 1 1/2 in x 1 5/16 in   | Pivot, center lever nose iron     |
| 2.....  | F1640RRP ..... | SC238         | 3/4 in x 1 1/2 in x 2 1/4 in    | Pivot, transverse lever load      |
| 1.....  | F1573RRP ..... | SM249-B       | 3/4 in x 1 1/2 in x 12 in       | Pivot, transverse lever fulcrum   |
| 4.....  | F1560RRP ..... | SM210-H       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, transverse lever nose iron |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, shelf lever load           |
| 2.....  | F1558RRP ..... | SM210-E       | 3/4 in x 1 1/2 in x 1 1/4 in    | Pivot, shelf lever tip            |
| 1.....  | F1561RRP ..... | SQ139-N       | 3/4 in x 1 1/2 in x 5 3/16 in   | Pivot, shelf lever fulcrum        |
| 16..... | F1652RR .....  | SC771         | 3 in x 1 3/4 in x 2 1/4 in      | Block, girder chair               |
| 16..... | F1641RR .....  | SC353         | 1 1/4 in x 1 1/4 in x 12 5/8 in | Bearing, main lever load          |
| 8.....  | F1653RR .....  | 73935         | 1/2 in x 5/8 in x 7 3/8 in      | Bearing block, tip or main lever  |
| 4.....  | F1642RR .....  | SC138         | 1 1/4 in x 1 1/4 in x 14 5/8 in | Bearing, extension lever load     |
| 4.....  | F1566RR .....  | SM46-T        | 1 in x 11/16 in x 4 1/8 in      | Bearing, end and center lever     |
| 4.....  | F1647RR .....  | SC415         | 3/4 in x 1 1/2 in x 1 3/8 in    | Bearing, fifth lever connector    |
| 2.....  | F1648RR .....  | SC414         | 1 in x 1 1/2 in x 2 5/16 in     | Bearing, fifth lever block        |
| 1.....  | F1569RR .....  | LX392-B       | 5/8 in x 11/16 in x 5 5/16 in   | Bearing, shelf lever block        |
| 8.....  | F1567RR .....  | SM415-B       | 3/4 in x 1 in x 1 3/8 in        | Bearing, shelf lever block        |
| 8.....  | F1644RR .....  | SC194         | 1 1/4 in x 1 1/4 in x 20 1/8 in | Bearing, main lever stand         |
| 2.....  | F1642RR .....  | SC138         | 1 1/4 in x 1 1/4 in x 14 5/8 in | Bearing, end lever stand          |
| 2.....  | F1643RR .....  | SC46          | 1 1/4 in x 1 1/4 in x 18 1/8 in | Bearing, center lever stand       |
| 1.....  | F1645RR .....  | SM278-B       | 1 in x 11/16 in x 12 1/8 in     | Bearing, fifth lever stand        |

**\$36,939.00** Suggested list/530 lb shipping weight

Call 715-234-9171 for suspension parts

FAIRBANKS

# Fairbanks Railroad Kits

## Kit No. F-533-RK

Fairbanks Fabricated Railroad Track and Truck Scales With 15 in Load and Fulcrum Pivots

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                       | DESCRIPTION               |
|---------|----------------|---------------|----------------------------|---------------------------|
| 32..... | F1668RRP ..... | 1382-8/55686  | 1/2 in x 1 in x 7 1/2 in   | Pivot, load and fulcrum   |
| 32..... | F1670RR.....   | 1418-8/55711  | 1 in x 3/4 in x 7 1/2 in   | Bearing, load and fulcrum |
| 4.....  | F458P .....    | 1463-2/54736  | 1/2 in x 1 in x 3 in       | Pivot, main lever, tip    |
| 4.....  | F1664RR.....   | 2135          | 2 1/2 in x 2 in x 7 1/2 in | Bearing block, tip        |
| 7.....  | F1669RRP ..... | 1382-11/55888 | 1/2 in x 1 in x 6 3/4 in   | Pivot, torque tube        |
| 3.....  | F1671RR.....   | 1418-6/55907  | 1 in x 3/4 in x 6 3/4 in   | Bearing, torque tube      |
| 4.....  | F1663RR.....   | 2136          | 2 1/2 in x 2 in x 7 1/2 in | Bearing block, upper      |
| 1.....  | F457P .....    | 1463-1/55677  | 1/2 in x 1 in x 2 in       | Pivot, tip                |
| 1.....  | F463 .....     | 2195/55684    | 2 in x 3/4 in x 5 1/4 in   | Bearing block, tip        |

**\$11,665.00** Suggested list/175 lb shipping weight

## Kit No. F-535-RK FB NEW # 89430

Fairbanks Fabricated Railroad Track and Truck Scales With 17 in Load and Fulcrum Pivots, Pivot and Bearing

Models: 13 or 14-1421, 1422, 1423, 1424 and 1425

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                       | DESCRIPTION                  |
|---------|----------------|---------------|----------------------------|------------------------------|
| 16..... | F1687RRP ..... | 1382-23       | 1/2 in x 1 in x 17 in      | Pivot, load and fulcrum      |
| 16..... | F1693RR.....   | 1418-25/55720 | 1 in x 3/4 in x 17 in      | Bearing, load and fulcrum    |
| 4.....  | F458P .....    | 1463-2/54736  | 1/2 in x 1 in x 3 in       | Pivot, main lever, tip       |
| 5.....  | F1669RRP ..... | 1382-11/55688 | 1/2 in x 1 in x 6 3/4 in   | Pivot, torque tube           |
| 4.....  | F1671RR.....   | 1418-6/55907  | 1 in x 3/4 in x 6 3/4 in   | Bearing, torque tube fulcrum |
| 4.....  | F1663RR.....   | 2136          | 2 1/2 in x 2 in x 7 1/2 in | Bearing block, lower         |
| 4.....  | F1664RR.....   | 2135          | 2 1/2 in x 2 in x 7 1/2 in | Bearing block, upper         |
| 1.....  | F457P .....    | 1463-1/55677  | 1/2 in x 1 in x 2 in       | Pivot, tip                   |
| 1.....  | F463 .....     | 2195/55803    | 2 in x 3/4 in x 5 1/4 in   | Bearing block, tip           |
| 2.....  | F454P .....    | 1382-6/55684  | 1/2 in x 1 in x 6 in       | Pivot, torque tube           |

**\$12,109.00** Suggested list/185 lb shipping weight

## Kit No. F-534-RK FB NEW # 89433

Suspension Kit For F-535-RK

Models: 13 or 14-1421, 1422, 1423, 1424 and 1425 For Scales Shipped Thru 1978

| QTY     | RL PN        | EQUIV. FBKS # | SIZE                     | DESCRIPTION  |
|---------|--------------|---------------|--------------------------|--------------|
| 8.....  | F1665RR..... | 5872          | 2 in x 6 in x 14 in      | Saddle block |
| 8.....  | F1667RR..... | 1547/89477    | 2 5/8 in dia x 11 1/2 in | Trunnion pin |
| 16..... | F1666RR..... | 1542          | 8 in x 1 in x 17 in      | Link         |

**\$23,943.00** Suggested list/600 lb shipping weight

FAIRBANKS

# Fairbanks Railroad Kits

## Kit No. F-536-RK

Fairbanks Fabricated Railroad Track and Truck Scales With 21 in Pivot, 100-Ton Per Section, 200-Ton Total Capacity

Models: 13-1432 60 x 10, 13-1433 66 x 10, 13-1434 70 x 10, 13-1435 72 x 10  
Pivot and Bearing

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                       | DESCRIPTION               |
|---------|----------------|---------------|----------------------------|---------------------------|
| 32..... | F1650RRP ..... | 1382-12/55684 | 1/2 in x 1 in x 10 1/2 in  | Pivot, load and fulcrum   |
| 32..... | F1651RR.....   | 1418-9/55712  | 1 in x 3/4 in x 10 1/2 in  | Bearing, load and fulcrum |
| 4.....  | F458P* .....   | 1382-2/54736  | 1/2 in x 1 in x 3 in       | Pivot, main lever, tip    |
| 4.....  | F1663RR* ..... | 2136          | 2 1/2 in x 2 in x 7 1/2 in | Bearing block, tip        |
| 7.....  | F1669RRP ..... | 1382-11/55688 | 1/2 in x 1 in x 6 3/4 in   | Pivot, torque tube load   |
| 4.....  | F1671RR.....   | 1418-6/55907  | 1 in x 3/4 in x 6 3/4 in   | Bearing, torque tube      |
| 4.....  | F1664RR* ..... | 2135          | 2 1/2 in x 2 in x 7 1/2 in | Bearing block, upper      |
| 1.....  | F457P .....    | 1463-1/55677  | 1/2 in x 1 in x 2 in       | Pivot, torque tube, tip   |
| 1.....  | F463 .....     | 2195/55803    | 2 in x 3/4 in x 5 1/4 in   | Bearing block, tip        |

**\$14,025.00** Suggested list/201 lb shipping weight

*\*Some scales use F-465P tip pivots, F1697RR upper tip blk or F1696RR lower tip blk*

*Measure your suspension, two sizes were used*

## Kit No. F-537-RK FB NEW # 89432

Suspension Kit For F-536-RK Ship Through 1978

Models: 13 or 14-1432, 1433, 1434, or 1435

| QTY     | RL PN        | EQUIV. FBKS # | SIZE                 | DESCRIPTION  |
|---------|--------------|---------------|----------------------|--------------|
| 8.....  | F1704RR..... | 7161          | 2 in x 8 in x 20 in  | Saddle block |
| 8.....  | F1705RR..... | 7162          | 3 in dia x 11 1/2 in | Trunnion pin |
| 16..... | F1703RR..... | 1548          | 1 in x 9 in x 21 in  | Link         |

**\$24,834.00** Suggested list/1,441 lb shipping weight

## Kit No. F-538-RK FB NEW # 89485

Suspension Kit For F-536-RK ship after 1978

| QTY     | RL PN        | EQUIV. FBKS # | SIZE                     | DESCRIPTION  |
|---------|--------------|---------------|--------------------------|--------------|
| 8.....  | F1709RR..... | 7161          | 2 in x 8 in x 19 1/2 in  | Saddle block |
| 8.....  | F1667RR..... | 1547/89477    | 2 5/8 in dia x 11 1/2 in | Trunnion pin |
| 16..... | F1703RR..... | 1548          | 1 in x 9 in x 21 in      | Link         |

**\$23,943.00** Suggested list/1,360 lb shipping weight

# Fairbanks Railroad Kits

## Kit No. F-539-RK

Fairbanks Fabricated Railroad Track and Truck Scales With 25 in Pivots, 150-Ton Sectional Capacity,  
300-Ton Total Capacity

Model: 13-1307 60 x 10, 13-1308 66 x 10, 13-1309 70 x 10, 13-1310 72 x 10  
Pivot and Bearing

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                       | DESCRIPTION                  |
|---------|----------------|---------------|----------------------------|------------------------------|
| 16..... | F1701RRP ..... | 1382-18       | 1/2 in x 1 in x 25 in      | Pivot, load and fulcrum      |
| 16..... | F1702RR.....   | 1418-16       | 1 in x 3/4 in x 25 in      | Bearing, load and fulcrum    |
| 4.....  | F465p .....    | FG313/55688   | 1/2 in x 1 in x 4 in       | Pivot, tip                   |
| 4.....  | F1697RR.....   | 4438/56150    | 3 in x 3 in x 8 1/4 in     | Bearing block, tip           |
| 4.....  | F1669RRP ..... | 1382-11/55688 | 1/2 in x 1 in x 6 3/4 in   | Pivot, torque tube load      |
| 3.....  | F1668RRP ..... | 1382-8/55686  | 1/2 in x 1 in x 7 1/2 in   | Pivot, torque tube fulcrum   |
| 3.....  | F1670RR.....   | 3007          | 1 in x 3/4 in x 7 1/2 in   | Bearing, torque tube fulcrum |
| 4.....  | F1696RR.....   | 4436/56150    | 2 1/2 in x 2 in x 8 1/4 in | Bearing block, upper         |
| 1.....  | F457p .....    | 1382-1/55677  | 1/2 in x 1 in x 2 in       | Pivot, tip                   |
| 1.....  | F463 .....     | 2195/55803    | 2 in x 3/4 in x 5 1/4 in   | Bearing block, tip           |

**\$17,000.00** Suggested list/235 lb shipping weight

## Kit No. F-540-RK FB NEW # 89431

Suspension Kit For F-539-RK Shipped Thru 1978

| QTY     | RL PN        | EQUIV. FBKS # | SIZE                       | DESCRIPTION  |
|---------|--------------|---------------|----------------------------|--------------|
| 8.....  | F1699RR..... | 3189          | 7 1/4 in 10 3/4 in x 24 in | Saddle block |
| 8.....  | F1698RR..... | 3190          | 3 1/2 in dia x 13 in       | Trunnion pin |
| 16..... | F1700RR..... | 3188          | 1 1/2 in x 9 in x 26 in    | Link         |

**\$25,667.00** Suggested list/2,515 lb shipping weight

## Kit No. Call FB NEW # 89484

Suspension Kit For F-589-RK Shipped After 1978

| QTY     | RL PN          | EQUIV. FBKS # | SIZE                                | DESCRIPTION  |
|---------|----------------|---------------|-------------------------------------|--------------|
| 8.....  | ELS2317E.....  | 89473         | 3189 7 1/4 in x 11 in x 23 in       | Saddle block |
| 8.....  | ELS2317C ..... | 89474         | 3190 3 1/2 in dia                   | Trunnion pin |
| 16..... | ELS2317D.....  | 89564         | 31881 1/2 in x 8 7/8 in x 25 1/4 in | Link         |

**Consult** Suggested list/2,575 lb shipping weight

FAIRBANKS

## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



# HOWE

HOWE®

# Howe Price Index By Rice Lake Weighing Systems PN

| RL PN  | SUGGESTED LIST | PAGE #  | RL PN | SUGGESTED LIST | PAGE #  | RL PN | SUGGESTED LIST | PAGE #  |
|--------|----------------|---------|-------|----------------|---------|-------|----------------|---------|
| 10367  | \$54.00        | 171     | H608  | \$42.00        | 189     | H675  | \$37.00        | 179     |
| 10369  | \$54.00        | 171     | H609  | \$40.00        | 189     | H676  | \$36.00        | 177     |
| 10371  | \$54.00        | 171     | H610P | \$47.00        | 187     | H677  | \$15.00        | 178     |
| 10373  | \$54.00        | 171     | H611P | \$44.00        | 187     | H690  | \$59.00        | 179     |
| 10379  | \$73.00        | 171     | H612P | \$43.00        | 187     | H691  | \$58.00        | 186     |
| 10380  | \$125.00       | 171     | H613P | \$41.00        | 187     | H692P | \$34.00        | 179,183 |
| 10381  | \$125.00       | 171     | H614P | \$41.00        | 187     | H693  | \$18.00        | 179,184 |
| 10382  | \$73.00        | 171     | H615P | \$40.00        | 187     | H694P | \$53.00        | 179,181 |
| 10385  | \$54.00        | 171     | H616P | \$56.00        | 185,187 | H695  | \$53.00        | 179     |
| 10387  | \$61.00        | 171     | H617P | \$31.00        | 187     | H696  | \$49.00        | 179     |
| 10389  | \$50.00        | 171     | H618  | \$18.00        | 183     | H697  | \$22.00        | 190     |
| 10391  | \$61.00        | 171     | H619  | \$16.00        | 183     | H698P | \$40.00        | 180     |
| 10404  | \$54.00        | 171     | H620P | \$47.00        | 187     | H701  | \$33.00        | 177     |
| 10405  | \$54.00        | 171     | H621P | \$42.00        | 187     | H702  | \$439.00       | 191     |
| 10407  | \$54.00        | 171     | H622  | \$44.00        | 186,189 | H703  | \$379.00       | 182,190 |
| 10409  | \$54.00        | 171     | H623  | \$47.00        | 186,189 | H704  | \$563.00       | 191     |
| 10431  | \$125.00       | 177     | H624  | \$70.00        | 186     | H705  | \$37.00        | 175     |
| 10772  | \$17.00        | 190     | H625  | \$53.00        | 186     | H706  | \$34.00        | 175     |
| 10993  | \$16.00        | 190     | H626P | \$42.00        | 187     | H707  | \$13.00        | 175     |
| 14884  | \$0.50         | 179,183 | H627  | \$86.00        | 182     | H708  | \$37.00        | 175     |
| 15256  | \$1.25         | 192     | H630  | \$44.00        | 188     | H709  | \$19.00        | 175     |
| 15263  | \$1.10         | 192     | H632  | \$19.00        | 192     | H710  | \$19.00        | 177     |
| 15290  | \$2.00         | 192     | H633  | \$19.00        | 192     | H711  | \$125.00       | 184     |
| 15301  | \$1.75         | 192     | H637  | \$18.00        | 192     | H712  | \$152.00       | 184     |
| 18815  | \$16.00        | 190     | H644  | \$41.00        | 190     | H713  | \$193.00       | 184     |
| 18816  | \$18.00        | 190     | H645  | \$62.00        | 186     | H714L | \$127.00       | 185     |
| 22143  | \$458.00       | 182     | H646P | \$33.00        | 177     | H715  | \$543.00       | 191     |
| 22145  | \$52.00        | 177     | H647  | \$55.00        | 188     | H716  | \$768.00       | 191     |
| 33645  | \$47.00        | 190     | H648  | \$19.00        | 178,190 | H722P | \$51.00        | XX      |
| 33646  | \$41.00        | 190     | H650P | \$59.00        | 179     | H834  | \$19.00        | 176     |
| 33648  | \$53.00        | 190     | H655P | \$53.00        | 187     | H836  | \$68.00        | 182     |
| 33649  | \$42.00        | 190     | H656P | \$36.00        | 187     | H845  | \$33.00        | 176     |
| 102066 | \$337.00       | 189     | H662  | \$37.00        | 177     |       |                |         |
| H601   | \$55.00        | 188     | H663  | \$36.00        | 177     |       |                |         |
| H602   | \$55.00        | 188     | H668  | \$100.00       | 182     |       |                |         |
| H603   | \$46.00        | 188     | H670P | \$24.00        | 175     |       |                |         |
| H604   | \$42.00        | 188     |       |                |         |       |                |         |
| H605   | \$42.00        | 188     |       |                |         |       |                |         |
| H606   | \$42.00        | 188     |       |                |         |       |                |         |
| H607   | \$33.00        | 189     |       |                |         |       |                |         |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Howe Price Index

By Rice Lake Weighing Systems PN

| RL PN  | SUGGESTED LIST      | PAGE #  | RL PN    | SUGGESTED LIST | PAGE # | RL PN   | SUGGESTED LIST | PAGE # |
|--------|---------------------|---------|----------|----------------|--------|---------|----------------|--------|
| H846   | \$40.00             | 176     | H906     | \$243.00       | 184    | H2318RR | \$286.00       | 195    |
| H847   | \$44.00             | 176     | H907     | \$467.00       | 184    | H2319RR | \$352.00       | 195    |
| H848   | \$108.00            | 186     | H910     | \$433.00       | 191    | H2320RR | \$155.00       | 195    |
| H852P  | \$90.00             | 187     | H913     | \$52.00        | 178    | H2325RR | \$210.00       | 195    |
| *H854P | \$81.00             | 178     | H914     | \$433.00       | 182    | H2500RR | \$714.00       | 195    |
| H855P  | \$114.00            | 183     | H916     | \$73.00        | XX     | H2501RR | \$1,220.00     | 195    |
| H856P  | \$136.00            | 183     | *H917    | \$371.00       | 191    | H2502RR | \$553.00       | 195    |
| H857   | Ref. RL Part #15256 |         | H918     | \$494.00       | 191    | H2503RR | \$553.00       | 195    |
| H858P  | \$49.00             | 178     | H919     | \$79.00        | 181    | P701    | \$82.00        | 186    |
| H859   | \$68.00             | 182     | H920     | \$78.00        | 192    | P702    | \$79.00        | 186    |
| H860P  | \$63.00             | 179     | H921     | \$494.00       | 191    | TH927   | \$21.00        | 190    |
| H861P  | \$63.00             | 179     | H933P    | \$40.00        | 180    | T142L   | \$37.00        | 178    |
| H864   | \$19.00             | 181     | H942     | \$399.00       | 182    |         |                |        |
| H865   | \$21.00             | 181     | H944     | \$259.00       | 182    |         |                |        |
| H866   | \$31.00             | 181     | H945     | \$200.00       | 178    |         |                |        |
| H867   | \$32.00             | 181     | H2111RRP | \$162.00       | 195    |         |                |        |
| H868P  | \$31.00             | 181     | H2112RRP | \$155.00       | 195    |         |                |        |
| H869P  | \$33.00             | 181     | H2117RRP | \$287.00       | 195    |         |                |        |
| H876P  | \$163.00            | 183     | H2119RRP | \$465.00       | 195    |         |                |        |
| H878P  | \$178.00            | 183     | H2125RRP | \$200.00       | 195    |         |                |        |
| H879   | \$126.00            | XX      | H2316RR  | \$287.00       | 195    |         |                |        |
| H885P  | \$64.00             | 181     | H2317RR  | \$274.00       | 195    |         |                |        |
| H887   | \$102.00            | 181     |          |                |        |         |                |        |
| H888   | \$89.00             | XX      |          |                |        |         |                |        |
| H889   | \$124.00            | XX      |          |                |        |         |                |        |
| H890P  | \$34.00             | 176     |          |                |        |         |                |        |
| H891P  | \$34.00             | 176     |          |                |        |         |                |        |
| H892P  | \$33.00             | 181     |          |                |        |         |                |        |
| H901   | \$82.00             | 189     |          |                |        |         |                |        |
| *H902  | \$87.00             | 189     |          |                |        |         |                |        |
| H904P  | \$64.00             | 177,181 |          |                |        |         |                |        |
| H905L  | \$210.00            | 185     |          |                |        |         |                |        |

HOWE®

# Howe Cross Reference By Equivalent Howe Number

| PN         | SUGGESTED LIST | PAGE #  | PN       | SUGGESTED LIST | PAGE #  | PN       | SUGGESTED LIST | PAGE #  |
|------------|----------------|---------|----------|----------------|---------|----------|----------------|---------|
| 3529-3801  | H937           | XX      | 40802591 | H660P          | XX      | 42034891 | H627           | 183     |
| 3849-3801  | H837           | XX      | 40802594 | H917           | 191     | 42035173 | H630           | 189     |
| 4857       | H914           | 182     | 40802636 | H702           | 191     | 42035211 | H619           | 183     |
| 5316       | H942           | 182     | 40802637 | H704           | 191     | 42035848 | H648           | 178,190 |
| 9835-3801  | H675           | 179     | 40802638 | H703           | 182,190 | 42040429 | H693           | 179,183 |
| 13790      | H944           | 182     | 40802640 | 102066         | 189     | 42043855 | H602           | 188     |
| 19991A     | H945           | 178     | 40802643 | H921           | 191     | 42043862 | H618           | 183     |
| 20301      | H627           | 182     | 40802644 | H918           | 191     | 42043937 | H603           | 188     |
| 20790      | 22143          | 182     | 40802653 | H715           | 191     | 42043938 | H606           | 188     |
| 26068-3801 | H861P          | 179     | 40802654 | H936           | 191     | 42043939 | H605           | 188     |
| 26968-3801 | H911P          | XX      | 40802656 | H716           | 191     | 42043940 | H604           | 188     |
| 27006-3801 | H650P          | 179     | 40803528 | H942           | 182     | 42044397 | H608           | 189     |
| 46066-3801 | H860P          | 179     | 40803860 | H655P          | 187     | 42044398 | H609           | 189     |
| 46067-3801 | H912P          | XX      | 40803894 | H691           | 186     | 42052705 | H601           | 188     |
| 10902998   | 15256          | 192     | 40804124 | H692P          | 187     | 42066333 | H858P          | 178     |
| 10904911   | H677           | 178     | 40804741 | H944           | 182     | 42071831 | 10367          | 174     |
| 20905682   | 15301          | 192     | 40804934 | H885P          | XX      | 42076188 | 10369          | 174     |
| 20906027   | 15290          | 192     | 40805312 | H620P          | 187     | 42076189 | 10371          | 174     |
| 20906224   | 15263          | 192     | 40805386 | H914           | 182     | 42076190 | 10373          | 174     |
| 22035255   | H680L          | XX      | 40805916 | H624           | 186     | 42078947 | 10385          | 174     |
| 22111450   | H707           | 175     | 40805922 | H625           | 186     | 42080080 | H865           | 181     |
| 40800156   | H684P          | XX      | 40806632 | 22145          | 177     | 42086507 | 10431          | 177     |
| 40800295   | H698P          | 180     | 40807000 | H848           | 186     | 42091698 | H663           | XX      |
| 40800367   | H933P          | 180     | 40807048 | H852P          | 187     | 42092656 | H898           | XX      |
| 40800501   | H892P          | XX      | 40807054 | H891P          | 176     | 42092817 | H683P          | XX      |
| 40800633   | H658P          | XX      | 40807082 | 10407          | 174     | 42092818 | H682           | XX      |
| 40800890   | H633           | 192     | 40807092 | 10405          | 174     | 42094659 | 33649          | 190     |
| 40800899   | H694P          | XX      | 40808260 | H2119RRP       | 195     | 42095126 | H662           | XX      |
| 40801070   | H610P          | 187     | 40808408 | H2127RRP       | XX      | 42102167 | H874           | XX      |
| 40801076   | H615P          | 187     | 40810545 | 10387          | 174     | 42102187 | H934           | XX      |
| 40801077   | H617P          | 187     | 40810546 | 10389          | XX      | 42102378 | H913           | 178     |
| 40801080   | H626P          | 187     | 40814330 | H944           | 182     | 42102471 | H644           | 190     |
| 40801081   | H612P          | 187     | 40816580 | H690           | 179     | 42103226 | H713           | 184     |
| 40801090   | H611P          | 187     | 40816724 | H2319RR        | 195     | 42103227 | H712           | 184     |
| 40801092   | H613P          | 187     | 40816725 | H2318RR        | 195     | 42103228 | H711           | 184     |
| 40801126   | H621P          | 187     | 40820608 | H2301RR        | XX      | 42103281 | H623           | 186,189 |
| 40801131   | H614P          | 187     | 41036433 | H607           | 189     | 42103282 | H622           | 186,189 |
| 40801137   | H856P          | 184     | 41039539 | H2320RR        | 195     | 42103716 | H645           | 186     |
| 40801198   | H945           | 175     | 41043253 | H866           | 181     | 42106392 | H681           | XX      |
| 40801203   | H855P          | 184     | 41043254 | H867           | 181     | 42106396 | H679P          | XX      |
| 40801235   | H637           | 193     | 41043686 | H869P          | 181     | 42106554 | H669P          | XX      |
| 40801248   | H656P          | 187     | 41043687 | H868P          | 181     | 42106791 | H870           | XX      |
| 40802085   | H616P          | 185,187 | 42034246 | H646P          | 177     | 42108126 | H720           | XX      |
| 40802257   | H904P          | XX      |          |                |         |          |                |         |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Howe Cross Reference By Equivalent Howe Number

| PN       | SUGGESTED LIST | PAGE # | PN       | SUGGESTED LIST | PAGE #  | PN              | SUGGESTED LIST | PAGE #  |
|----------|----------------|--------|----------|----------------|---------|-----------------|----------------|---------|
| 42108127 | H718P          | XX     | 44043774 | H702           | 191     | 62111017        | H905L          | 185     |
| 42108333 | H719P          | XX     | 44043783 | H703           | 182,190 | 62111462        | H708           | 175     |
| 42109311 | H721P          | XX     | 44043915 | H921           | 191     | 62111464        | H705           | 175     |
| 42111013 | H906           | 184    | 44043916 | H918           | 191     | 62111465        | H706           | 175     |
| 42111183 | H695           | XX     | 44052704 | H715           | 191     | 62121944        | H2501RR        | 195     |
| 42111184 | H696           | XX     | 44052706 | H716           | 191     | 62124298        | H715           | 191     |
| 42111406 | H670P          | 175    | 44052711 | H936           | 191     | 62126599        | H716           | 191     |
| 42111417 | 10409          | 174    | 44096673 | H917           | 191     | DF NO. 1        | H668           | 182     |
| 42111422 | H709           | 175    | 45043779 | H704           | 191     | DF NO. 2        | H627           | 182     |
| 42111454 | 10404          | XX     | 52069557 | H701           | 177     | DF NO. 3        | H836           | 182     |
| 42111512 | H890P          | 176    | 60800023 | H889           | XX      | DF NO. 4        | H859           | 182     |
| 42111567 | 10391          | XX     | 60800182 | H887           | XX      | J19415          | H628           | XX      |
| 42114397 | H2502RR        | 195    | 60800854 | 10380          | 174     | J37141          | H836           | 182     |
| 42114517 | H2316RR        | 195    | 60800855 | 10380          | 174     | K103229<br>23/4 | H2323RR        | XX      |
| 42114518 | H2317RR        | 195    | 60800969 | H879           | 174     | K103229<br>37/8 | H2324RR        | XX      |
| 42120488 | H687P          | XX     | 60801150 | H886           | XX      | K103229-5       | H2322RR        | XX      |
| 42124538 | H854P          | 178    | 60801200 | H945           | 178     | K114407         | H2500RR        | 195     |
| 42126334 | H919           | 181    | 60811302 | H888           | XX      | K34891          | H627           | 182     |
| 42128770 | H2308RR        | XX     | 60816859 | H2125RRP       | 195     | L78106          | H668           | 182     |
| 42138860 | H647           | 188    | 62066639 | H834           | 176     | NC43774         | H702           | 191     |
| 42146338 | H902           | 189    | 62088963 | H702           | 191     | NC43783         | H703           | 182,190 |
| 42146392 | H901           | 189    | 62090922 | H715           | 191     | NC43915         | H921           | 191     |
| 43019339 | H2305RR        | XX     | 62090970 | H936           | 191     | NC43916         | H918           | 191     |
| 43066321 | H676           | 177    | 62090971 | H716           | 191     | LC43925         | 102066         | XX      |
| 43078106 | H668           | 182    | 62093965 | H704           | 191     | NC52711         | H936           | 191     |
| 43111500 | H845           | 176    | 62093971 | H921           | 191     | NC96673         | H917           | 191     |
| 43111510 | H847           | 176    | 62098973 | H918           | 191     | PC43779         | H704           | 191     |
| 43111511 | H846           | 176    | 62103221 | H714L          | 185     | NC52704         | H715           | 191     |
| 43124297 | H715           | 191    | 62103235 | H910           | 191     |                 |                |         |
| 43126598 | H716           | 191    | 62104416 | H917           | 191     |                 |                |         |
| 44019193 | H2300RR        | XX     | 62111015 | H907           | 184     |                 |                |         |
| 44035270 | H849P          | XX     |          |                |         |                 |                |         |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.


XX Call for details.

# Individual Howe Scale Parts


Counterpoise Weights and Hangers for Howe 57, 54 XL and Triner

| RL PN | DESCRIPTION                                       | SUGGESTED LIST |
|-------|---|----------------|
| 10367 | Equiv. Howe no. 42071831<br>Size: 50 x 1/2 lb     | \$54.00        |
| 10369 | Equiv. Howe no. 42076188<br>Size: 100 x 1 lb      | \$54.00        |
| 10371 | Equiv. Howe no. 42076189<br>Size: 200 x 2 lb      | \$54.00        |
| 10373 | Equiv. Howe no. 42076190<br>Size: 300 x 3 lb      | \$54.00        |
| 10385 | Equiv. Howe no. 42078947<br>Size: 500 x 5 lb      | \$54.00        |
| 10409 | Equiv. Howe no. 42111417<br>Size: 100 x 1 9/16 lb | \$54.00        |
| 10407 | Equiv. Howe no. 40807082<br>Size: 50 x 25/32 lb   | \$54.00        |
| 10405 | Equiv. Howe no. 40807092<br>Size: 25 x 25/64 lb   | \$54.00        |
| 10404 | Equiv. Howe no. 42111454<br>Size: 10 x 5/32 lb    | \$54.00        |

ROUND, SLOTTED  
COUNTERPOISE WEIGHTS  
3 in DIA



round, slotted  
counterpoise weights




300 lb bench beam scale

## For Counting Scales:

|       |   |         |
|-------|---|---------|
| 10387 | Equiv. Howe no. 40810545<br>Size: 100 x 1 1/99 lb | \$61.00 |
| 10391 | Equiv. Howe no. 42111567<br>Size: 500 x 5 5/99 lb | \$61.00 |

round, slotted  
counterpoise weights  
3 in (Dia)




## Counterpoise Hangers For Above Weights:

|       |   |          |
|-------|---|----------|
| 10381 | Equiv. Howe no. 60800854, 60800855<br>Hanger, 16 oz | \$125.00 |
| 10380 | Equiv. Howe no. 60800854, 60800855<br>Hanger, 12 oz | \$125.00 |
| 10379 | Equiv. Howe no. 60800854, 60800855<br>Hanger, 10 oz | \$73.00  |
| 10382 | Equiv. Howe no. 60800854, 60800855<br>Hanger, 7 oz  | \$73.00  |

*For XL and apache, order 7 oz, 10 oz or 12 oz*







*For 54 and 57, order 16 oz*

*Hanger rod, 8 3/16 in L*



# Individual Howe Scale Parts






Bench Scale and Portable X-Actron 54 XL2, 5400, 5401, 5402, 6400, 6401, 6402,  
XL Models: 54XL1, 5401, 5402 and Apache Triner Models: 2100, 2200

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| H705  | Equiv. Howe no. 62111464<br>Size: 3/16 in thick, 2 1/8 in W, 4 3/4 in L<br>Hanger assembly              | \$37.00        |    |
| H706  | Equiv. Howe no. 62111465<br>Size: 3/16 in thick x 2 1/8 in W x 2 7/8 in L<br>Hanger assembly short      | \$34.00        |    |
| H707  | Equiv. Howe no. 22111450<br>Size: 5/16 in (Dia) x 1/4 in L<br>Hanger clip                               | \$13.00        |    |
| H708  | Equiv. Howe no. 62111462<br>Size: 3/16 in thick x 2 1/8 in W x 3 1/2 L<br>Summating hanger assembly     | \$37.00        |  |
| H709  | Equiv. Howe no. 42111422<br>Size: 3/16 in thick x 3/4 in W x 1 5/16 in L<br>Bearing, load and all loops | \$19.00        |  |
| H670P | Equiv. Howe no. 42111406<br>Size: 5/16 in sq x 1 5/8 in L<br>Pivot, load, fulcrum,<br>Nose, connecting  | \$24.00        |  |

HOWE®

# Individual Howe Scale Parts







Bench Scale and Portable X-Actron 54 XL2, 5400, 5401, 5402, 6400, 6401, 6402,  
XL Models: 54XL1, 5401, 5402 and Apache, Triner Models: 2100, 2200 (Cont.)

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| H834  | Equiv. Howe no. 62066639<br>Size: 1 in w, 1 3/4 in H<br>Loop, tip beam                                    | \$19.00        |    |
| H845  | Equiv. Howe no. 43111500<br>Size: 3/16 in x 1 1/8 in x 3 1/8 in<br>Hole size: 5/8 in<br>Nose iron hook    | \$33.00        |    |
| H846  | Equiv. Howe no. 43111511<br>Size: 3/16 in x 1 3/4 in x 3 1/4 in<br>Hole size: 3/8 in<br>Beam fulcrum hook | \$40.00        |   |
| H847  | Equiv. Howe no. 43111510<br>Size: 3/16 in x 1 3/4 in x 3 1/8 in<br>Hole size: 5/8 in<br>Beam load hook    | \$44.00        |  |
| H890P | Equiv. Howe no. 42111512<br>Size: 0.330 in x 1.265 in<br>Pivot, beam, tip                                 | \$34.00        |  |
| H891P | Equiv. Howe no. 40807054<br>Size: 0.330 in x 1.735 in<br>Pivot, beam load and fulcrum                     | \$34.00        |   |



# Individual Howe Scale Parts






Portable Beam Scale Models 54 and 57 Hobart No. 57

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| H701  | Equiv. Howe no. 52069557<br>Size: 3/16 in thick<br>1 13/16 in L inside<br>Loop assembly<br>Used in place of 52069559            | \$33.00        |    |
| H710  | Equiv. Howe no. n/a<br>Size: 3/16 in thick<br>1 1/4 in W 1 5/8 in L<br>Loop bearing only  | \$19.00        |    |
| H646P | Equiv. Howe no. 42034246<br>Size 9/16 in sq x 2 1/2 in L<br>1 1/4 in long pivot edge<br>Tapered shank<br>Fulcrum and load pivot | \$33.00        |    |
| H676  | Equiv. Howe no. 43066321<br>Size: 5/32 in x 11/16 in x 2 1/16 in L<br>Bearing, load<br>With pin and cotter for style 57 only    | \$36.00        |  |
| 22145 | Equiv. Howe no. 40806632<br>Size: 1 3/8 in x 1 in x 1 5/8 in<br>Poise top   | \$52.00        |  |
| 10431 | Equiv. Howe no. 42086507<br>Size: 2 1/8 in (Dia) x 1 7/16 in<br>Poise bottom  | \$125.00       |  |


HOWE®

# Individual Howe Scale Parts


Portable Beam Scale Models 54 and 57 Hobart No. 57 (Cont.)

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| H677  | Equiv. Howe no. 10904911, 10905464<br>Size: 5/16 in x 2 in L<br>Pin for corner loop and bearing<br>With clip   | \$15.00        |    |
| H858P | Equiv. Howe no. 42066333<br>Size: 5/16 in x 5/16 in x 2 3/4 in L<br>Center connection pivot  | \$49.00        |    |
| H913  | Equiv. Howe no. 42102378<br>Size: 1 1/8 in x 5/8 in x 1 1/16 in<br>Bearing, for spider<br>With hole  | \$52.00        |    |
| H648  | Equiv. Howe no. 42035848<br>Size: 1 5/16 in (Dia)<br>Ball  | \$19.00        |   |
| H945  | Equiv. Howe no. 40801198, 60801200<br>Size: 2 1/2 in x 3 1/2 in base x 5 1/8 in tall<br>Stand, beam, fulcrum with<br>Frictions and bearing<br>Casting no. 19991A | \$200.00       |  |

## Links and Bearings

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| T142L | Equiv. Howe no. 22035255<br>Size: 5/16 in x 2 1/4 in l<br>Used in united portable and bench<br>Scales: 26 in x 32 in and 32 in x 32 in<br>Link | \$37.00        |  |


## Pivots and Bearings

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| H854P | Equiv. Howe no. 42124538<br>Size: 1 in (Dia) x 3 1/2 in l<br>With keyway<br>Pivot edge: 1 1/4 in<br>Pivot, dormant load | \$81.00        |  |


# Individual Howe Scale Parts

Platform Size: 4 ft x 6 ft 1973 Model, Serial # 7312952, Model 2829-01034

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| H693  | Equiv. Howe no. 42040429<br>Size: 1 1/4 in (Dia)<br>Hole size: 17/64 in | \$18.00        |
| 14884 | Screw 1/4 - 20 x 5/16   | \$0.50         |




|      |   |         |
|------|---|---------|
| H690 | Equiv. Howe no. 40816580<br>Size: 1/2 in x 1/2 in x 4 in<br>Hole size: 3/16 in<br>1 1/2 In from one end | \$59.00 |
|------|---|---------|




## Pivots for Automatic Bulk and Bagging Scales

| RL PN | DESCRIPTION  | SUGGESTED LIST |
|-------|--|----------------|
| H650P | Equiv. Howe no. 27006-3801<br>Size: A. 3/4 in hex B. 2 in<br>C. 1 1/32 in D. 15/16 in<br>E. 7/16 in (Dia)<br>Bagging scale, G17            | \$59.00        |
| H860P | Equiv. Howe no. 46066-3801<br>Size: A. 3/4 in hex B. 2 3/16 in<br>C. 1 in D. 1 3/16 in<br>E. 3/8 in (Dia)<br>5° End<br>Bagging scale, e-50 | \$63.00        |
| H861P | Equiv. Howe no. 26068-3801<br>Size: A. 3/4 in hex B. 2 3/16 in<br>C. 1 in D. 1 3/16 in<br>E. 3/8 in (Dia)<br>Straight end                  | \$63.00        |



## Bearings for Automatic Bulk and Bagging Scales

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| H675  | Equiv. Howe no. 9835-3801<br>Size: 1 1/8 in x 1 in x 5/8 in<br>Hole size: 1/4 in (Dia)<br>Bagging scale, G-17 | \$37.00        |




HOWE®

# Individual Howe Scale Parts






## Tear Drop Pivots

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| H933P | Equiv. Howe no. 40800367<br>Size: A. 11/32 In or 0.343 In<br>B. 1/2 In or 0.508 In<br>C. 1 7/8 In | \$40.00        |
| H698P | Equiv. Howe no. 40800295<br>Size: A. 11/32 In or 0.343 In<br>B. 1/2 In or 0.500 In<br>C. 2 In     | \$40.00        |





# Individual Howe Scale Parts

## Hopper Scale Pivots and Bearings






| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| H864  | Equiv. Howe no. N/a<br>Size: 3/32 in thick x 5/8 in W x 15/16 in L<br>Bearing, for loop assembly               | \$19.00        |    |
| H865  | Equiv. Howe no. 42080080<br>Size: 5/32 in thick x 3/4 in W x 1 5/16 in L<br>Bearing, for loop assembly         | \$21.00        |   |
| H866  | Equiv. Howe no. 41043253<br>Size: 5/8 in x 5/8 in x 3/4 in L<br>Hole size: 3/16 in, 2 tapped 10-14<br>Bearing  | \$31.00        |    |
| H867  | Equiv. Howe no. 41043254<br>Size: 1/2 in x 3/4 in x 1/2 in<br>Hole size: 3/16 in<br>Bearing, center connection | \$32.00        |    |
| H868P | Equiv. Howe no. 41043687<br>Size: 1/4 in x 5/8 in x 5/8 in<br>Pivot  | \$31.00        |   |
| H869P | Equiv. Howe no. 41043686<br>Size: 1/4 in x 5/8 in x 3/4 in<br>Pivot, tapered on both ends                      | \$33.00        |  |

## Hopper Scale Suspension Loops and Bearings

| RL PN | DESCRIPTION  | SUGGESTED LIST  |   |
|-------|--|-----------------|---|
| H919  | Equiv. Howe no. 42126334<br>Size: 1 11/16 in x 3 in x 1 1/4 in<br>Hole size: 1/2 in<br>Hopper scale series 20<br>New style | \$79.00         |  |
| H887  | Equiv. Howe no. 60800182<br>Size: A. 3.406 in<br>B. 1.88 in<br>Loop assembly   | Consult\$102.00 |  |





# Individual Howe Scale Parts

## Cast Pipe Lever Suspension and Bearings

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| H942  | Equiv. Howe no. 5316, 40803528<br>Size: 7.5 in W x 4.31 in H x 4.28 in L<br>Replaces tee block 5316 casting no.<br>Replaces tee block 40803528           | \$399.00       |    |
| H914  | Equiv. Howe no. 4857, 40805386<br>Size: 6 in x 5 15/16 in x 11 in<br>Replaces 4857 casting no.   | \$433.00       |   |
| 22143 | Equiv. Howe no. 20790 \$350.00<br>Size: 6 in x 8 3/4 in x 11 in<br>Replaces 20790 casting no.  | \$458.00       |   |
| H944  | Equiv. Howe no. 40814330, 18234, 13790<br>Size: 8 in x 1 5/16 in x 9 in<br>Replaces casting no. 40814330, 18234, 13790<br>And 40804741                   | \$259.00       |    |
| H703  | Equiv. Howe no. 44043783<br>Size: 11 in W x 1 3/4 in H x 12 in L<br>Casting no. Nc 43783, 19124, 40802638  | \$379.00       |   |
| H627  | Equiv. Howe no. DF no. 2, 42034891<br>20301, K34891<br>Size: 3/4 in x 5/8 in x 4 in<br>Bearing, load and fulcrum<br>5-, 10-, And 15- ton cast pipe lever | \$86.00        |   |
| H668  | Equiv. Howe no. DF no. 1, 43078106, L78106<br>Size: 1 5/16 in x 7/8 in x 6 in<br>Bearing, load and fulcrum<br>20-, 30-, And 50-ton cast pipe lever       | \$100.00       |  |
| H836  | Equiv. Howe no. DF no. 3, J37141<br>Size: 1 3/4 in x 7/8 in x 2 in<br>Bearing, torque tube and shackles  | \$68.00        |  |
| H859  | Equiv. Howe no. DF no. 4<br>Size: 1 9/16 in x 11/16 in x 1 3/4 in<br>Bearing, 5-, 10-, and 15- ton   | \$68.00        |   |

# Individual Howe Scale Parts





## Cast Pipe Lever Pivots and Straight Lever Friction Plates

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| H855P | Equiv. Howe no. 40801203<br>Size: 7/8 in sq large end x<br>13/16 in sq small end x<br>7 3/4 in l<br>Pivot, 10 and 15 ton fully<br>Machined type  | \$114.00       | <br>Must Be Hand Fit |
| H856P | Equiv. Howe no. 40801137<br>Size: 1 1/8 in sq large end x<br>1 1/16 in sq small end x<br>10 1/4 in l<br>Pivot, 20 and 30 ton fully machined type | \$136.00       |   |
| H876P | Equiv. Howe no. N/a \$118.00<br>Size: 1 in sq large end x<br>3/4 in sq small end x 7 3/4 in L<br>Pivot   | \$163.00       | <br>Must Be Hand Fit |
| H878P | Equiv. Howe no. N/a \$128.00<br>Size: 1 1/4 in sq large end x<br>1 1/8 in sq small end x 11 1/8 in L<br>Pivot                                    | \$178.00       |   |
| H618  | Equiv. Howe no. 42043862<br>Size: 1/4 in x 1 1/2 in x 3 in L<br>Hole size: 5/16 in<br>Anti-friction plate  | \$18.00        |                     |
| H619  | Equiv. Howe no. 42035211<br>Size: 3/16 in x 3/4 in x 1 1/2 in L<br>Hole size: 9/32 in<br>Anti-friction plate                                     | \$16.00        |   |
| H693  | Equiv. Howe no. 42040429<br>Size: 1 1/4 in (Dia)<br>Hole size: 17/64 in<br>Anti-friction plate   | \$18.00        |                    |
| 14884 | Screw: 1/4-20 x 5/16 in \$.50  | \$0.50         |   |

HOWE®

# Individual Howe Scale Parts

Durasteel Suspension Saddles and Trunnions



| RL PN   | DESCRIPTION   | SUGGESTED LIST |
|---|---|----------------|
| H711  | Equiv. Howe no. 42103228<br>Size: 2 in x 2 in x 5 in<br>Bearing, holder<br>Use bearing no. H624           | \$125.00       |
|    |   |                |
| H712  | Equiv. Howe no. 42103227<br>Size: 2 1/8 in (Dia) x 5 1/4 in<br>Pin, for bearing holder                    | \$152.00       |
|    |   |                |
| H907  | Equiv. Howe no. 62111015<br>Size: 5 1/2 in x 4 in x 8 1/2 in<br>Saddle block assembly<br>Use bearing H848 | \$467.00       |
|  |   |                |
| H713  | Equiv. Howe no. 42103226<br>Size: 2 1/8 in (Dia) x 8 1/2 in<br>Trunnion                                   | \$193.00       |
|  |   |                |
| H906  | Equiv. Howe no. 42111013<br>Size: 2 1/2 in (Dia) x 9 in<br>Trunnion                                       | \$243.00       |



# Individual Howe Scale Parts

Durasteel Links and Pivots






| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| H714L | Equiv. Howe no. 62103221<br>Size: 3/4 in x 5 in x 12 3/8 in<br>Link i.D. 8 3/8 in<br>Will also fit Powell scale | \$127.00       |
| H905L | Equiv. Howe no. 62111017<br>Size: 1 x 5 in x 14 in<br>Link I.D. 10 1/8 in                                       | \$210.00       |
| H616P | Equiv. Howe no. 40802085<br>Size: 1/2 in x 1 1/8 in x 6 1/2 in<br>Pivot<br>Most common                          | \$56.00        |



HOWE®

# Individual Howe Scale Parts

## Truck Scale Bearings


| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| H625  | Equiv. Howe no. 40805922<br>Size: 1 in x 1 in x 3 1/4 in<br>Hole size: 1/4 in<br>Bearing                       | \$53.00        |   |
| H691  | Equiv. Howe no. 40803894<br>Size: 1 in x 1 in x 4 in<br>Hole size: 1/4 in<br>Bearing                           | \$58.00        |   |
| H624  | Equiv. Howe no. 40805916<br>Size: 1 in x 1 in x 6 1/2 in<br>Hole size: 1/4 in<br>Bearing                       | \$70.00        |   |
| H848  | Equiv. Howe no. 40807000<br>Size: 1 in x 1 in x 10 in<br>Hole size: 1/4 in<br>Bearing                          | \$108.00       |   |
| H645  | Equiv. Howe no. 42103716<br>Size: 1 in x 2 in x 2 5/8 in<br>Hole size: 11/16 in<br>For portable vehicle scales | \$62.00        |    |
| H622  | Equiv. Howe no. 42103282<br>Size: 5/8 in x 1 1/4 in x 2 3/8 in<br>Bearing, upper shackle                       | \$44.00        |  |
| H623  | Equiv. Howe no. 42103281<br>Size: 5/8 in x 1 1/4 in x 2 3/8 in<br>1/4-20 Tapped holes                          | \$47.00        |  |
| P701  | Equiv. Howe no. n/a<br>Size: 2 in x 1 7/8 in x 6 in<br>Bearing assembly lower<br>Bearing length: 2 3/4 in      | \$82.00        |  |
| P702  | Equiv. Howe no. n/a<br>Size: 2 in x 1 3/4 in x 6 in<br>Bearing assembly upper                                  | \$79.00        |  |

ROLL PIN  
15263

# Individual Howe Scale Parts

Motor Truck, Industrial, Axle Load and Livestock Scale Pivots






| RL PN | DESCRIPTION  | SUGGESTED LIST |
|-------|--|----------------|
| H852P | Equiv. Howe no. 40807048<br>Size: 1/2 in x 1 1/8 in x 10 in<br>Square both ends                                      | \$90.00        |
| H616P | Equiv. Howe no. 40802085<br>Size: 1/2 in x 1 1/8 in x 6 1/2 in<br>Square both ends                                   | \$56.00        |
| H655P | Equiv. Howe no. 40803860<br>Size: 1/2 in x 1 1/8 in x 4 in<br>Square both ends                                       | \$53.00        |
| H610P | Equiv. Howe no. 40801070<br>Size: 1/2 in x 1 1/8 in x 3 1/2 in<br>Square both ends<br>60 And 80-ton load and fulcrum | \$47.00        |
| H620P | Equiv. Howe no. 40805312<br>Size: 1/2 in x 1 1/8 in x 3 1/4 in<br>Square both ends                                   | \$47.00        |
| H611P | Equiv. Howe no. 40801090<br>Size: 1/2 in x 1 1/8 in x 2 3/4 in<br>Square both ends<br>50-Ton load and fulcrum        | \$44.00        |
| H612P | Equiv. Howe no. 40801081<br>Size: 1/2 in x 1 1/8 in x 2 1/2 in<br>Square both ends                                   | \$43.00        |
| H626P | Equiv. Howe no. 40801080<br>Size: 1/2 in x 1 1/8 in x 2 1/4 in<br>Square both ends                                   | \$42.00        |
| H621P | Equiv. Howe no. 40801126<br>Size: 1/2 in x 1 1/8 in x 2 1/4 in<br>Tapered both ends                                  | \$42.00        |
| H613P | Equiv. Howe no. 40801092<br>Size: 1/2 in x 1 1/8 in x 2 1/8 in<br>Square both ends                                   | \$41.00        |
| H614P | Equiv. Howe no. 40801131<br>Size: 1/2 in x 1 1/8 in x 2 in<br>Tapered both ends                                      | \$41.00        |
| H615P | Equiv. Howe no. 40801076<br>Size: 1/2 in x 1 1/8 in x 1 1/2 in<br>Tapered both ends                                  | \$40.00        |
| H656P | Equiv. Howe no. 40801248<br>Size: 1/2 in x 1 1/8 in x 1 3/32 in<br>Tapered one end                                   | \$36.00        |
| H617P | Equiv. Howe no. 40801077<br>Size: 1/2 in x 1 1/8 in x 1 in<br>Tapered one end  | \$31.00        |
| H692P | Equiv. Howe no. 40804124<br>Size: 1/2 in x 1 1/8 in x 1 3/16 in<br>Tapered both ends                                 | \$34.00        |



HOWE®




# Individual Howe Scale Parts

Motor Truck, Industrial Light Truck, Axle Load and Livestock Scale Bearings

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| H647  | Equiv. Howe no. 42138860<br>Size: 5/8 in x 2 in x 3 1/4 in L<br>Hole size: 1/2 of 1 1/32 in<br>Tapered end<br>30-, 60- And 80-ton load and fulcrum bearing<br>New style | \$55.00        |    |
| H601  | Equiv. Howe no. 42052705<br>Size: 5/8 in x 2 in x 3 1/4 in L<br>Hole size: 1 1/32 in<br>Tapered on end, bearing<br>30-, 60- And 80-ton load and fulcrum, old style      | \$55.00        |    |
| H602  | Equiv. Howe no. 42043855<br>Size: 5/8 in x 2 in x 2 1/2 in L<br>Hole size 1 1/32 in<br>Tapered ends<br>20- And 50-ton load t-block                                      | \$55.00        |   |
| H603  | Equiv. Howe no. 42043937<br>Size: 5/8 in x 1 1/4 in x 2 in L<br>Hole size 41/64 in<br>Tapered ends  | \$46.00        |  |
| H604  | Equiv. Howe no. 42043940<br>Size: 5/8 in x 1 1/4 in x 1 5/8 in L<br>Hole size: 33/64 in<br>Tapered ends   | \$42.00        |  |
| H605  | Equiv. Howe no. 42043939<br>Size: 5/8 in x 1 1/4 in x 1 1/2 in L<br>Hole size: 33/64 in<br>Square ends  | \$42.00        |   |
| H606  | Equiv. Howe no. 42043938<br>Size: 5/8 in x 1 1/4 in x 1 in L<br>Hole size: 33/64 in<br>Square ends  | \$42.00        |   |
| H630  | Equiv. Howe no. 42035173<br>Size: 1/2 in x 1 1/8 in x 1 15/32 in L<br>Hole size: 13/32 in<br>Bearing  | \$44.00        |   |

# Individual Howe Scale Parts

Motor Truck, Industrial, Light Truck, Axle Load and Livestock Scale Bearings (Cont.)



| RL PN  | DESCRIPTION  | SUGGESTED LIST |   |
|--------|--|----------------|---|
| H607   | Equiv. Howe no. 41036433<br>Size: 1/2 in x 1 1/8 in x 1 in L<br>Hole size: 25/64 in                              | \$33.00        |    |
| H609   | Equiv. Howe no. 42044398<br>Size: 5/8 in x 1 1/4 in x 2 in L<br>Tapered end                                      | \$40.00        |   |
| H608   | Equiv. Howe no. 42044397<br>Size: 5/8 in x 1 1/4 in x 2 1/2 in L<br>Tapered end<br>20-And 50-ton fulcrum bearing | \$42.00        |   |
| H901   | Equiv. Howe no. 42146392<br>Size: 7/8 in x 1 5/16 in x 2 in L<br>Tapered end                                     | \$82.00        |   |
| *H902  | Equiv. Howe no. 42146338<br>Size: 1 in x 1 7/16 in x 2 7/8 in L<br>Tapered end                                   | \$87.00        |   |
| H622   | Equiv. Howe no. 42103282<br>Size: 5/8 in x 1 1/4 in x 2 3/8 in L<br>Straight ends                                | \$44.00        |  |
| H623   | Equiv. Howe no. 42103281<br>Size: 5/8 in x 1 1/4 in x 2 3/8 in L<br>1/4-20 Tapped holes<br>Straight ends         | \$47.00        |   |
| 102066 | Equiv. Howe no. 40802640<br>LC 43925<br>Size: 1 1/2 in x 3 3/4 in x 8 3/8 in<br>Main lever lower tip connection  | \$337.00       |  |

HOWE®

# Individual Howe Scale Parts

Cast and Super Cast Truck Scale Parts and Miscellaneous Diameter Balls


| RL PN | DESCRIPTION  | SUGGESTED LIST |
|-------|--|----------------|
| 33648 | Equiv. Thurman no. n/a<br>Size: 3 1/2 in (Dia)<br>Ball (cast) weight 6 lb  | \$53.00        |
| 33649 | Equiv. Howe no. 42094659<br>Size: 3 in (Dia)<br>Ball (cast) weight 4 lb 3 oz   | \$42.00        |
| 33646 | Equiv. Thurman no. n/a<br>Size: 2 1/2 in (Dia)<br>Ball (cast) weight 2 lb 1 oz   | \$41.00        |
| H644  | Equiv. Howe no. 42102471<br>Size: 2 3/8 in (Dia)<br>Ball (cast) weight 2 lb 3 oz   | \$41.00        |
| 33645 | Equiv. Thurman no. n/a<br>Size: 2 in (Dia)<br>Ball (steel) weight 1 lb 2 oz  | \$47.00        |
| H697  | Equiv. Howe no. n/a<br>Size: 1 1/2 in (Dia)<br>Ball (steel) weight 8 oz  | \$22.00        |
| TH927 | Equiv. Thurman no. n/a<br>Size: 1 7/16 in (Dia)<br>Ball (steel) weight 4 oz  | \$21.00        |
| H648  | Equiv. Howe no. 42035848<br>Size: 1 5/16 in (Dia)<br>Ball (steel) weight 6 oz<br>Models: 57, type 54, floor scales etc.  | \$19.00        |
| 10772 | Equiv. Howe no. n/a<br>Size: 1 in (Dia)<br>Ball (steel) weight 1 oz  | \$17.00        |
| 18816 | Equiv. Howe no. n/a<br>Size: 7/8 in (Dia)<br>Ball (steel) weight 1 oz  | \$18.00        |
| 10993 | Equiv. Howe no. n/a<br>Size: 3/4 in (Dia)<br>Ball (steel) weight 1 oz  | \$16.00        |
| 18815 | Equiv. Howe no. n/a<br>Size: 5/8 in (Dia)<br>Ball (steel) weight 1 oz  | \$16.00        |
| H703  | Equiv. Howe no. 44043783<br>Casting no. 40802638, NC 43783<br>Size: 11 in W x 1 3/4 in H x 12 in<br>Ball plate for 20-, 30-, 50-, 60-, and 80-ton<br>Capacity truck scales<br>Weight 31 lb | \$379.00       |



# Individual Howe Scale Parts


Cast and Super Cast Truck Scale Parts and Miscellaneous Diameter Balls (Cont.)

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| H704  | Equiv. Howe no. 62093965, 45043779<br>Casting no. 40802637, PC 43779<br>Size: 7 in W x 9 in H x 11 in L<br>T-assembly for 20- and 50-ton<br>Capacity truck scales<br>With bearing and pins<br>Weight: 61 lb                             | \$563.00       |
| H716  | Equiv. Howe no. 62090971, 62126599,<br>44052706, 43126598<br>Casting no. 40802656<br>Size: 10 1/4 in W x 10 in H x 11 1/2 in L<br>T-assembly for 30-, 60-, and 80-ton<br>Capacity truck scales<br>With bearing and pins<br>Weight 88 lb | \$768.00       |




## Durasteel and Cast Straight Lever Fulcrum Stands

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| H702  | Equiv. Howe no. 62088963, 44043774<br>Replaces casting no. NC43774, 40802636<br>Size: 6 1/2 in x 8 in x 15 in<br>Main lever stand for 20- and 50-ton                        | \$439.00       |
| H715  | Equiv. Howe no. 62124298, 43124297<br>62090922, 44052704<br>Replaces casting no. NC52704, 40802653<br>Size: 8 in x 9 in x 17 in<br>Main lever stand for 30-, 60- and 80-ton | \$543.00       |
| H918  | Equiv. Howe no. 62098972, 44043916<br>Replaces casting no. NC43916, 40802644<br>Size: 7 1/2 in x 14 in x 15 1/4 in<br>Center extension lever stand 50-ton                   | \$494.00       |
| *H917 | Equiv. Howe no. 62104416, 44096673<br>Replaces casting no. NC96673, 40802594<br>Size: 7 1/2 in x 14 in x 16 1/8 in<br>Center extension lever stand 60- and 80-ton           | \$371.00       |
| H921  | Equiv. Howe no. 62093971, 44043915<br>Replaces casting no. NC43915, 40802643<br>Size: 7 1/2 in x 12 in x 11 3/4 in<br>End extension lever stand 50-ton                      | \$494.00       |
| *H936 | Equiv. Howe no. 62090970, 44052711<br>Replaces casting no. NC52711, 40802654<br>Size: 7 5/8 in x 12 in x 12 1/4 in<br>End extension lever stand 60- and 80-ton              | \$360.00       |



With Bearing, Pins and  
Leveling Bolts







|      |  |          |
|------|--|----------|
| H910 | Equiv. Howe no. 62103235<br>Size: 8 in x 14 in x 11 in<br>Main lever stands, Durasteel<br>Steel fabricated for H624 bearing<br>Will also fit Hardin truck scales | \$433.00 |
|------|--|----------|



\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

# Individual Howe Scale Parts

Motor Truck Scale and Axle Load Scale Parts

| RL PN  | DESCRIPTION  | SUGGESTED LIST |   |   |
|--------|--|----------------|---|---|
| 15256  | Equiv. Howe no. 10902998<br>Size: 3/16 in (Dia) x 1 1/2 in<br>Roll pin   | \$1.25         |    |    |
| 15263  | Equiv. Howe no. 20906224<br>Size: 1/4 in (Dia) x 3/4 in<br>Roll pin      | \$1.10         |    |    |
| 15290  | Equiv. Howe no. 20906027<br>Size: 3/8 in (Dia) x 1 1/2 in<br>Roll pin    | \$2.00         |    |    |
| 116181 | Size 3/8 in (Dia) x 2 1/2 in   | \$5.00         |   |   |
| 15301  | Equiv. Howe no. 20905682<br>Size: 1/2 in (Dia) x 1 3/4 in<br>Roll pin    | \$1.75         |    |    |
| H637   | Equiv. Howe no. 40801235<br>Size: 5/8 in (Dia) x 1 3/4 in<br>Knurled pin | \$18.00        |    |    |
| H632   | Equiv. Howe no. 40801166<br>Size: 5/8 in (Dia) x 2 3/8 in<br>Knurled pin | \$19.00        |  |  |
| H633   | Equiv. Howe no. 40800890<br>Size: 1 in (Dia) x 2 3/8 in<br>Knurled pin   | \$19.00        |  |  |





## Howe Parts Available But Not Shown

| RL PN | DESCRIPTION                                     | SUGGESTED LIST |
|-------|---|----------------|
| H920  | Equiv. Howe no. n/a<br>Size: 1 in x 1 in x 6 in | \$78.00        |



# Reconditioned Levers Available

Call With Casting #



HOWE®

# Reconditioned Levers Available

Call for Pricing and Availability

| REFERENCE # | DESCRIPTION            | CASTING #   |
|-------------|------------------------|---|
| A-1         | Nose iron<br>Nose iron | Old casting no. NC43911<br>New casting no. 40802658 |

| REFERENCE # | DESCRIPTION  | CASTING #  |
|-------------|--|--|
| A-2         | Center extension 14 ft 2 in<br>Center extension 14 ft 2 in<br>Center extension 16 ft 8 in<br>Center extension 16 ft 8 in<br>Center extension 14 ft 10 in<br>Center extension 14 ft 10 in | Old casting no. NC44391<br>New casting no. 40802649<br>Old casting no. PC43819<br>New casting no. 40802650<br>New casting no. 40810042<br>New casting no. 40810043 |

| REFERENCE # | DESCRIPTION            | CASTING #   |
|-------------|------------------------|---|
| B-1         | Nose iron<br>Nose iron | Old casting no. NC43872<br>New casting no. 40802657 |

| REFERENCE # | DESCRIPTION   | CASTING #   |
|-------------|---|---|
| B-2         | End extension 10 ft<br>End extension 10 ft<br>End extension 12 ft 6 in<br>End extension 12 ft 6 in<br>End extension 10 ft 10 in<br>End extension 7 ft 6 in<br>End extension 10 ft 10 in | Old casting no. PC44389<br>Old casting no. NC44931<br>New casting no. 40802647<br>Old casting no. PC43871<br>New casting no. 40802648<br>New casting no. 40802645<br>New casting no. 40802646<br>New casting no. 40810045 |

| REFERENCE # | DESCRIPTION            | CASTING #   |
|-------------|------------------------|---|
| C-1         | Nose iron<br>Nose iron | Old casting no. NC43872<br>New casting no. 40802657 |

| REFERENCE # | DESCRIPTION                   |
|-------------|-------------------------------|
| C-2         | Transverse lever, please call |

| REFERENCE # | DESCRIPTION   | CASTING #   |
|-------------|---|---|
| D-1         | Main lever 50 ton<br>Main lever 50 ton<br>Main lever 50 ton<br>Main lever 60 ton<br>Main lever 60 ton | Old casting no. PC43720<br>Old casting no. PC55441<br>New casting no. 40802635<br>Old casting no. PC52703<br>New casting no. 40802655 |

# Individual Howe Scale Parts

## Railroad Track Scale Parts

| RL PN    | DESCRIPTION   | SUGGESTED LIST |
|----------|---|----------------|
| H2111RRP | Equiv. Howe no. n/a<br>Pivot, 3/4 in x 1 1/2 in x 6 1/2 in                          | \$162.00       |
| H2112RRP | Equiv. Howe no. n/a<br>Pivot, 3/4 in x 1 1/2 in x 5 in<br>Pivot, 1 in x 2 in x 9 in | \$155.00       |
| H2117RRP | Equiv. Howe no. n/a<br>Pivot, 3/4 in x 1 1/2 in x 12 3/8 in                         | \$287.00       |
| H2119RRP | Equiv. Howe no. 40808260<br>Pivot, 1 in x 2 in x 20 in                              | \$465.00       |
| H2125RRP | Equiv. Howe no. 60816859<br>Pivot, 3/4 in x 1 1/2 in x 10 in                        | \$200.00       |
| H2316RR  | Equiv. Howe no. 42114517<br>Bearing, 1 1/2 in x 1 3/4 in x 5 1/8 in                 | \$287.00       |
| H2317RR  | Equiv. Howe no. 42114518<br>Bearing, 1 1/2 in x 1 3/4 in x 6 in                     | \$274.00       |
| H2318RR  | Equiv. Howe no. 40816725<br>Bearing, 1 in x 1 1/4 in x 6 1/2 in                     | \$286.00       |
| H2319RR  | Equiv. Howe no. 40816724<br>Bearing, 1 in x 1 1/4 in x 12 3/8 in                    | \$352.00       |
| H2320RR  | Equiv. Howe no. 41039539<br>Bearing, 1 in x 1 7/16 in x 2 3/8 in                    | \$155.00       |
| H2325RR  | Equiv. Howe no. n/a<br>Bearing, 1 in x 1 in x 10 in                                 | \$210.00       |
| H2500RR  | Equiv. Howe no. K114407<br>Link   | \$714.00       |
| H2501RR  | Equiv. Howe no. 62121944<br>Saddle block  | \$1,220.00     |
| H2502RR  | Equiv. Howe no. 42114397<br>Trunnion  | \$553.00       |
| H2503RR  | Equiv. Howe no. n/a<br>Trunnion   | \$553.00       |

HOWE®

[illegible]

# HOWE KITS

HOWE®

# Howe Kit Price Index By Rice Lake PN

| RL PN   | SUGGESTED LIST | PAGE # | RL PN   | SUGGESTED LIST | PAGE #  | RL PN      | SUGGESTED LIST | PAGE # |
|---------|----------------|--------|---------|----------------|---------|------------|----------------|--------|
| H-651-K | \$3,284.00     | 200    | H-669-K | \$800.00       | 199     | H-682-K    | \$10,345.00    | 205    |
| H-652-K | \$3,422.00     | 201    | H-670-K | \$515.00       | 199     | H-684-K    | \$5,884.00     | 207    |
| H-653-K | \$5,104.00     | 202    | H-671-K | \$2,463.00     | 206,208 | H-686-K    | \$515.00       | 210    |
| H-654-K | \$6,787.00     | 203    | H-672-K | \$3,764.00     | 207,209 | H-687-K    | \$617.00       | 210    |
| H-655-K | \$5,515.00     | 204    | H-673-K | \$1,849.00     | 206     | H-688-K    | \$411.00       | 211    |
| H-656-K | \$6,705.00     | 205    | H-675-K | \$1,642.00     | 210     | H-689-K    | \$411.00       | 211    |
| H-659-K | \$1,863.00     | 208    | H-676-K | \$1,063.00     | 199     | H-1150-RK  | \$25,312.00    | 213    |
| H-660-K | \$1,916.00     | 208    | H-677-K | \$3,764.00     | 200     | H-1202-RK  | \$30,955.00    | 213    |
| H-661-K | \$3,558.00     | 209    | H-678-K | \$4,421.00     | 201     | H-1202-SRK | \$26,694.00    | 213    |
| H-662-K | \$3,695.00     | 209    | H-679-K | \$7,115.00     | 202     | H-1203-RK  | \$18,470.00    | 212    |
| H-663-K | \$3,593.00     | 206    | H-680-K | \$8,757.00     | 204     | H-1203-SRK | \$26,269.00    | 212    |
| H-664-K | \$3,969.00     | 207    | H-681-K | \$8,757.00     | 203     | H-1204-RK  | \$27,226.00    | 212    |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

# Howe Kit Cross Reference By Equivalent Howe Number

| EQUIV.<br>HOWE #                       | RL PN   | PAGE # | EQUIV.<br>HOWE #                                | RL PN   | PAGE # | EQUIV.<br>HOWE #                       | RL PN   | PAGE # |
|--|---------|--------|---|---------|--------|--|---------|--------|
| <b>Motor Truck Scales, Super Cast:</b> |         |        | <b>Portable Vehicle Scales, Self-Contained:</b> |         |        | <b>Portable AND Bench Dial Scales:</b> |         |        |
| 70810292                               | H-653-K | 202    | 70819732  | H-659-K | 208    | 70819446                               | H-676-K | 199    |
| 70816905                               | H-654-K | 203    | 70819733  | H-660-K | 208    | 70819448                               | H-674-K | XX     |
| 70816906                               | H-651-K | 200    |   |         |        |  |         |        |
| 70818312                               | H-655-K | 204    |   |         |        |  |         |        |
| 70818313                               | H-652-K | 201    |   |         |        |  |         |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Portable Beam and Bench Scale

## Kit No. H-669-K

Portable Beam Scale, Models 54 and 57

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION                                |
|--------|-------------|----------------|--|
| 1..... | H698P ..... | 40800295 ..... | Pivot, load beam                           |
| 8..... | H646P ..... | 42034246 ..... | Pivot, load and fulcrum                    |
| 4..... | H676.....   | 43066321 ..... | Bearing, load with pin and cotter model 57 |
| 4..... | H677.....   | 10904911 ..... | Pin, with clips                            |
| 4..... | H701.....   | 52069557 ..... | Loop, corner assembly                      |
| 2..... | H858P ..... | 42066333 ..... | Pivot, center connection                   |
| 4..... | H913.....   | 42102378 ..... | Bearing, load, old style                   |
| 4..... | H648.....   | 42035848 ..... | Balls                                      |
| 1..... | H699P ..... | 40800815 ..... | Pivot, fulcrum                             |
| 1..... | H933P ..... | 40800367 ..... | Pivot, tip                                 |

**\$800.00** Suggested list/6 lb shipping weight

## Kit No. H-670-K

For Bench and Portable Scales, Models 54XL, 54XL1, 54XL2, X-Actron XL Models 5400, 5401, 5402, 6400, 6401, 6402, 7401, 7402, Triner 2100, 2200, Apache

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION                     |
|---------|-------------|----------------|---------------------------------|
| 11..... | H670P ..... | n/a .....      | Pivot, load, fulcrum, nose conn |
| 2.....  | H705.....   | 62111464 ..... | Hanger assembly, long           |
| 2.....  | H706.....   | 62111465 ..... | Hanger assembly, short          |
| 4.....  | H707.....   | 22111450 ..... | Hanger clip                     |
| 1.....  | H708.....   | 62111462 ..... | Center hanger assembly          |
| 4.....  | H709.....   | 42111422 ..... | Bearing, load                   |
| 1.....  | H834.....   | 60266639 ..... | Loop                            |

**\$515.00** Suggested list/3 lb shipping weight

## Kit No. H-676-K

For Portable and Bench Scales Understructure, 26 in x 32 in and 32 in x 32 in, Models 5700-1, 5700-2, 5700-3, 5700-4, 5800-1, 5800-2, 5800-3, 5800-4, 9400-1, 9400-2, 9500-1, 9500-2, 9700-1, 9700-2, 9800-1, 9800-2

Equiv. HOWE # 70819446

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION |
|--------|-------------|----------------|-------------|
| 8..... | H654.....   | 40806973 ..... | Bearing     |
| 8..... | H669P ..... | 42106554 ..... | Pivot       |
| 2..... | H679P ..... | 42106396 ..... | Pivot       |
| 2..... | H681.....   | n/a .....      | Bearing     |
| 1..... | H682.....   | 42092818 ..... | Bearing     |
| 1..... | H683P ..... | 42092817 ..... | Pivot       |
| 8..... | H680L.....  | 22035255 ..... | Link        |

**\$1,063.00** Suggested list/5 lb shipping weight

HOWE®

# Truck Scale

## Kit No. H-651-K

20-Ton, 2-Section Truck and Axle Load Scale, Cast Straight Lever and Super Cast Main Lever Casting  
No. PC43720, PC55441 or 40802635, Models 5918, 5922, 5930, 5982, 5984, 5986, 5988  
and Axle Load Models 2908 and 2910

Equiv. HOWE # 70816906

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION                                   |
|---------|------------|---------------|---|
| 8.....  | H602.....  | 42043855..... | Bearing, load, main lever                     |
| 8.....  | H608.....  | 42044397..... | Bearing, fulcrum, main lever                  |
| 16..... | H611P..... | 40801080..... | Pivot, load and fulcrum, main lever           |
| 12..... | H617P..... | 40801088..... | Pivot, tip                                    |
| 12..... | H606.....  | 42043938..... | Bearing, tip, shackles                        |
| 4.....  | H603.....  | 42043937..... | Bearing, load, end extension                  |
| 6.....  | H609.....  | 42044398..... | Bearing, fulcrum end extension and transverse |
| 8.....  | H613P..... | 40801092..... | Pivot, load and fulcrum, end extension        |
| 2.....  | H604.....  | 42043940..... | Bearing, load, transverse lever               |
| 2.....  | H612P..... | 40801081..... | Pivot, load, transverse lever                 |
| 2.....  | H626P..... | 40801080..... | Pivot, fulcrum, transverse lever              |
| 1.....  | H615P..... | 40801076..... | Pivot, tip, transverse lever                  |
| 1.....  | H630.....  | 42035173..... | Bearing, tip, transverse lever                |
| 28..... | H618.....  | 42043862..... | Friction plate                                |
| 14..... | H619.....  | 42035211..... | Friction plate                                |
| 8.....  | H633.....  | 40800890..... | Knurled pin                                   |
| 14..... | 15301..... | 20805682..... | Roll pin                                      |
| 10..... | H637.....  | 40801235..... | Knurled pin                                   |

**\$3,284.00** Suggested list/57 lb shipping weight

## Kit No. H-677-K

Suspension Kit For H-651-K

| QTY    | RL PN      | EQUIV. HOWE # | DESCRIPTION           |
|--------|------------|---------------|-----------------------|
| 8..... | 33649..... | 42094659..... | Ball, 3 in (Dia) cast |
| 4..... | H703.....  | 40802638..... | Ball plate            |
| 4..... | H704.....  | 40802637..... | Tee block             |

**\$3,764.00** Suggested list/445 lb shipping weight



# Truck Scale

## Kit No. H-652-K

30-Ton, 2-Section Truck and Axle Load Scale, Cast Straight Lever and Super Cast Main Lever Cast-  
ing No. PC52703 or 40802655, Models 5992, 5994, and Axle Load 3910, 3912, 3914

Equiv. HOWE # 70818313

| QTY     | RL PN | EQUIV. HOWE # | DESCRIPTION                            |
|---------|-------|---------------|--|
| 16..... | H601* | 42052705      | Bearing, load and fulcrum, main lever  |
| 16..... | H610P | 40801070      | Pivot, load and fulcrum, main lever    |
| 12..... | H617P | 40801077      | Pivot, tip                             |
| 12..... | H606  | 42043938      | Bearing, tip, shackles                 |
| 4.....  | H603  | 42043937      | Bearing, load, end extension           |
| 6.....  | H609  | 42044398      | Bearing, fulcrum, end extension        |
| 8.....  | H613P | 40801092      | Pivot, load and fulcrum, end extension |
| 2.....  | H604  | 42043940      | Bearing, load, transverse lever        |
| 2.....  | H612P | 40801081      | Pivot, load, transverse lever          |
| 2.....  | H626P | 40801080      | Pivot, fulcrum, transverse lever       |
| 1.....  | H615P | 40801076      | Pivot, tip, transverse lever           |
| 1.....  | H630  | 42035173      | Bearing, tip, transverse lever         |
| 28..... | H618  | 42043862      | Friction plates                        |
| 14..... | H619  | 42035211      | Friction plates                        |
| 8.....  | H633  | 40800890      | Knurled pins                           |
| 14..... | 15301 | 20905682      | Roll pins                              |
| 10..... | H637  | 40801235      | Knurled pins                           |

**\$3,422.00** Suggested list/53 lb shipping weight

\*Some scales use H647 in place of H601. Unless specified, we will shipping both H601 AND H647.  
Bearings not used may be returned for credit.

## Kit No. H-678-K

Suspension Kit For H-652-K

| QTY    | RL PN | EQUIV. HOWE # | DESCRIPTION           |
|--------|-------|---------------|-----------------------|
| 8..... | 33649 | 42094659      | Ball, 3 in (Dia) cast |
| 4..... | H703  | 40802638      | Ball plate            |
| 4..... | H716  | 40802656      | Tee block assembly    |

**\$4,421.00** Suggested list/530 lb shipping weight

HOWE®

# Truck Scale

## Kit No. H-653-K

50-Ton, 4-Section Truck Scale, Cast Straight Lever and Super Cast Main Lever Casting No. PC43720, PC55441 or 40802635, Models 5958, 5960, or 5964

Equiv. HOWE # 70810292

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION                                    |
|---------|-------------|----------------|--|
| 16..... | H602.....   | 42043855 ..... | Bearing, load, main lever                      |
| 16..... | H608.....   | 42044397 ..... | Bearing, fulcrum, main lever                   |
| 32..... | H611P ..... | 40801090 ..... | Pivot, load and fulcrum, main lever            |
| 24..... | H617P ..... | 40801077 ..... | Pivot, tip                                     |
| 2.....  | H605.....   | 42043939 ..... | Bearing, tip, shackles                         |
| 24..... | H606.....   | 42043938 ..... | Bearing, tip, shackles                         |
| 10..... | H603.....   | 42043937 ..... | Bearing, load, end and center extension        |
| 8.....  | H609.....   | 42044398 ..... | Bearing, fulcrum, end and center ext           |
| 18..... | H613P ..... | 40801092 ..... | Pivot, load and fulcrum, extension levers      |
| 2.....  | H604.....   | 42043940 ..... | Bearing, load, transverse lever                |
| 2.....  | H612P ..... | 40801081 ..... | Pivot, load, transverse lever                  |
| 3.....  | H615P ..... | 40801076 ..... | Pivot, tip, end extension and transverse lever |
| 1.....  | H630.....   | 42035173 ..... | Bearing, tip, transverse lever                 |
| 32..... | H618.....   | 42043862 ..... | Friction plate                                 |
| 12..... | H619.....   | 42035211 ..... | Friction plate                                 |
| 16..... | H632.....   | 40801166 ..... | Knurled pin                                    |
| 16..... | H633.....   | 40800890 ..... | Knurled pin                                    |
| 34..... | 15301 ..... | 20905682 ..... | Roll pin                                       |
| 64..... | 15263 ..... | 20906224 ..... | Roll pin                                       |
| 14..... | H637.....   | 40801235 ..... | Knurled pin                                    |

**\$5,104.00** Suggested list/88 lb shipping weight

## Kit No. H-679-K

Suspension Kit For H-653-K

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION           |
|---------|-------------|----------------|-----------------------|
| 16..... | 33649 ..... | 42094659 ..... | Ball, 3 in (Dia) cast |
| 8.....  | H703.....   | 40802638 ..... | Ball plate            |
| 8.....  | H704.....   | 40802637 ..... | Tee block             |

**\$7,115.00** Suggested list/890 lb shipping weight

*Additional parts are needed if the scale has an offset transverse lever or a load cell in the pit. See Pages 244-245 for add-on kits for your application.*

# Truck Scale

## Kit No. H-654-K

50-Ton, 5-Section Truck Scale, Cast Straight Lever and Super Cast Main Lever Casting No.  
PC43720, PC55441 or 40802635, Models 5970, 5974

Equiv. HOWE # 70816905

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION                                    |
|---------|-------------|----------------|--|
| 20..... | H602.....   | 42043855 ..... | Bearing, load, main lever                      |
| 20..... | H608.....   | 42044397 ..... | Bearing, fulcrum, main lever                   |
| 42..... | H611P ..... | 40801090 ..... | Pivot, load and fulcrum, main lever            |
| 32..... | H617P ..... | 40801077 ..... | Pivot, tip                                     |
| 4.....  | H605.....   | 42043939 ..... | Bearing, tip, shackles                         |
| 34..... | H606.....   | 42043938 ..... | Bearing, tip, shackles                         |
| 14..... | H603.....   | 42043937 ..... | Bearing, load, end and center extension        |
| 10..... | H609.....   | 42044398 ..... | Bearing, fulcrum, end and center ext           |
| 22..... | H613P ..... | 40801092 ..... | Pivot, load and fulcrum, extension levers      |
| 2.....  | H604.....   | 42043940 ..... | Bearing, load, transverse lever                |
| 2.....  | H612P ..... | 40801081 ..... | Pivot, load, transverse lever                  |
| 5.....  | H615P ..... | 40801076 ..... | Pivot, tip, end extension and transverse lever |
| 1.....  | H630.....   | 42035173 ..... | Bearing, tip, transverse lever                 |
| 40..... | H618.....   | 42043862 ..... | Friction plate                                 |
| 16..... | H619.....   | 42035211 ..... | Friction plate                                 |
| 20..... | H632.....   | 40801166 ..... | Knurled pin                                    |
| 20..... | H633.....   | 40800890 ..... | Knurled pin                                    |
| 38..... | 15301 ..... | 20905682 ..... | Roll pin                                       |
| 80..... | 15263 ..... | 20906224 ..... | Roll pin                                       |
| 16..... | H637.....   | 40801235 ..... | Knurled pin                                    |

**\$6,787.00** Suggested list/110 lb shipping weight

## Kit No. H-681-K

Suspension Kit For H-654-K

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION           |
|---------|-------------|----------------|-----------------------|
| 20..... | 33649 ..... | 42094659 ..... | Ball, 3 in (Dia) cast |
| 10..... | H703.....   | 40802638 ..... | Ball plate            |
| 10..... | H704.....   | 40802637 ..... | Tee block             |

**\$8,757.00** Suggested list/1,111 lb shipping weight

*Additional parts are needed if the scale has an offset transverse lever or a load cell in the pit. See pages 244-245 for add-on kits for your application.*

HOWE®

# Truck Scale

## Kit No. H-655-K

60- and 80-Ton, 4-Section Truck Scale, Cast Straight Lever and Super Cast Main Lever Casting No. PC52703 or 40802655, Models 6958, 6960, 6964 and 8960

Equiv. HOWE # 70818312

| QTY     | RL PN | EQUIV. HOWE # | DESCRIPTION                                    |
|---------|-------|---------------|--|
| 32..... | H601* | 42052705      | Bearing, load and fulcrum, main lever          |
| 32..... | H610P | 40801070      | Pivot, load and fulcrum, main lever            |
| 24..... | H617P | 40801077      | Pivot, tip                                     |
| 24..... | H606  | 42043938      | Bearing, tip, shackles                         |
| 2.....  | H605  | 42043939      | Bearing, tip, shackles                         |
| 10..... | H603  | 42043937      | Bearing, load, end and middle extension lever  |
| 2.....  | H604  | 42043940      | Bearing, load, transverse lever                |
| 8.....  | H609  | 42044398      | Bearing, fulcrum, end and center extension     |
| 18..... | H613P | 40801092      | Pivot, load and fulcrum, extension levers      |
| 2.....  | H612P | 40801081      | Pivot, load, transverse lever                  |
| 3.....  | H615P | 40801076      | Pivot, tip, end extension and transverse lever |
| 1.....  | H630  | 42035173      | Bearing, tip, transverse lever                 |
| 32..... | H618  | 42043862      | Friction plate                                 |
| 12..... | H619  | 42035211      | Friction plate                                 |
| 32..... | H633  | 40800890      | Knurled pin                                    |
| 34..... | 15301 | 20905682      | Roll pin                                       |
| 64..... | 15263 | 20906224      | Roll pin                                       |
| 14..... | H637  | 40801235      | Knurled pin                                    |

**\$5,515.00** Suggested list/107 lb shipping weight

*\*Some scales use H647 in place of H601. Unless specified, we will shipping both H601 AND H647.*

*Bearings not used may be returned for credit.*

*Scales with serial numbers lower than 74-01106 use H601.*

*Scales with serial numbers higher than 74-01106 use H647.*

## Kit No. H-680-K

Suspension Kit For H-655-K

| QTY     | RL PN | EQUIV. HOWE # | DESCRIPTION           |
|---------|-------|---------------|-----------------------|
| 16..... | 33649 | 42094659      | Ball, 3 in (Dia) cast |
| 8.....  | H703  | 40802638      | Ball plate            |
| 8.....  | H716  | 40802656      | Tee block assembly    |

**\$8,757.00** Suggested list/1,057 lb shipping weight

*Additional parts are needed if the scale has an offset transverse lever or a load cell in the pit. See Pages 246-247 for add-on kits for your application.*

# Truck Scale

## Kit No. H-656-K

60- AND 80-Ton, 5-Section Truck Scale, Cast Straight Lever and Super Cast Main Lever Casting No. PC52703, or 40802655, Models 6970, 8970, and 8980

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION                                       |
|---------|------------|---------------|---|
| 40..... | H601.....  | 42052705..... | Bearing, load and fulcrum, main lever             |
| 40..... | H610P..... | 40801070..... | Pivot, load and fulcrum, main lever               |
| 32..... | H617P..... | 40801077..... | Pivot, tips                                       |
| 32..... | H606.....  | 42043938..... | Bearing, tips                                     |
| 5.....  | H615P..... | 40801076..... | Pivot, tip, end extension and transverse lever    |
| 4.....  | H605.....  | 42043939..... | Bearing, tip, end extension and even lever        |
| 22..... | H613P..... | 40801092..... | Pivot, load and fulcrum, end and center extension |
| 14..... | H603.....  | 42043937..... | Bearing, load, extension levers and f up pull     |
| 10..... | H609.....  | 42044398..... | Bearing, fulcrum, end and center extension        |
| 2.....  | H604.....  | 42043940..... | Bearing, load, transverse lever                   |
| 2.....  | H612P..... | 40801081..... | Pivot, load, transverse lever                     |
| 1.....  | H630.....  | 42035173..... | Bearing, tip, transverse lever                    |
| 44..... | H618.....  | 42043862..... | Friction plate                                    |
| 18..... | H619.....  | 42035211..... | Friction plate                                    |
| 40..... | H633.....  | 40800890..... | Knurled pin                                       |
| 38..... | 15301..... | 20905682..... | Roll pin  |
| 80..... | 15263..... | 20906224..... | Roll pin  |
| 16..... | H637.....  | 40801235..... | Knurled pin                                       |

**\$6,705.00** Suggested list/135 lb shipping weight

Bearings not used may be returned for credit.  
Scales with serial numbers lower than 74-01106 use H601.  
Scales with serial numbers higher than 74-01106 use H647.

## Kit No. H-682-K

Suspension Kit For H-656-K

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION           |
|---------|------------|---------------|-----------------------|
| 20..... | 33649..... | 42094659..... | Ball, 3 in (Dia) cast |
| 10..... | H703.....  | 40802638..... | Ball plate            |
| 10..... | H716.....  | 40802656..... | Tee block assembly    |

**\$10,345.00** Suggested list/1,321 lb shipping weight

*Additional parts are needed if the scale has an offset transverse lever or a load cell in the pit. See pages 246-247 for add-on kits for your application.*

HOWE®

# Truck Scale

## Kit No. H-673-K

Durasteel Scale Kits, Steel Fabricated T-Levers 20- and 30--Ton, Pit Type, 2-Section

|         |      |     |        |         |      |     |        |
|---------|------|-----|--------|---------|------|-----|--------|
|         | TON  | SEC | LENGTH |         | TON  | SEC | LENGTH |
| MODELS: | S 20 | 2   | 8      | MODELS: | S 30 | 2   | 10     |
|         | S 30 | 2   | 8      |         | S 30 | 2   | 12     |
|         | S 20 | 2   | 10     |         | S 30 | 2   | 14     |

| QTY    | RL PN      | EQUIV. HOWE # | DESCRIPTION                    |
|--------|------------|---------------|--------------------------------|
| 8..... | H616p..... | 40802085..... | Pivot, load                    |
| 4..... | H620p..... | 40805312..... | Pivot, center pipe assembly    |
| 3..... | H621p..... | 40801126..... | Pivot, tip main and transverse |
| 2..... | H622.....  | 42103282..... | Bearing, shackle assembly      |
| 3..... | H623.....  | 42103281..... | Bearing, shackle assembly      |
| 8..... | H624.....  | 40805916..... | Bearing, load and fulcrum      |
| 2..... | H625.....  | 40805922..... | Bearing, fulcrum stand         |
| 8..... | H693.....  | 42040429..... | Anti friction plate            |
| 8..... |            |               | Screw                          |

**\$1,849.00** Suggested list/29 lb shipping weight

## Kit No. H-671-K

Suspension Kit For H-673-K

| QTY    | RL PN      | EQUIV. HOWE # | DESCRIPTION            |
|--------|------------|---------------|------------------------|
| 4..... | H711.....  | 42103228..... | Holder, bearing black  |
| 4..... | H712.....  | 42103227..... | Pin, top (saddle)      |
| 4..... | H713.....  | 42103226..... | Pin, bottom (trunnion) |
| 8..... | H714L..... | 62103221..... | Link                   |

**\$2,463.00** Suggested list/139 lb shipping weight

## Kit No. H-663-K

Durasteel Scale Kits, Steel Fabricated T-Levers 50- and 60-Ton, Pit Type, 4-Section

|         |      |     |        |         |      |     |        |
|---------|------|-----|--------|---------|------|-----|--------|
|         | TON  | SEC | LENGTH |         | TON  | SEC | LENGTH |
| MODELS: | S 50 | 4   | 45     | MODELS: | S 60 | 4   | 45     |
|         | S 50 | 4   | 50     |         | S 60 | 4   | 50     |
|         | S 50 | 4   | 60     |         | S 60 | 4   | 60     |

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION                    |
|---------|------------|---------------|--------------------------------|
| 16..... | H616P..... | 40802085..... | Pivot, load                    |
| 8.....  | H620P..... | 40805312..... | Pivot, center pipe assembly    |
| 5.....  | H621P..... | 40801126..... | Pivot, tip main and transverse |
| 4.....  | H622.....  | 42103282..... | Bearing, shackle assembly      |
| 5.....  | H623.....  | 42103281..... | Bearing, shackle assembly      |
| 16..... | H624.....  | 40805916..... | Bearing, load and fulcrum      |
| 4.....  | H625.....  | 40805922..... | Bearing, fulcrum stand         |
| 10..... | H693.....  | 42040429..... | Anti friction plate            |
| 10..... |            |               | Screw                          |

**\$3,593.00** Suggested list/58 lb shipping weight

# Truck Scale

## Kit No. H-672-K

Suspension Kit For H-663-K

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION            |
|---------|------------|---------------|------------------------|
| 8.....  | H711.....  | 42103228..... | Holder, bearing black  |
| 8.....  | H712.....  | 42103227..... | Pin, top (saddle)      |
| 8.....  | H713.....  | 42103226..... | Pin, bottom (trunnion) |
| 16..... | H714L..... | 62103221..... | Link                   |

**\$3,764.00** Suggested list/280 lb shipping weight

## Kit No. H-664-K

Durasteel Scale Kits, Steel Fabricated T-Levers 50- and 60-Ton, Pit Type, 5 Section

| MODELS: | TON  | SEC | LENGTH |
|---------|------|-----|--------|
|         | S 50 | 5   | 70     |
|         | S 60 | 5   | 70     |

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION                    |
|---------|------------|---------------|--------------------------------|
| 20..... | H616P..... | 40802085..... | Pivot, load                    |
| 10..... | H620P..... | 40805312..... | Pivot, center pipe assembly    |
| 6.....  | H621P..... | 40801126..... | Pivot, tip main and transverse |
| 5.....  | H622.....  | 42103282..... | Bearing, shackle assembly      |
| 6.....  | H623.....  | 42103281..... | Bearing, shackle assembly      |
| 20..... | H624.....  | 40805916..... | Bearing, load and fulcrum      |
| 5.....  | H625.....  | 40805922..... | Bearing, fulcrum stand         |
| 12..... | H693.....  | 42040429..... | Anti friction plate            |
| 12..... |            | 10901952..... | Screw                          |

**\$3,969.00** Suggested list/71 lb shipping weight

## Kit No. H-684-K

Suspension Kit For H-664-K

| QTY     | RL PN      | EQUIV. HOWE # | DESCRIPTION            |
|---------|------------|---------------|------------------------|
| 10..... | H711.....  | 42103228..... | Holder, bearing black  |
| 10..... | H712.....  | 42103227..... | Pin, top (saddle)      |
| 10..... | H713.....  | 42103226..... | Pin, bottom (trunnion) |
| 20..... | H714L..... | 62103221..... | Link                   |

**\$5,884.00** Suggested list/346 lb shipping weight

HOWE®

# Truck Scale

## Kit No. H-659-K

Self-Contained Portable Vehicle Scale, 2-Section, 20 ft x 10 ft and 25 ft x 10 ft, Models 1320 and 1325

Equiv. HOWE # 70819732

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION              |
|---------|-------------|----------------|--------------------------|
| 10..... | H616P ..... | 40802085 ..... | Pivot                    |
| 3.....  | H621P ..... | 40801126 ..... | Pivot                    |
| 3.....  | H622 .....  | 42103282 ..... | Bearing                  |
| 3.....  | H623 .....  | 42103281 ..... | Bearing                  |
| 8.....  | H624 .....  | 40805916 ..... | Bearing                  |
| 8.....  | 15263 ..... | 20906224 ..... | Roll pin 1/4 in x 3/4 in |
| 2.....  | H645 .....  | 42103716 ..... | Bearing                  |
| 6.....  | H693 .....  | 42040429 ..... | Anti friction plates     |
| 6.....  |             | 10901952 ..... | Screw                    |

**\$1,863.00** Suggested list/31 lb shipping weight

## Kit No. H-660-K

Self-Contained Portable Vehicle Scale, 2-Section, 30 ft x 10 ft, Model 1330

Equiv. HOWE # 70819733

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION              |
|---------|-------------|----------------|--------------------------|
| 12..... | H616P ..... | 40802085 ..... | Pivot                    |
| 3.....  | H621P ..... | 40801126 ..... | Pivot                    |
| 2.....  | H622 .....  | 42103282 ..... | Bearing                  |
| 3.....  | H623 .....  | 42103281 ..... | Bearing                  |
| 10..... | H624 .....  | 40805916 ..... | Bearing                  |
| 10..... | 15263 ..... | 20906224 ..... | Roll pin 1/4 in x 3/4 in |
| 6.....  | H693 .....  | 42040429 ..... | Anti friction plates     |
| 6.....  |             | 10901952 ..... | Screw                    |

**\$1,916.00** Suggested list/35 lb shipping weight

## Kit No. H-671-K

Suspension Kit For H-659-K and H-660-K

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION            |
|--------|-------------|----------------|------------------------|
| 4..... | H711 .....  | 42103228 ..... | Bearing block with pin |
| 4..... | H712 .....  | 42103227 ..... | Pin, top (saddle)      |
| 4..... | H713 .....  | 42103226 ..... | Pin, bottom (trunnion) |
| 8..... | H714L ..... | 62103221 ..... | Link                   |

**\$2,463.00** Suggested list/129 lb shipping weight



# Truck Scale

## Kit No. H-661-K

Self-Contained Portable Vehicle Scale, 4-Section, 40 ft x 10 ft and 50 ft x 10 ft, Models 2540 and 2550

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION              |
|---------|-------------|----------------|--------------------------|
| 24..... | H616P ..... | 40802085 ..... | Pivot                    |
| 5.....  | H621P ..... | 40801126 ..... | Pivot                    |
| 4.....  | H622.....   | 42103282 ..... | Bearing                  |
| 5.....  | H623.....   | 42103281 ..... | Bearing                  |
| 16..... | H624.....   | 40805916 ..... | Bearing                  |
| 16..... | 15263 ..... | 20906224 ..... | Roll pin 1/4 in x 3/4 in |
| 4.....  | H645.....   | 42103716 ..... | Bearing                  |
| 10..... | H693.....   | 42040429 ..... | Anti friction plate      |
| 10..... |             | 10901952 ..... | Screw                    |

**\$3,558.00** Suggested list/64 lb shipping weight

## Kit No. H-662-K

Self-Contained Portable Vehicle Scale, 4-Section, 60 ft x 10 ft, Model 2560 and PV 2660

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION              |
|---------|-------------|----------------|--------------------------|
| 24..... | H616P ..... | 40802085 ..... | Pivot                    |
| 5.....  | H621P ..... | 40801126 ..... | Pivot                    |
| 4.....  | H622.....   | 42103282 ..... | Bearing                  |
| 5.....  | H623.....   | 42103281 ..... | Bearing                  |
| 24..... | H624.....   | 40805916 ..... | Bearing                  |
| 20..... | 15263 ..... | 20906224 ..... | Roll pin 1/4 in x 3/4 in |
| 10..... | H693.....   | 42040429 ..... | Anti friction plate      |
| 10..... |             | 10901952 ..... | Screw                    |

**\$3,695.00** Suggested list/73 lb shipping weight

## Kit No. H-672-K

Suspension Kit For H-661-K, H-662-K and H-663-K

| QTY     | RL PN      | EQUIV. HOWE #  | DESCRIPTION            |
|---------|------------|----------------|------------------------|
| 8.....  | H711.....  | 42103228 ..... | Bearing block with pin |
| 8.....  | H712.....  | 42103227 ..... | Pin, top (saddle)      |
| 8.....  | H713.....  | 42103226 ..... | Pin, bottom (trunnion) |
| 16..... | H714L..... | 62103221 ..... | Link                   |

**\$3,764.00** Suggested list/258 lb shipping weight

HOWE®

# Truck Scale

## Kit No. H-675-K

Howe Durasteel Light Truck and Livestock Scales, Models 2811-2817, 1270 and 350

| QTY     | RL PN       | EQUIV. HOWE #  | DESCRIPTION   |
|---------|-------------|----------------|---|
| 2.....  | H616P ..... | 40802085 ..... | Pivot, 1/2 in x 1 1/8 in x 6 1/2 in, square both ends |
| 1.....  | H624.....   | 40805916 ..... | Bearing, 1 in x 1 in x 6 1/2 in, 1/4 in hole bottom   |
| 10..... | 15263 ..... | 20906224 ..... | Roll pin, 1/4 in x 3/4 in                             |
| 8.....  | H644.....   | 42102471 ..... | Ball, 2 3/8 in (Dia) cast                             |
| 8.....  | H655P ..... | 40803860 ..... | Pivot, 1/2 in x 1 1/8 in x 4 in, square both ends     |
| 4.....  | H690.....   | 40816580 ..... | Bearing, 1/2 in x 1/2 in x 4 in                       |
| 4.....  | H691.....   | 40803894 ..... | Bearing, 1 in x 1 in x 4 in                           |
| 2.....  | H692P ..... | 40800899 ..... | Pivot, 1/2 in x 1 1/8 in x 1 3/16 in, tapered ends    |
| 1.....  | H694P ..... | 40804124 ..... | Pivot, 37/64 in x 49/64 in x 2 1/2 in                 |
| 2.....  | H695.....   | 42111183 ..... | Bearing, 1/2 in x 1 1/8 in x 1 1/4 in                 |
| 2.....  | H696.....   | 42111184 ..... | Bearing, 1/2 in x 1 1/8 in x 1 1/4 in                 |
| 5.....  | 15256 ..... | 10902998 ..... | Roll pin, 3/16 in x 1 1/2 in                          |

**\$1,642.00** Suggested list/31 lb shipping weight

## Kit No. H-686-K

Add-On Kit, Load Cell In The Pit, 50- and 60-Ton, 4-Section

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION |
|--------|-------------|----------------|-------------|
| 4..... | H604.....   | 42043940 ..... | Bearing     |
| 2..... | H609.....   | 42044398 ..... | Bearing     |
| 1..... | H623.....   | 42103281 ..... | Bearing     |
| 2..... | H612P ..... | 40801081 ..... | Pivot       |
| 4..... | H626P ..... | 40801080 ..... | Pivot       |
| 1..... | H621P ..... | 40801126 ..... | Pivot       |
| 2..... | H637.....   | 40801235 ..... | Knurled pin |

**\$515.00** Suggested list/5 lb shipping weight

## Kit No. H-687-K

Add-On Kit, Load Cell In the Pit, 50- and 60-Ton, 5-Section

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION    |
|--------|-------------|----------------|----------------|
| 4..... | H604.....   | 42043940 ..... | Bearing        |
| 2..... | H609.....   | 42044398 ..... | Bearing        |
| 4..... | H612P ..... | 40801081 ..... | Pivot          |
| 2..... | H613P ..... | 40801092 ..... | Pivot          |
| 4..... | H618.....   | 42043862 ..... | Friction plate |
| 1..... | H621P ..... | 40801126 ..... | Pivot          |
| 2..... | H623.....   | 42103281 ..... | Bearing        |
| 4..... | H626P ..... | 40801080 ..... | Pivot          |
| 8..... | 15263 ..... | 20906224 ..... | Roll pin       |
| 4..... | 15301 ..... | 20905682 ..... | Roll pin       |
| 2..... | H637.....   | 40801235 ..... | Knurled pin    |

**\$617.00** Suggested list/10 lb shipping weight

# Truck Scale

## Kit No. H-688-K

Add-On Kit, Offset Transverse Lever, 50- and 60-Ton, 4-Section

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION |
|--------|-------------|----------------|-------------|
| 2..... | H613P ..... | 40801092 ..... | Pivot       |
| 4..... | H617P ..... | 40801077 ..... | Pivot       |
| 2..... | H603.....   | 42043937 ..... | Bearing     |
| 4..... | H606.....   | 42043938 ..... | Bearing     |

**\$411.00** Suggested list/3 lb shipping weight

## Kit No. H-689-K

Add-On Kit, Offset Transverse Lever, 80-Ton

| QTY    | RL PN       | EQUIV. HOWE #  | DESCRIPTION |
|--------|-------------|----------------|-------------|
| 2..... | H606.....   | 42043938 ..... | Bearing     |
| 2..... | H608.....   | 42044397 ..... | Bearing     |
| 2..... | H611P ..... | 40801090 ..... | Pivot       |
| 2..... | H613P ..... | 40801092 ..... | Pivot       |
| 2..... | H615P ..... | 40801076 ..... | Pivot       |
| 2..... | H617P ..... | 40801077 ..... | Pivot       |

**\$411.00** Suggested list/4 lb shipping weight

# Railroad Track Scale

## Kit No. H-1203-SRK

Suspension Kit for H-1203-RK

| QTY     | RL PN         | EQUIV. HOWE #  | SIZE                           | DESCRIPTION  |
|---------|---------------|----------------|--------------------------------|--------------|
| 8.....  | H2503RR.....  | 42117581 ..... | 3 x 3 1/4 in (Dia) x 12 1/8 in | Pin lower    |
| 8.....  | H2504RR.....  | 6211785 .....  | 2 in x 10 in x 21 7/8 in.....  | Saddle block |
| 16..... | H2505RRL..... | 62117580 ..... | 1 in x 10 1/4 in x 21 7/8 in   | Link         |

**\$26,269.00** Suggested list/1,761 lb shipping weight

## Kit No. H-1204-RK

Howe 200-Ton, 4-Section, Type 7 - 20 - 100, Cast Straight Lever System, Main Lever Casting #14205, 14205S and 60808935

| QTY     | RL PN          | EQUIV. HOWE #  | SIZE                            | DESCRIPTION                             |
|---------|----------------|----------------|---------------------------------|---|
| 8.....  | H2101RRP ..... | .....          | 1 in x 1 3/4 in x 5 in.....     | Pivot, main lever tip                   |
| 16..... | H2105RRP ..... | 40808259 ..... | 1 in x 2 in x 8 in.....         | Pivot, main lever fulcrum               |
| 8.....  | H2107RRP ..... | 40808260 ..... | 1 1/4 in x 2 1/4 in x 20 in ..  | Pivot, main lever load                  |
| 8.....  | H2311RR .....  | 40810277 ..... | 1 in x 1 15/16 in x 5 3/16 in   | Bearing, main lever tip                 |
| 16..... | H2300RR .....  | 44019193 ..... | 2 in x 2 1/2 in x 7 1/2 in .... | Bearing, main lever fulcrum             |
| 8.....  | H2313RR .....  | 40808238 ..... | 1 in x 1 1/4 in x 20 1/4 in ..  | Bearing, main lever load                |
| 4.....  | H2102RRP ..... | .....          | 1 in x 2 in x 5 in 1/2 in ..... | Pivot, end extension lever load         |
| 4.....  | H2103RRP ..... | .....          | 1 in x 2 in x 5 in 1/2 in ..... | Pivot, end extension lever load         |
| 4.....  | H2302RR .....  | .....          | 2 in x 2 1/4 in x 4 1/2 in .... | Bearing, end extension lever fulcrum    |
| 2.....  | H2309RR .....  | .....          | 1 1/4 in x 2 in x 3 in.....     | Bearing, end extension lever tip        |
| 4.....  | H2310RR .....  | .....          | 1 in x 2 in x 4 1/4 in.....     | Bearing, end extension lever load       |
| 4.....  | H2103RRP ..... | .....          | 1 in x 2 in x 5 1/2 in.....     | Pivot, center extension lever load      |
| 4.....  | H2103RRP ..... | .....          | 1 in x 2 in x 5 1/2 in.....     | Pivot, center extension lever fulcrum   |
| 4.....  | H2303RR .....  | .....          | 2 in x 2 3/16 in x 5 in.....    | Bearing, center extension lever fulcrum |
| 4.....  | H2309RR .....  | .....          | 1 1/4 in x 2 in x 3 in.....     | Bearing, center extension lever tip     |
| 4.....  | H2310RR .....  | .....          | 2 in x 1 15/16 in x 4 1/2 in    | Bearing, center extension lever load    |
| 2.....  | H2108RRP ..... | 42128770 ..... | 1 in x 2 in x 4 1/2 in.....     | Pivot, transverse lever fulcrum         |
| 1.....  | H2113RRP ..... | 40808238 ..... | 3/4 in x 1 1/2 in x 3 1/2 in .  | Pivot, transverse lever nose iron       |
| 1.....  | H2116RRP ..... | 40808230 ..... | 1 in x 2 in x 9 in.....         | Pivot, transverse lever load            |
| 1.....  | H2304RR .....  | .....          | 1 1/2 in x 1 3/4 in x 9 3/16 in | Bearing, transverse lever load          |
| 2.....  | H2305RR .....  | 43019339 ..... | 1 1/2 in x 1 5/8 in x 4 in .... | Bearing, transverse lever fulcrum       |
| 1.....  | H2307RR .....  | 40820611 ..... | 1 1/4 in x 1 3/4 in x 3 5/8 in  | Bearing, transverse lever nose iron     |

**\$27,226.00** Suggested list/562 lb shipping weight

## Kit No. H-1203-RK

Howe Railroad Track Scale, 4-Section, 205-Ton, Durasteel Fabricated Lever System, 20 in Pivots

| QTY     | RL PN          | EQUIV. HOWE #  | SIZE                              | DESCRIPTION                          |
|---------|----------------|----------------|-----------------------------------|--------------------------------------|
| 32..... | H2125RRP ..... | 60816859 ..... | 3/4 in x 1 1/2 in x 10 in.....    | Pivot, main lever load and fulcrum   |
| 4.....  | H2126RRP ..... | 40809026 ..... | 1/2 in x 1 1/8 in x 3 7/8 in..... | Pivot, main lever tip                |
| 8.....  | H2127RRP ..... | 40808408 ..... | 1/2 in x 1 1/8 in x 5 1/4 in..... | Pivot, torque tube load and fulcrum  |
| 1.....  | H621P .....    | 40801126 ..... | 1/2 in x 1 1/8 in x 2 1/4 in..... | Pivot, torque tube tip               |
| 32..... | H2325RR .....  | 60807024 ..... | 1 in x 1 in x 10 in .....         | Bearing, main lever load and fulcrum |
| 4.....  | H2329RR .....  | 42117596 ..... | 1 1/2 in x 1 3/4 in x 4 in.....   | Bearing, main lever tip              |
| 4.....  | H2328RR .....  | 42114956 ..... | 1 1/2 in x 1 3/4 in x 4 1/2 in..  | Bearing, torque tube load            |
| 4.....  | H2322RR .....  | k103229 .....  | 1 in x 1 in x 5 in .....          | Bearing, torque tube fulcrum         |
| 1.....  | H623 .....     | 42103281 ..... | 5/8 in x 1 1/4 in x 2 3/8 in..... | Bearing, torque tube tip             |
| 10..... | H693 .....     | 42040429 ..... | 1 1/4 in (Dia) .....              | Friction plate                       |

**\$18,470.00** Suggested list/215 lb shipping weight

# Railroad Track Scale

## Kit No. H-1150-RK

Howe Railroad Track Scale, 4-Section, 150-Ton, Type 7 - 12 1/2 - 75  
Cast Straight Lever System, Main Lever Casting #14691, 4081390

| QTY     | RL PN          | EQUIV. HOWE #  | SIZE                                  | DESCRIPTION                         |
|---------|----------------|----------------|---------------------------------------|-------------------------------------|
| 8.....  | H2100RRP ..... | 40805933 ..... | 1 in x 1 3/4 in x 3 1/2 in .....      | Pivot, main lever tip               |
| 16..... | H2103RRP ..... | .....          | 1 in x 2 in x 5 1/2 in .....          | Pivot, main lever fulcrum           |
| 8.....  | H2106RRP ..... | .....          | 1 in x 2 in x 12 1/2 in .....         | Pivot, main lever fulcrum           |
| 8.....  | H2108RRP ..... | .....          | 1 in x 2 in x 4 1/2 in .....          | Pivot, center ext lever             |
| 4.....  | H2122RRP ..... | .....          | 1 in x 2 in x 6 in .....              | Pivot, end extension fulcrum        |
| 7.....  | H2113RRP ..... | 40808238 ..... | 3/4 in x 1 1/2 in x 3 1/2 in .....    | Pivot, end and center extension tip |
| 8.....  | H2103RRP ..... | .....          | 1 in x 2 in x 5 1/2 in .....          | Pivot, center ext. Load and fulcrum |
| 1.....  | H2123RRP ..... | .....          | 3/4 in x 2 in x 6 in .....            | Pivot                               |
| 16..... | H2301RR .....  | 40820608 ..... | 2 in x 2 1/2 in x 5 in .....          | Bearing, main lever fulcrum         |
| 4.....  | H2303RR .....  | 42061650 ..... | 2 in x 2 3/16 in x 5 in .....         | Bearing                             |
| 8.....  | H2306RR .....  | 40814207 ..... | 1 1/2 in x 1 3/4 in x 3 9/16 in ..... | Bearing                             |
| 8.....  | H2308RR .....  | 42128770 ..... | 1 1/2 in x 1 3/4 in x 3 9/16 in ..... | Bearing                             |
| 8.....  | H2309RR .....  | .....          | 1 1/4 in x 2 in x 3 in .....          | Bearing                             |
| 8.....  | H2312RR .....  | 40810276 ..... | 1 in x 1 1/2 in x 12 5/8 in .....     | Bearing, main lever load            |
| 9.....  | H2307RR .....  | 40820611 ..... | 1 1/2 in x 1 3/4 in x 3 5/8 in .....  | Bearing                             |
| 4.....  | H2302RR .....  | .....          | 2 in x 2 3/16 in x 5 1/16 in .....    | Bearing                             |
| 1.....  | H2317RR .....  | 42114518 ..... | 1 1/2 in x 1 3/4 in x 6 in .....      | Bearing, transverse lever load      |
| 2.....  | H2305RR .....  | 43019339 ..... | 1 1/2 in x 1 5/8 in x 4 in .....      | Bearing, trans. Lever load fulcrum  |

**\$25,312.00** Suggested list/402 lb shipping weight

## Kit No. H-1202-RK

Howe Railroad Track Scale, 4-Section, 200-Ton, Durasteel Fabricated Lever System, 25 in Pivots

| QTY     | RL PN          | EQUIV. HOWE #  | SIZE                                 | DESCRIPTION              |
|---------|----------------|----------------|--------------------------------------|--------------------------|
| 32..... | H2117RRP ..... | .....          | 3/4 in x 1 1/2 in x 12 3/8 in .....  | Pivot                    |
| 4.....  | H2112RRP ..... | 40810276 ..... | 3/4 in x 1 1/2 in x 5 in .....       | Pivot                    |
| 24..... | H2111RRP ..... | 40810277 ..... | 3/4 in x 1 1/2 in x 6 1/2 in .....   | Pivot                    |
| 2.....  | H611P .....    | 40801090 ..... | 1/2 in x 1 1/8 in x 2 3/4 in .....   | Pivot                    |
| 1.....  | H621P .....    | 40801126 ..... | 1/2 in x 1 1/8 in x 2 1/4 in .....   | Pivot                    |
| 32..... | H2319RR .....  | 40816724 ..... | 1 in x 1 1/4 in x 12 3/8 in .....    | Bearing                  |
| 6.....  | H2318RR .....  | 40816725 ..... | 1 in x 1 1/4 in x 6 1/2 in .....     | Bearing                  |
| 4.....  | H2317RR .....  | 4k114518 ..... | 1 1/2 in x 1 3/4 in x 6 in .....     | Bearing                  |
| 4.....  | H2316RR .....  | 4k114517 ..... | 1 1/2 in x 1 3/4 in x 5 1/8 in ..... | Bearing                  |
| 2.....  | H2320RR .....  | 41039539 ..... | 1 in x 1 7/16 in x 2 3/8 in .....    | Bearing                  |
| 1.....  | H622 .....     | 42103282 ..... | 5/8 in x 1 1/4 in x 2 3/8 in .....   | Bearing                  |
| 1.....  | H623 .....     | 42103281 ..... | 5/8 in x 1 1/4 in x 2 3/8 in .....   | Bearing, torque tube tip |
| 6.....  | H634 .....     | 20906224 ..... | 1/4 in (Dia) x 3/4 in .....          | Roll pin                 |
| 32..... | H674 .....     | 20906148 ..... | 3/8 in (Dia) x 1 1/2 in .....        | Roll pin                 |
| 10..... | H693 .....     | 42040429 ..... | 1 1/4 in (Dia) .....                 | Friction plate           |

**\$30,955.00** Suggested list/357 lb shipping weight

## Kit No. H-1202-SRK

Suspension Kit for H-1202-RK

| QTY     | RL PN         | EQUIV. HOWE #  | SIZE                               | DESCRIPTION          |
|---------|---------------|----------------|------------------------------------|----------------------|
| 16..... | H2500RR ..... | K114407 .....  | 1 1/4 in x 10 1/2 in x 25 in ..... | Link                 |
| 8.....  | H2501RR ..... | 62121944 ..... | 2 in x 12 in x 25 in .....         | Upper block with pin |
| 8.....  | H2502RR ..... | K114397 .....  | 4 in (Dia) x 12 1/2 in .....       | Lower pin            |

**\$26,694.00** Suggested list/2405 lb shipping weight



# CARDINAL

CARDINAL®

# Cardinal Price Index By Rice Lake Weighing Systems PN

CARDINAL®

| RL PN SUGGESTED LIST |            |           | PAGE # | RL PN SUGGESTED LIST |          |           | PAGE # | RL PN SUGGESTED LIST |          |     | PAGE # |
|----------------------|------------|-----------|--------|----------------------|----------|-----------|--------|----------------------|----------|-----|--------|
| 10029                | \$210.00   | 225       |        | 109640               | \$37.00  | 224       |        | CM738                | \$112.00 | 225 |        |
| 15232                | \$4.00     | XX        |        | 109641               | \$44.00  | 224       |        | CM739L               | \$123.00 | 226 |        |
| 15263                | \$1.10     | 223       |        | 109642               | \$53.00  | 224       |        | CM740                | \$221.00 | 225 |        |
| 15266                | \$2.00     | Not Shown |        | 109643               | \$55.00  | 224       |        | CM741                | \$221.00 | 225 |        |
| 15274                | \$1.00     | 223       |        | 109644               | \$81.00  | 224       |        | CM742P               | \$52.00  | 218 |        |
| 15285                | \$1.00     | 223       |        | 111251               | \$426.00 | 228       |        | CM743P               | \$53.00  | 218 |        |
| 15295                | \$3.00     | Not Shown |        | 154029               | \$21.00  | 222       |        | CM744P               | \$52.00  | 218 |        |
| 15297                | \$3.00     | Not Shown |        | 154030               | \$22.00  | 222       |        | CM745P               | \$60.00  | 218 |        |
| 15306                | \$10.00    | Not Shown |        | 156479               | \$121.00 | 226,228   |        | CM746P               | \$31.00  | 219 |        |
| 22005                | \$0.35     | XX        |        | CM701                | \$47.00  | 223       |        | CM747                | \$80.00  | 223 |        |
| 22100                | \$2.50     | Not Shown |        | CM702                | \$62.00  | 223       |        | CM748P               | \$81.00  | 224 |        |
| 44793                | \$62.00    | 220       |        | CM703P               | \$37.00  | 224       |        | CM749                | \$265.00 | 225 |        |
| 46285                | \$69.00    | 219       |        | CM704P               | \$55.00  | 224       |        | CM750                | \$59.00  | 218 |        |
| 46296                | \$46.00    | 220       |        | CM705                | \$46.00  | 223       |        | CM751                | \$64.00  | 218 |        |
| 46299                | \$225.00   | 221       |        | CM706                | \$46.00  | 223       |        | CM752                | \$60.00  | 218 |        |
| 46302                | \$120.00   | 221       |        | CM707                | \$58.00  | 223       |        | CM753                | \$51.00  | 218 |        |
| 46307                | \$75.00    | 219       |        | CM708                | \$60.00  | 223       |        | CM754                | \$51.00  | 218 |        |
| 46323                | \$85.00    | 220       |        | CM709                | \$67.00  | 223       |        | CM755                | \$58.00  | 220 |        |
| 65351                | \$65.00    | 219       |        | CM710P               | \$34.00  | 224       |        | CM756                | \$117.00 | 222 |        |
| 66219                | \$297.00   | 227       |        | CM711P               | \$36.00  | 224       |        | CM757                | \$68.00  | 218 |        |
| 67297                | \$1,069.00 | 229       |        | CM712P               | \$44.00  | 224       |        | CM759                | \$127.00 | 224 |        |
| 67497                | \$130.00   | 229       |        | CM713P               | \$53.00  | 224       |        | CM761P               | \$34.00  | 219 |        |
| 69431                | \$143.00   | 229       |        | CM714P               | \$70.00  | 224       |        | CM762P               | \$28.00  | 219 |        |
| 71005                | \$51.00    | 220       |        | CM715L               | \$127.00 | 226       |        | CM763                | \$41.00  | 220 |        |
| 71006                | \$127.00   | 218       |        | CM715L-2             | \$16.00  | Not Shown |        | CM764                | \$46.00  | 220 |        |
| 71008                | \$52.00    | 220       |        | CM716                | \$259.00 | 225       |        | CM765                | \$399.00 | 227 |        |
| 89095                | \$136.00   | 226,228   |        | CM716-1              | \$13.00  | Not Shown |        | CM766                | \$105.00 | 225 |        |
| 89099                | \$154.00   | 225,228   |        | CM717                | \$125.00 | 225       |        | CM767                | \$399.00 | 227 |        |
| 89102                | \$94.00    | 229       |        | CM718                | \$103.00 | 222       |        | CM768                | \$152.00 | 226 |        |
| 89103                | \$182.00   | 229       |        | CM719                | \$79.00  | 222       |        | CM769                | \$248.00 | 221 |        |
| 89137                | \$210.00   | 229       |        | CM720                | \$82.00  | 222       |        | CM769-2              | \$77.00  | 220 |        |
| 89223                | \$254.00   | 225       |        | CM721                | \$27.00  | 222       |        | CM770P               | \$99.00  | 219 |        |
| 89286                | \$144.00   | 221       |        | CM725P               | \$36.00  | 219       |        | CM771                | \$251.00 | 225 |        |
| 89289                | \$154.00   | 226       |        | CM726                | \$51.00  | 219       |        | CM772L               | \$127.00 | 226 |        |
| 89438                | \$83.00    | 228       |        | CM727                | \$95.00  | 221       |        | CM773                | \$101.00 | 221 |        |
| 89455                | \$231.00   | 222       |        | CM728                | \$90.00  | 221       |        | CM775L               | \$123.00 | 226 |        |
| 89466                | \$426.00   | 228       |        | CM729                | \$144.00 | 221       |        | CM776                | \$262.00 | 221 |        |
| 89728                | \$79.00    | 228       |        | CM730P               | \$90.00  | 224       |        | CM777                | \$59.00  | 220 |        |
| 90815                | \$18.00    | 222       |        | CM731                | \$108.00 | 223       |        | CM778P               | \$54.00  | 220 |        |
| 90836                | \$17.00    | 222       |        | CM732                | \$36.00  | 220       |        | CM779                | \$432.00 | 227 |        |
| 90846                | \$15.00    | 222       |        | CM733                | \$173.00 | 221       |        | CM783                | \$227.00 | 221 |        |
| 91765                | \$1,275.00 | 228       |        | CM734P               | \$47.00  | 219       |        | CM784L               | \$134.00 | 226 |        |
| 94458                | \$32.00    | 222       |        | CM735P               | \$49.00  | 219       |        | CM785                | \$392.00 | 227 |        |
| 94459                | \$41.00    | 222       |        | CM736                | \$58.00  | 219       |        | CM787                | \$70.00  | 218 |        |
| 109639               | \$34.00    | 224       |        | CM737                | \$372.00 | 227       |        | CM789P               | \$60.00  | 218 |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.



# Cardinal Cross Reference By Equivalent Cardinal Number

| EQUIV.<br>CARDINAL # | RL<br>PN                | PAGE #  | EQUIV.<br>CARDINAL # | RL<br>PN  | PAGE #  | EQUIV.<br>CARDINAL # | RL<br>PN | PAGE # |
|----------------------|-------------------------|---------|----------------------|-----------|---------|----------------------|----------|--------|
| 100-1465             | 67297                   | 229     | 0119-C068            | CM785     | 227     | 1401-B008-2          | CM734P   | 219    |
| 0102-C011            | 156479                  | 226,228 | 0309-B003            | CM773     | 221     | 1401-B009-1          | CM735P   | 219    |
| 0103-B120-08         | 89099                   | 225,228 | 0309-B044 C25        | SZ16951   | XX      | 1401-B011-1          | CM770P   | 219    |
| 0103-C204-OA         | 111251                  | 228     | 0309-C003-3          | SZ17269   | XX      | 1411-B004            | CM732    | 220    |
| 0105-C071-OA         | 156480                  | XX      | 0309-C007-61         | CM776     | 221     | 1411-B005            | CM755    | 220    |
| 0112-B242-08         | 89223                   | 225     | 0309-C008-60         | CM783     | 221     | 1411-B006            | CM769-2  | 220    |
| 0113-B374-08         | SZ19209                 | XX      | 0309-C149-OA         | SZ16950   | XX      | 1411-B007            | CM726    | 219    |
| 0119-B127-53         | CM719<br>CM720<br>CM721 | 222     | 0309-0150-OA         | SZ16949   | XX      | 1411-B008            | CM757    | 218    |
| 0119-B007            | CM715L                  | 226     | 0409-B013            | CM769     | 220,221 | 1412-B001-3          | CM702    | XX     |
| 0119-B018            | CM716                   | 225     | 0409-B015            | CM733     | 221     | 1412-B001-5          | CM747    | 223    |
| 0119-B019            | CM717                   | 225     | 0409-B027            | CM728     | 221     | 1412-B001-7          | CM731    | 223    |
| 0119-B022            | CM749                   | 225     | 0409-B028            | CM727     | 221     | 1412-B001-9          | CM701    | 223    |
| 0119-B025            | CM738                   | 225     | 0409-B029            | CM729     | 221     | 1412-B001-13         | CM708    | 223    |
| 0119-B026            | CM740                   | 225     | 0409-B040 C10        | nose iron | XX      | 1412-B001-19         | CM707    | 223    |
| 0119-B028            | CM766                   | 225     | 0409-B051            | nose iron | XX      | 1412-B012-13         | CM708    | 223    |
| 0119-B013-1          | CM756                   | 222     | 0604-B090            | 71006     | 218     | 1417-B001            | CM750    | 218    |
| 0119-B103-2          | CM718                   | 222     | 1400-B001-5          | CM712P    | 224     | 1417-B002            | CM787    | 218    |
| 0119-B125-52         | CM759                   | 224     | 1400-B001-9          | CM703P    | 224     | 1417-B003            | CM751    | 218    |
| 0119-B127-52         | CM719                   | 222     | 1400-B001-13         | CM710P    | 224     | 14SRF                | CM771    | 225    |
| 0119-B127-52         | CM720                   | 222     | 1400-B001-19         | CM704P    | 224     | 16SRF                | CM715L   | 226    |
| 0119-B127-52         | CM721                   | 222     | 1400-B001-21         | CM748P    | 224     | 17SRF                | CM717    | 225    |
| 0119-B195            | CM784L                  | 226     | 1400-B001-25         | CM713P    | 224     | 24SR                 | CM788    | XX     |
| 0119-B197            | CM749                   | 225     | 1400-B001-21         |           | XX      | 26SR                 | CM768L   | XX     |
| 0119-C007            | CM784L                  | 226     | 1400-B001-27         |           | XX      | 27SR                 | CM766    | XX     |
| 0119-C008            | CM767                   | 227     | 1400-B001-29         | CM730P    | 224     | 44SRF                | CM741    | 225    |
| 0119-C009            | CM765                   | 227     | 1400-B004            | CM761P    | 219     | 46SRF                | CM775L   | 226    |
| 0119-C010            | CM779                   | 227     | 1400-B005            | CM789P    | 218     | 47SRF                | CM738    | 225    |
| 0119-C011            | CM790<br>SZ5617         | XX      | 1400-B006            | CM742P    | 218     | 61353-3              | CM733    | 221    |
| 0119-C013            | CM780                   | 227     | 1400-B007            | CM744P    | 218     | C-37                 | CM727    | 221    |
| 0119-C014            | CM739L                  | 226     | 1400-B008            | CM743P    | 218     | C-38                 | CM728    | 221    |
| 0119-C016            | CM737                   | 227     | 1400-B009            | CM745P    | 218     | C-39                 | CM729    | 221    |
| 0119-C017            | CM768L                  | XX      | 1401-B006-1          | CM762P    | 219     | C113                 | CM769    | 221    |
| 0119-C019            | CM788                   | XX      | 1401-B006-3          | CM746P    | 219     | D68                  | CM733    | 221    |
| 0119-0040            | 66219                   | 227     | 1401-B007-2          | CM725P    | 219     | 2993-B021-08         | 89728    | 228    |
|                      |                         |         |                      |           |         | 6020-0060            | 15263    | 223    |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Individual Cardinal Scale Parts


## Dormant Scale Parts

| RICE LAKE PN | DESCRIPTION  | SUGG. LIST |   |
|--------------|--|------------|---|
| CM744P       | Equiv. Cardinal no. 1400-B007<br>Size: 3/8 in x 3/4 in x 1 in<br>Pivot, tapered ends                             | \$52.00    |   |
| CM742P       | Equiv. Cardinal no. 1400-B006<br>Size: 3/8 in x 3/4 in x 1 1/4 in<br>Pivot                                       | \$52.00    |    |
| CM743P       | Equiv. Cardinal no. 1400-B008<br>Size: 3/8 in x 3/4 in x 1 7/8 in<br>Pivot                                       | \$53.00    |   |
| CM789P       | Equiv. Cardinal no. 1400-B005<br>Size: 3/8 in x 3/4 in x 2 3/8 in<br>Pivot, tapered ends                         | \$60.00    |   |
| CM745P       | Equiv. Cardinal no. 1400-B009<br>Size: 3/8 in x 3/4 in x 2 3/4 in<br>Pivot                                       | \$60.00    |    |
| CM752        | Equiv. Cardinal no. 265 R15<br>Size: 15/16 in x 15/16 in x 1 in<br>Bearing                                       | \$60.00    |    |
| CM753        | Equiv. Cardinal no. 265 R225, 1411-B007<br>Size: 15/16 in x 15/16 in x 1 in<br>Bearing                           | \$51.00    |  |
| CM754        | Equiv. Cardinal no. 265 R219<br>Size: 7/8 in x 7/8 in x 11/16 in<br>Bearing                                      | \$51.00    |   |
| CM757        | Equiv. Cardinal no. 1411-B008, 265 R217<br>Size: 15/16 in x 1 3/8 in x 2 1/2 in<br>Hole size: .515 in<br>Bearing | \$68.00    |  |
| CM750        | Equiv. Cardinal no. 1400-B001, 265R110<br>Size: 1 in dia x 9/16 in<br>Bearing                                    | \$59.00    |   |
| CM751        | Equiv. Cardinal no. 1417-B003, 265 R21<br>Size: 1 1/4 in dia x 1 in<br>Bearing                                   | \$64.00    |  |
| CM787        | Equiv. Cardinal no. 1417-B002<br>Size: 2 in dia x 1 3/8 in<br>Bearing  | \$70.00    |   |
| 71006        | Equiv. Cardinal no. 0604-B090<br>Size: 1 5/8 in x 1 in x 4 1/4 in<br>Center connection                           | \$127.00   |  |




# Individual Cardinal Scale Parts

## Hopper Scale Parts

| RICE LAKE PN | DESCRIPTION   | SUGG. LIST |
|--------------|---|------------|
| CM762P       | Equiv. Cardinal no. 1401-B006-1<br>Size: 3/8 in x 3/8 in x 2 in<br>Pivot                          | \$28.00    |
| CM746P       | Equiv. Cardinal no. 1401-B006-3<br>Size: 3/8 in x 3/8 in x 3 in<br>Pivot                          | \$31.00    |
| CM725P       | Equiv. Cardinal no. 1401-B007-2<br>Size: 1/2 in x 1/2 in x 3 in<br>Pivot                          | \$36.00    |
| CM734P       | Equiv. Cardinal no. 1401-B008-2<br>Size: 5/8 in x 5/8 in x 3 1/2 in<br>Pivot                      | \$47.00    |
| CM735P       | Equiv. Cardinal no. 1401-B009-1<br>Size: 3/4 in x 3/4 in x 3 1/2 in<br>pivot                      | \$49.00    |
| 65351        | Equiv. Cardinal no. n/a<br>Size: 3/4 in x 3/4 in x 3 1/2 in<br>Pivot, stainless steel             | \$65.00    |
| CM770P       | Equiv. Cardinal no. 1401-B011-1<br>Size: 1 in x 1 in x 5 in<br>Pivot                              | \$99.00    |
| 46285        | Pivot<br>Size: 1 in dia x 3 1/2 in<br>Use wedge 46286   | \$69.00    |
| CM761P       | Equiv. Cardinal no. 1400-B004<br>Size: 1/4 in x 5/8 in x 7/8 in<br>Pivot                          | \$34.00    |
| 46307        | Equiv. Cardinal no. n/a<br>Size: 1/4 in x 5/8 in x 7/8 in<br>Pivot, stainless steel               | \$75.00    |
| CM726        | Equiv. Cardinal no. 1411-B007<br>Size: 1 in x 7/8 in x 1 1/8 in<br>Hole size: 21/64 in<br>Bearing | \$51.00    |
| CM736        | Equiv. Cardinal no. n/a<br>Size: 1 1/4 in x 1 in x 1 1/4 in<br>Hole size: 25/64 in<br>Bearing     | \$58.00    |
| 89455        | Equiv. Cardinal no. 0409-C017-OA<br>Size: 1 1/4 in x 2 1/4 in x 9 3/8 in<br>Center connection     | \$231.00   |











Must measure the size of old pivot with a micrometer. We will grind to size for CONSULT3.00 each



CARDINAL®

# Individual Cardinal Scale Parts






Hopper Scale Parts (Cont.)

| RICE LAKE PN   | DESCRIPTION   | SUGGESTED LIST     |   |
|----------------|---|--------------------|---|
| 71005          | Equiv. Cardinal no. n/a<br>Size: 1 in x 1 in x 1 1/4 in   | \$51.00            |    |
| 71008          | Equiv. Cardinal no. n/a<br>Size: 1 in x 1 1/4 in x 1 1/8 in<br>With frictions   | \$52.00            |    |
| CM755          | Equiv. Cardinal no. 1411-B005<br>Size: 1 3/8 in x 15/16 in x 1 5/16 in<br>Bearing   | \$58.00            |   |
| 46323          | Equiv. Cardinal no. n/a<br>Size: 1 3/8 in x 15/16 in x 1 5/16 in<br>Bearings, stainless steel   | \$85.00            |   |
| 44793          | Equiv. Cardinal no. n/a<br>Size: 1 3/8 in x 1 3/8 in x 1 5/16 in<br>Hole size: 3/8 in<br>Bearing  | \$62.00            |    |
| CM769-2        | Equiv. Cardinal no. 1411-B006<br>Size: 1 3/4 in x 1 1/2 in x 1 13/16 in<br>Hole size: 5/8 in<br>Bearing   | \$77.00            |   |
| CM732          | Equiv. Cardinal no. 1411-B004<br>Size: 25/32 in x 25/32 in x 17/32 in<br>Hole size: 1/4 in - offset<br>Bearing  | \$36.00            |   |
| CM763          | Equiv. Cardinal no. n/a<br>Size: 3/4 in x 3/4 in x 1 in<br>Hole size: 1/4-20 thread<br>Bearing<br>Screw not included<br>Use screw, Rice Lake PN 22005                               | \$41.00            |  |
| CM764<br>46296 | Equiv. Cardinal no. n/a<br>Size: 3/4 in x 3/4 in x 1 1/4 in SST<br>Hole size: 1/4-20 thread<br>Bearing, with friction plates<br>Screw not included<br>Use screw, Rice Lake PN 22005 | \$46.00<br>\$46.00 |  |
| CM777          | Equiv. Cardinal no. n/a<br>Size: 3/4 in x 3/4 in x 4 5/8 in<br>Hole size: 1/4 in dia  | \$59.00            |  |
| CM778P         | Equiv. Cardinal no. n/a<br>Size: 3/8 in x 3/4 in x 4 5/8 in<br>Pivot  | \$54.00            |  |

# Individual Cardinal Scale Parts

Hopper Scale Parts (Cont.)

| RICE LAKE PN | DESCRIPTION  | SUGG. LIST |
|--------------|--|------------|
| CM728        | Equiv. Cardinal no. C-38, 0409-B027<br>Size: A. 2 in B. 3/4 in C. 9/16 in<br>Assembly includes CM732 bearings<br>And Rice Lake PN 15266 pins   | \$90.00    |
| CM727        | Equiv. Cardinal no. C-37, 0409-B028<br>Size: A. 3 1/8 in B. 1 in C. 9/16 in<br>Assembly includes Rice Lake PN CM726<br>Bearings and Rice Lake PN 22100 pins  | \$95.00    |
| CM729        | Equiv. Cardinal no. C-39, 0409-B029<br>Size: A. 4 in B. 1 3/8 in C. 1 in<br>Assembly includes Rice Lake PN CM755<br>Bearings and Rice Lake PN 15295 pins<br>Cotter pin pn15232   | \$144.00   |
| 46299        | Equiv. Cardinal no. C-39, 0409-B029<br>Size: A. 4 in B. 1 3/8 in C. 1 in<br>assembly includes bearing<br>PN 46323 and pin PN 47992 stainless steel   | \$225.00   |
| 89286        | Equiv. Cardinal no.<br>Size A. 3 13/16 in B. 1 3/8 in C. 1 in<br>New style CM729 with taller<br>Bearings, PN 44793   | \$144.00   |
| CM769        | Equiv. Cardinal no. C113, 0409-B013<br>Size: A. 4 1/4 in B. 1 3/4 in C. 1 1/2 in<br>Assembly includes Rice Lake PN CM769-2<br>Bearings and Rice Lake PN 15306 pins   | \$248.00   |
| CM733        | Equiv. Cardinal no. D68, 61353-3, 0409-B015<br>Size of plate: 1 in x 3/8 in x 2 3/4 in<br>Size of bearing: 3/4 in x 3/4 in x 1 in<br>Size of bolt: 3/8 in - 16 in x 6 in<br>Upper bearing: Rice Lake PN CM763<br>Lower bearing: Rice Lake PN CM764 | \$173.00   |
| CM776        | Equiv. Cardinal no. 0309-C007-61<br>Base: 8 in x 8 in<br>Total height: 10 1/2 in<br>FS2.5, FS3, FS4<br>See page xxx for other chair  | \$262.00   |
| CM773        | Equiv. Cardinal no. 0309-B003<br>Size: 1 1/4 in dia x 5 1/4 in<br>Trunnion pin<br>FS2.5, FS3, FS4  | \$101.00   |
| 46302        | Equiv. Cardinal no.<br>Size: 1 1/4 in dia x 5 1/4 in SST<br>Trunnion pin<br>FS2.5, FS3, FS4  | \$120.00   |
| CM783        | Equiv. Cardinal no. 0309-C008-60<br>Base: 8 in x 8 in<br>Total height: 8 in<br>Assembly includes Rice Lake PN CM755<br>Bearings and Rice Lake PN 15297 pins<br>FS2.5, FS3, FS4<br>See page 328 for other stands                                    | \$227.00   |








CARDINAL®

# Individual Cardinal Scale Parts

## Truck Scale Parts

CARDINAL®

| RICE LAKE PN | DESCRIPTION  | SUGGESTED LIST |   |
|--------------|--|----------------|---|
| CM718        | Equiv. Cardinal no. 0119-B103-2<br>Size: bearing, 1 5/8 in long<br>3 1/4 in loop length, inside<br>Transverse lever tip loop   | \$103.00       |  |
| CM756        | Equiv. Cardinal no. 0119-B103-1<br>Size: bearing, 2 1/8 in long<br>3 1/2 in inside loop length<br>Transverse lever tip loop  | \$117.00       |  |
| CM719        | Equiv. Cardinal no. 0119-B127-52<br>Size: bearing, 2 1/8 in long<br>Total length 5 in<br>Between holes 3 1/4 in center to center<br>Hole size: 11/16 in<br>Upper center connection | \$79.00        |  |
| CM720        | Equiv. Cardinal no. 0119-B127-52<br>Size: bearing, 2 1/8 in long<br>Total length 5 in<br>Between holes 3 1/4 in center to center<br>Hole size: 11/16 in<br>Lower center connection | \$82.00        |  |
| *CM721       | Equiv. Cardinal no. 0119-B127-52<br>Size: 5/8 in dia x 18 in long<br>Main lever shackle bolt<br>Other bolts listed below   | \$27.00        |  |

### \*OTHER BOLTS AVAILABLE

| RICE LAKE PN | DESCRIPTION                 | SUGGESTED LIST |
|--------------|-----------------------------|----------------|
| 154030.....  | 1/2 in - 13 x 16 in .....   | \$22.00        |
| 90846.....   | 5/8 in - 11 x 8 in .....    | \$15.00        |
| 90836.....   | 5/8 in - 11 x 13 in .....   | \$17.00        |
| 90815.....   | 5/8 in - 11 x 16 in .....   | \$18.00        |
| CM721 .....  | 5/8 in - 11 x 18 in .....   | \$27.00        |
| 154029.....  | 3/4 in - 10 x 12 in .....   | \$21.00        |
| 94458.....   | 3/4 in - 10 x 15 in .....   | \$32.00        |
| 94459.....   | 3/4 in - 10 in x 21 in..... | \$41.00        |
| .....        | 7/8 in - 9 in x 19 in.....  | CONSULT        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.


XX Call for details.

# Individual Cardinal Scale Parts

## Truck Scale Parts (Cont.)

| RICE LAKE PN | DESCRIPTION  | SUGGESTED LIST |
|--------------|--|----------------|
| CM705        | Equiv. Cardinal no. n/a<br>Size: 1 in x 1 in x 1 1/2 in long<br>Bearing      | \$46.00        |
| CM706        | Equiv. Cardinal no. n/a<br>Size: 1 in x 1 in x 1 3/4 in long<br>Bearing      | \$46.00        |
| CM701        | Equiv. Cardinal no. 1412-B001-9<br>Size: 1 in x 1 in x 2 in long<br>Bearing  | \$47.00        |
| CM707        | Equiv. Cardinal no. 1412-B001-19<br>Size: 1 in x 1 in x 4 in long<br>Bearing | \$58.00        |
| CM708        | Equiv. Cardinal no. 1412-B001-13<br>Size: 1 in x 1 in x 5 in long<br>Bearing | \$60.00        |
| CM702        | Equiv. Cardinal no. 1412-B001-3<br>Size: 1 in x 1 in x 6 in long<br>Bearing  | \$62.00        |
| CM709        | Equiv. Cardinal no. n/a<br>Size: 1 in x 1 in x 7 in long<br>Bearing          | \$67.00        |
| CM747        | Equiv. Cardinal no. 1412-B001-5<br>Size: 1 in x 1 in x 8 in long<br>Bearing  | \$80.00        |
| CM731        | Equiv. Cardinal no. 1412-B001-7<br>Size: 1 in x 1 in x 10 in long<br>Bearing | \$108.00       |
| 15274        | Equiv. Cardinal no. n/a<br>Size: 5/16 in dia x 3/4 in<br>Roll pin            | \$1.00         |
| 15263        | Equiv. Cardinal no. n/a<br>Size: 1/4 in dia x 3/4 in<br>Roll pin             | \$1.10         |
| 15285        | Equiv. Cardinal no. Na<br>Size: 3/8 in dia x 1 in<br>Roll pin                | \$1.00         |

HOLE SIZE ON ALL BEARINGS  
5/16 in DIAMETER



PIN SOLD SEPARATELY  
BELOW




CARDINAL®

# Individual Cardinal Scale Parts


## Truck Scale Parts (Cont.)

CARDINAL®

| RICE LAKE PN | DESCRIPTION   | SUGGESTED LIST |
|--------------|---|----------------|
| CM710P       | Equiv. Cardinal no. 1400-B001-13<br>Size: 1/2 in x 1 1/8 in x 1 1/2 in long<br>Pivot: | \$34.00        |
| 109639       | 0.484 in x 1 in x 1 1/2 in  | \$34.00        |
| CM711P       | Equiv. Cardinal no. n/a<br>Size: 1/2 in x 1 1/8 in x 1 3/4 in long<br>Pivot:          | \$36.00        |
| CM703P       | Equiv. Cardinal no. 1400-B001-9<br>Size: 1/2 in x 1 1/8 in x 2 in long<br>Pivot:      | \$37.00        |
| 109640       | 0.484 in x 1 in x 2 in  | \$37.00        |
| CM712P       | Equiv. Cardinal no. 1400-B001-5<br>Size: 1/2 in x 1 1/8 in x 3 7/8 in long<br>Pivot:  | \$44.00        |
| 109641       | 0.484 in x 1 in x 3 7/8 in  | \$44.00        |
| CM713P       | Equiv. Cardinal no. 1400-B001-25<br>Size: 1/2 in x 1 1/8 in x 5 in long<br>Pivot:     | \$53.00        |
| 109642       | 0.484 in x 1 in x 5 in  | \$53.00        |
| CM704P       | Equiv. Cardinal no. 1400-B001-19<br>Size: 1/2 in x 1 1/8 in x 6 in long<br>Pivot:     | \$55.00        |
| 109643       | 0.484 in x 1 in x 6 in  | \$55.00        |
| *CM714P      | Equiv. Cardinal no. n/a<br>Size: 1/2 in x 1 1/8 in x 7 in long<br>Pivot:              | \$70.00        |
| CM748P       | Equiv. Cardinal no. 1400-B001-21<br>Size: 1/2 in x 1 1/8 in x 8 in long<br>Pivot:     | \$81.00        |
| 109644       | 0.484 in x 1 in x 8 in  | \$81.00        |
| CM730P       | Equiv. Cardinal no. 1400-B001-29<br>Size: 1/2 in x 1 1/8 in x 10 in long<br>Pivot:    | \$90.00        |
| CM759        | Equiv. Cardinal no. 0119-B125-52<br>Size: 1 3/4 in x 4 in x 15 in long<br>Shackle     | \$127.00       |



**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
When ordering, measure  
height and thickness. This  
may vary. CONSULT3.00 net  
charge each for grinding  
to size.







\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.



# Individual Cardinal Scale Parts

## Truck Scale Parts (Cont.)



| RICE LAKE PN | DESCRIPTION  | SUGGESTED LIST |   |
|--------------|--|----------------|---|
| CM738        | Equiv. Cardinal no. 0119-B025, 47SRF<br>Size: 1 3/4 in dia x 8 1/4 in long<br>Use with CM740 or CM741<br>Trunnion (link pin)                                 | \$112.00       |    |
| CM717        | Equiv. Cardinal no. 0119-B019, 17SRF<br>Size: 2 in dia x 9 1/4 in long<br>Use with CM716, CM771, or CM749<br>Trunnion (link pin)                             | \$125.00       |   |
| CM766        | Equiv. Cardinal no. 27SR and 0119-B028<br>Size: 1 1/4 in dia x 6 3/8 in long<br>Use with CM788 and CM768L<br>Trunnion (link pin)                             | \$105.00       |   |
| 89099        | Equiv. Cardinal no. 0103-B120-08<br>Size: 2 1/2 in dia x 11 1/4 in<br>Trunnion old style; model EPR  | \$154.00       |    |
| 89223        | Equiv. Cardinal no. 0112-B242-08<br>Size: 6 in x 4 1/2 in x 27 3/4 in<br>Trunnion; model LPL   | \$254.00       |    |
| CM740        | Equiv. Cardinal no. 0119-B026<br>Size: 5 3/4 in x 3/8 in x 4 1/2 in<br>Welded on tabs to hold bearing<br>Use bearing CM708 and link CM739L<br>Type A         | \$221.00       |  |
| CM741        | Equiv. Cardinal no. 44SRF<br>Size: 5 3/4 in x 2 5/8 in x 4 1/2 in<br>Machined slot to hold bearing<br>Use bearing CM708 and link CM775L<br>Type B            | \$221.00       |   |
| CM716        | Equiv. Cardinal no. 0119-B018, 14SRF<br>Size: 5 3/4 in x 4 in x 5 1/2 in<br>Welded on tabs to hold bearing<br>Use bearing CM702 and link CM715L<br>Type A    | \$259.00       |   |
| CM771        | Equiv. Cardinal no. 14SRF<br>Size: 5 3/4 in x 3 1/4 in x 5 1/2 in<br>Machined slot to hold bearing<br>Use bearing CM702 and link CM772L<br>Type A            | \$251.00       |  |
| CM749        | Equiv. Cardinal no. 0119-B022, 0119-B197<br>Size: 5 3/4 in x 4 in x 7 1/2 in<br>Welded on tab to hold bearing<br>Use bearing CM747 and link CM784L<br>Type A | \$265.00       |   |
| 10029        | Equiv. Cardinal no. 24SR and 0119-C019<br>Size: 4 1/4 in x 2 in x 3 3/8 in<br>Use with CM766 and CM768L<br>Type B (casting)                                  | \$210.00       |   |

CARDINAL®

# Individual Cardinal Scale Parts




## Truck Scale Parts (Cont.)

| RICE LAKE PN | DESCRIPTION   | SUGGESTED LIST |
|--------------|---|----------------|
| CM739L       | Equiv. Cardinal no. 0119-C014<br>Size: 5/8 in x 4 1/8 in x 12 3/8 in<br>Inside length: 8 3/4 in<br>Use with saddle block CM740          | \$123.00       |
| CM775L       | Equiv. Cardinal no. 46SRF<br>Size: 5/8 in x 4 1/4 in x 11 3/8 in<br>Inside length: 7 3/4 in<br>Use with saddle block CM741              | \$123.00       |
| CM715L       | Equiv. Cardinal no. 0119-B007,16SRF<br>Size: 5/8 in x 4 7/8 in x 13 3/8 in<br>Inside length: 9 1/2 in<br>Use with saddle block CM716    | \$127.00       |
| CM772L       | Equiv. Cardinal no. n/a<br>Size: 5/8 in x 5 in x 12 5/16 in<br>Inside length: 8 3/4 in<br>Use with saddle block CM771                   | \$127.00       |
| CM784L       | Equiv. Cardinal no. 0119-C007, 0119-B195<br>Size: 5/8 in x 6 in x 14 1/4 in<br>Inside length: 9 3/8 in<br>Use with saddle block CM749   | \$134.00       |
| CM768        | Equiv. Cardinal no. 26SR and 0119-C017<br>Size: 1/2 in x 3 5/8 in x 10 1/4 in<br>Inside length: 7 1/4 in<br>Use with saddle block CM788 | \$152.00       |
| 89289        | Equiv. Cardinal no. 0112-C246-OA<br>Size: 5/8 in x 5 in x 14 1/2 in<br>Inside length: 10 3/4 in<br>Link models LP                       | \$154.00       |
| 156479       | Equiv. Cardinal no. 102-C019A<br>Size: 5/8 in x 5 in x 10 in<br>Inside length: 6 in<br>Link model EPR, 35k load cells                   | \$121.00       |
| 89095        | Equiv. Cardinal no. 0103-C121-OA<br>Size: 3/4 in x 6 in x 12 in<br>Inside length: 7 in<br>Link, model EPR, 50K CELLS                    | \$136.00       |
| 156480       | Equiv. Cardinal no. 0105-C071-OA<br>Size: 1 in x 6 in x 12 in<br>Inside length: 7 in<br>Link model EPR, 75k load cells                  | \$136.00       |



# Individual Cardinal Scale Parts

## Truck Scale Stands and Chairs

| RICE LAKE PN | DESCRIPTION   | SUGGESTED LIST |   |
|--------------|---|----------------|---|
| CM737        | Equiv. Cardinal no. 0119-C016<br>Base: 6 in x 13 in x 10 1/2 in<br>Height: 9 3/8 in to bearing<br>For 5 in bearing, CM708<br>Used in 20- and 25-ton, two-section<br>40-Ton, 3 section scale scales; stand | \$372.00       |   |
| CM765        | Equiv. Cardinal no. 0119-C009<br>Base: 8 in x 14 in<br>Height: 12 1/2 in<br>For 6 in bearing, CM702<br>Used in 30-, 50- and 60-ton scales; stand  | \$399.00       |    |
| CM779        | Equiv. Cardinal no. 0119-C010<br>Base: 8 in x 14 in<br>Height: 12 1/2 in<br>For 8 in bearing, CM747<br>Used in 80-ton scale; stand  | \$432.00       |   |
| 66219        | Equiv. Cardinal no. 0119-C040<br>Size: 5 in x 8 in x 6 in<br>For PV scales  | \$297.00       |   |
| CM785        | Equiv. Cardinal no. 0119-C068<br>Base: 6 in x 14 in<br>Height, total: 23 in<br>Torque tube stand  | \$392.00       |  |
| CM767        | Equiv. Cardinal no. 0119-C008<br>Base: 8 in x 10 in<br>Height: 12 1/4 in<br>Use with CM717 trunnion pin<br>Used in 30-ton, 2 section,<br>50-, 60- And 80-ton, 2, 4 and 5 section scales<br>Chair          | \$399.00       |  |




\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Individual Cardinal Scale Parts


Model EPR Truck Scale

CARDINAL®

| RICE LAKE PN | DESCRIPTION  | SUGGESTED LIST |  |
|--------------|--|----------------|--|
| 156479       | Equiv. Cardinal no. 102-C019A<br>Size: 5/8 in x 5 in x 10 in<br>Inside length: 6 in<br>Link model EPR 35k load cells     | CONSULT        |  |
| 89095        | Equiv. Cardinal no. 0103-C121-OA<br>Size: 3/4 in x 6 in x 12 in<br>Link 7 in id 50k load cell                            | \$136.00       |   |
| 156480       | Equiv. Cardinal no. 0105-C071-OA<br>Size: 1 in x 6 in x 12 in<br>Inside length: 7 in<br>Link model epr 75k load cells    | \$136.00       |  |
| 89099        | Equiv. Cardinal no. 0103-B120-08<br>Size: 2 1/2 in dia x 11 1/4 in<br>Trunnion   | \$154.00       |  |
| 89438        | Equiv. Cardinal no. 2993-B036-08<br>Size: 1 1/4 in dia x 3 5/8 in<br>Rocker pivot  | \$83.00        |   |
| 89466        | Equiv. Cardinal no. 0103-C127-OA<br>Size: 11 in x 13 in x 9 in high<br>Stand side access<br>With bearing insert PN 89728 | \$426.00       |  |
| 111251       | Equiv. Cardinal 0103-C204-OA<br>Size: 11 in x 13 in x 9 in high<br>Stand, top access<br>With bearing insert PN 89728     | \$426.00       |  |
| 89728        | Equiv. Cardinal no. 2993-B021-08<br>bearing 1 in x 1 in x 3 in   | \$79.00        |  |
| 91765        | Equiv. Cardinal no DB50000S<br>Load cell 50k   | \$1,275.00     |  |







## Cardinal Diagram

NOTE: Diagram not to scale



# Individual Cardinal Scale Parts

## Electronic Truck Scale

| RICE LAKE PN | DESCRIPTION  | SUGGESTED LIST |   |
|--------------|--|----------------|---|
| 67297        | Equiv. Cardinal no. 100-1465<br>Size: 6 in W x 7 5/16 in H x 11 in L<br>Load cell box  | \$1,069.00     |    |
| 89102        | Equiv. Cardinal no.<br>Size: 1/2 in x 6 in x 6 in<br>Top plate, no retainer  | \$94.00        |    |
| 89103        | Equiv. Cardinal no. 0146-B018-OA<br>Size 1/2 in x 6 in x 6 in<br>Top plate<br>For truck scales with SCA 50 k<br>Load cells         | \$182.00       |    |
| 89137        | Equiv. Cardinal no.<br>Size: 1 in x 9 in x 9 in<br>Base plate with leveling lugs<br>For truck scales with SCA 50 k<br>Load cells   | \$210.00       |    |
| 69431        | Equiv. Cardinal no.<br>Size: 2 1/4 in dia x 13/16 in tall<br>Load cups with o-ring<br>For truck scales with SCA 50 k<br>Load cells | \$143.00       |  |
| 67497        | Equiv. Cardinal no. 3501-B034<br>Size: 3/4 in thick x 4 in dia<br>Button at top of this page<br>For bottom of PN 67297             | \$130.00       |  |

CARDINAL®



# CARDINAL KITS

CARDINAL®

# Cardinal Kit Price Index By Rice Lake PN

CARDINAL®

| RL PN    | SUGGESTED LIST | PAGE # |
|----------|----------------|--------|
| CM-751-K | \$1,267.00     | 236    |
| CM-752-K | \$1,336.00     | 236    |
| CM-753-K | \$1,562.00     | 237    |
| CM-754-K | \$2,123.00     | 237    |
| CM-755-K | \$2,463.00     | 238    |
| CM-756-K | \$3,284.00     | 240    |
| CM-757-K | \$3,866.00     | 242    |
| CM-758-K | \$4,722.00     | 242    |

| RL PN    | SUGGESTED LIST | PAGE # |
|----------|----------------|--------|
| CM-759-K | \$3,764.00     | 240    |
| CM-760-K | \$3,011.00     | 238    |
| CM-761-K | \$2,710.00     | 237    |
| CM-762-K | \$1,884.00     | 237    |
| CM-763-K | \$1,807.00     | 236    |
| CM-764-K | \$2,114.00     | 236    |
| CM-765-K | \$1,369.00     | 243    |
| CM-766-K | \$1,506.00     | 243    |

| RL PN    | SUGGESTED LIST | PAGE # |
|----------|----------------|--------|
| CM-767-K | \$4,100.00     | 241    |
| CM-768-K | \$4,790.00     | 241    |
| CM-769-K | \$3,525.00     | 239    |
| CM-770-K | \$4,270.00     | 239    |
| CM-771-K | \$4,270.00     | 239    |

# Cardinal Kit Reference By Capacity

| CAPACITY                      | RICE LAKE PN | PAGE # |
|-------------------------------|--------------|--------|
| <b>Pivot and Bearing Kits</b> |              |        |
| 15 TON                        | CM-751-K     | 236    |
| 20 AND 25 TON                 | CM-752-K     | 236    |
| 30 TON                        | CM-753-K     | 237    |
| 40 TON                        | CM-754-K     | 237    |
| 50 TON                        | CM-755-K     | 238    |
| 50 AND 60 TON                 | CM-756-K     | 240    |
| 80 TON                        | CM-757-K     | 242    |

| CAPACITY               | RICE LAKE PN | PAGE # |
|------------------------|--------------|--------|
| <b>Suspension Kits</b> |              |        |
| 15 TON                 | CM-764-K     | 236    |
| 20 AND 25 TON          | CM-763-K     | 236    |
| 30 TON                 | CM-762-K     | 237    |
| 40 TON                 | CM-761-K     | 237    |
| 50 TON                 | CM-760-K     | 238    |
| 50 AND 60 TON          | CM-759-K     | 240    |
| 80 TON                 | CM-758-K     | 242    |


| CAPACITY              | RICE LAKE PN | PAGE # |
|-----------------------|--------------|--------|
| <b>Dormant Scales</b> |              |        |
| 6,500 LB              | CM-765-K     | 243    |
| 12,000 LB             | CM-766-K     | 243    |
| 50 AND 60 TON         | CM-767-K     | 241    |
| 50 AND 60 TON         | CM-768-K     | 241    |
| 50 TON                | CM-769-K     | 239    |
| 50 TON                | CM-770-K     | 239    |
| 50 TON                | CM-771-K     | 239    |




# Cardinal Truck Scale Profile

Typical Height Dimensions


**SR MECHANICAL PIT TYPE**




**SRICE LAKE MECHANICAL PIT TYPE WITH SINGLE LOAD CELL**




**PR MECHANICAL PORTABLE TYPE**




**PRICE LAKE MECHANICAL PORTABLE TYPE WITH SINGLE LOAD CELL**



**LP-2 MECHANICAL LOW PROFILE WITH STEEL DECK**




**LP-2C MECHANICAL LOW PROFILE WITH CONCRETE DECK**




# Cardinal Truck Scale Profile

Typical Height Dimensions


**LPL-3 MECHANICAL LOW PROFILE, FLAT TOP, SINGLE LOAD CELL**




**EPR ELECTRONIC LOW PROFILE PORTABLE**




**SRC ELECTRONIC PIT TYPE**




**PRC-H ELECTRONIC LOW PROFILE WITH HIPS**



**PRC-1 ELECTRONIC LOW PROFILE, FLAT TOP, STEEL DECK**




**PRC-1-C ELECTRONIC LOW PROFILE FLAT TOP CONCRETE DECK**



# Cardinal Motor Truck Scale

## REFERENCE SHEET



MEASURE LOAD OR FULCRUM PIVOT HEIGHT AND WIDTH BEFORE ORDERING

CARDINAL®

# Truck Scale

## Kit No. CM-751-K

Pivot and Bearing Kit For Model 1522SR, 2-Section, 15-Ton, 22-Ft. Truck Scale\* SR, SRice Lake, PR and PRice Lake

| REF #   | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|---------|-----|--------------|-------------------|-------------------------|
| A       | 4   | CM707        | 1412-B001-19      | Bearing, fulcrum        |
| B       | 4   | CM707        | 1412-B001-19      | Bearing, load           |
| C       | 8   | CM712P       | 1400-B001-5       | Pivot, load and fulcrum |
| D       | 2   | CM710P       | 1400-B001-13      | Pivot, tip              |
| E, F, G | 2   | CM758        | 0119-B125-51      | Shackle assembly        |
| H       | 2   | CM712P       | 1400-B001-5       | Pivot, load             |
| I       | 2   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J       | 2   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K       | 1   | CM710P       | 1400-B001-13      | Pivot, tip              |
| L       | 1   | CM718        | 0119-B103-2       | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
**When ordering, measure**  
**height and thickness. This**  
**may vary. CONSULT 3.00 net**  
**charge each for grinding to**  
**size.**

**\$1,267.00** Suggested list/32 lb shipping weight

## Kit No. CM-764-K

Suspension Kit For CM-751-K

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|-------|-----|--------------|-------------------|--------------|
| M     | 8   | CM768        | 0119-C017 (26SR)  | Link         |
| N     | 4   | CM788        | 0119-C019 (24SR)  | Saddle block |
| O     | 4   | CM766        | 0119-B028         | Trunnion     |

**\$2,114.00** Suggested list/47 lb shipping weight

## Kit No. CM-752-K

Pivot and Bearing Kit For Models 2024SR, 2010 APL Axle Load 2034SR, 2524SR, 2-Section, 20-Ton, 24- and 34-Ft. Truck Scale, 2-Section, 25-Ton, 24-Ft. Truck Scale\* SR, SRice Lake, PR and PRice Lake

| REF #   | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|---------|-----|--------------|-------------------|-------------------------|
| A       | 4   | CM708        | 1412-B001-13      | Bearing, fulcrum        |
| B       | 4   | CM708        | 1412-B001-13      | Bearing, load           |
| C       | 8   | CM713P       | 1400-B001-25      | Pivot, lead and fulcrum |
| D       | 2   | CM710P       | 1400-B001-13      | Pivot, tip              |
| E, F, G | 2   | CM759        | 0119-b125-52      | Shackle assembly        |
| H       | 2   | CM712P       | 1400-B001-5       | Pivot, load             |
| I       | 2   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J       | 2   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K       | 1   | CM710P       | 1400-B001-13      | Pivot, tip              |
| L       | 1   | CM718        | 0119-b103-2       | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
**When ordering, measure**  
**height and thickness. This**  
**may vary. CONSULT 3.00 net**  
**charge each for grinding to**  
**size.**

**\$1,336.00** Suggested list/36 lb shipping weight

## Kit No. CM-763-K

Suspension Kit For CM-752-K

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|-------|-----|--------------|-------------------|--------------|
| M     | 8   | CM739L       | 0119-C014         | Link         |
| N     | 4   | CM740        | 0119-B026         | Saddle block |
| O     | 4   | CM738        | 0119-B025, 47SRF  | Trunnion     |

**\$1,807.00** Suggested list/100 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.

# Truck Scale

## Kit No. CM-753-K

Pivot and Bearing Kit For Models 3024SR, 3034SR, 2-Section, 30-Ton, 24- and 34-Ft.  
Truck Scale SR, SRice Lake, PR and PRice Lake

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|-------|-----|--------------|-------------------|-------------------------|
| A     | 4   | CM702        | 1412-B001-3       | Bearing, fulcrum        |
| B     | 4   | CM702        | 1412-B001-3       | Bearing, load           |
| C     | 8   | CM704P       | 1400-B001-19      | Pivot, load and fulcrum |
| D     | 2   | CM703P       | 1400-B001-9       | Pivot, tip              |
| E     | 2   | CM720        | 0119-B127-52      | Bearing, lower shackle  |
| F     | 4   | CM721        | 0119-B127-52      | Bolt, shackle           |
| G     | 2   | CM719        | 0119-B127-52      | Bearing, upper shackle  |
| H     | 2   | CM712P       | 1400-B001-5       | Pivot, load             |
| I     | 2   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J     | 2   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K     | 1   | CM703P       | 1400-B001-9       | Pivot, tip              |
| L     | 1   | CM756        | 0119-b103-1       | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
**When ordering, measure**  
**height and thickness. This**  
**may vary. CONSULT3.00 net**  
**charge each for grinding to**  
**size.**

**\$1,562.00** Suggested list/40 lb shipping weight

## Kit No. CM-762-K

Suspension Kit For CM-753-K

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|-------|-----|--------------|-------------------|--------------|
| M     | 8   | CM715L       | 0119-B007 (16SRF) | Link         |
| N     | 4   | CM716        | 0119-B018 (14SRF) | Saddle block |
| O     | 4   | CM717        | 0119-B019 (17SRF) | Trunnion     |

**\$1,884.00** Suggested list/140 lb shipping weight

## Kit No. CM-754-K

Pivot and Bearing Kit For Model 4040SR, 3-Section, 40-Ton, 40-Ft. Truck Scale\* SR,  
Rice Lake, PR and Rice Lake

| REF #   | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|---------|-----|--------------|-------------------|-------------------------|
| A       | 6   | CM708        | 1412-B001-13      | Bearing, fulcrum        |
| B       | 6   | CM708        | 1412-B001-13      | Bearing, load           |
| C       | 12  | CM713P       | 1400-B001-25      | Pivot, load and fulcrum |
| D       | 3   | CM710P       | 1400-B001-13      | Pivot, tip              |
| E, F, G | 3   | CM760        | 0119-B125-53      | Shackle assembly        |
| H       | 3   | CM712P       | 1400-B001-5       | Pivot, load             |
| I       | 3   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J       | 3   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K       | 1   | CM703P       | 1400-B001-9       | Pivot, tip              |
| L       | 1   | CM756        | 0119-B103-1       | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
**When ordering, measure**  
**height and thickness. This**  
**may vary. CONSULT3.00 net**  
**charge each for grinding to**  
**size.**

**\$2,123.00** Suggested list/54 lb shipping weight

## Kit No. CM-761-K

Suspension Kit For CM-754-K

| REF# | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|------|-----|--------------|-------------------|--------------|
| M    | 12  | CM739L       | 0119-C014         | Link         |
| N    | 6   | CM740        | 0119-B026         | Saddle block |
| O    | 6   | CM738        | 0119-B025 (47SRF) | Trunnion     |

**\$2,710.00** Suggested list/133 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.

# Truck Scale

CARDINAL®

## Kit No. CM-755-K

Pivot and Bearing Kit For Model 5045SR, 3535 SR, 3540 SR, 3-Section,  
50-Ton, 45-Ft. Truck Scale\*, SR, SRice Lake, PR and PRice Lake

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|-------|-----|--------------|-------------------|-------------------------|
| A     | 6   | CM702        | 1412-B001-3       | Bearing, fulcrum        |
| B     | 6   | CM702        | 1412-B001-3       | Bearing, load           |
| C     | 12  | CM704P       | 1400-B001-19      | Pivot, load and fulcrum |
| D     | 3   | CM703P       | 1400-B001-9       | Pivot, tip              |
| E     | 3   | CM720        | 0119-B127-52      | Bearing, lower shackle  |
| F     | 6   | CM721        | 0119-B127-52      | Bolts, shackle          |
| G     | 3   | CM719        | 0119-B127-52      | Bearing, upper shackle  |
| H     | 3   | CM712P       | 1400-B001-5       | Pivot, load             |
| I     | 3   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J     | 3   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K     | 1   | CM703P       | 1400-B001-9       | Pivot, tip              |
| L     | 1   | CM756        | 0119-B103-1       | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
***When ordering, measure***  
***height and thickness. This***  
***may vary. CONSULT***3.00 ***net***  
***charge each for grinding to***  
***size.***

**\$2,463.00** Suggested list/60 lb shipping weight

## Kit No. CM-760-K

Suspension Kit For CM-755-K

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|-------|-----|--------------|-------------------|--------------|
| M     | 12  | CM715L       | 0119-B007(16SRF)  | Link         |
| N     | 6   | CM716        | 0119-B018(14SRF)  | Saddle block |
| O     | 6   | CM717        | 0119-B019(17SRF)  | Trunnion     |

**\$3,011.00** Suggested list/200 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.

# Truck Scale

## Kit No. CM-769-K

Pivot and Bearing Kit, 5-Section, 50- and 60-Ton, Truck Scale With 5 in Load Fulcrum

| REF #       | QTY     | RICE LAKE PN | EQUIV. CARDINAL #  | DESCRIPTION             |
|-------------|---------|--------------|--------------------|-------------------------|
| A .....     | 10..... | CM708.....   | 1412-B001-13 ..... | Bearing, fulcrum        |
| B .....     | 10..... | CM708.....   | 1412-B001-15 ..... | Bearing, load           |
| C .....     | 20..... | CM713P ..... | 1400-B001-25 ..... | Pivot, load and fulcrum |
| D .....     | 5.....  | CM710P ..... | 1400-B001-13 ..... | Pivot, tip              |
| E,F,G ..... | 5.....  | CM759.....   | 0119-B125-52 ..... | Shackle assembly        |
| H .....     | 5.....  | CM712P ..... | 1400-B001-5 .....  | Pivot, load             |
| I.....      | 5.....  | CM703P ..... | 1400-B001-9 .....  | Pivot, fulcrum          |
| J.....      | 5.....  | CM701 .....  | 1412-B001-9 .....  | Bearing, fulcrum        |
| K .....     | 1.....  | CM710P ..... | 1400-B001-13 ..... | Pivot, tip              |
| L.....      | 1.....  | CM718.....   | 0119-B103-2 .....  | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
***When ordering, measure***  
***height and thickness. This***  
***may vary. CONSULT 3.00 net***  
***charge each for grinding to***  
***size.***

**\$3,525.00** Suggested list/76 lb shipping weight

## Kit No. CM-770-K

Suspension Kit For CM-769-K TYPE A

| REF #  | QTY     | RICE LAKE PN | EQUIV. CARDINAL #      | DESCRIPTION  |
|--------|---------|--------------|------------------------|--------------|
| M..... | 20..... | CM739L.....  | 0119-C014.....         | Link         |
| N..... | 10..... | CM740.....   | 0119-B026.....         | Saddle block |
| O..... | 10..... | CM738.....   | 0119-B025, 47SRF ..... | Trunnion     |

**\$4,270.00** Suggested list/243 lb shipping weight

## Kit No. CM-771-K

Suspension Kit For CM-769-K TYPE B

| REF #  | QTY     | RICE LAKE PN | EQUIV. CARDINAL #      | DESCRIPTION  |
|--------|---------|--------------|------------------------|--------------|
| M..... | 20..... | CM775L.....  | 46SRF .....            | Link         |
| N..... | 10..... | CM741 .....  | 44SRF .....            | Saddle block |
| O..... | 10..... | CM738.....   | 0119-B025, 47SRF ..... | Trunnion     |

**\$4,270.00** Suggested list/234 lb shipping weight

*\* Measure load or fulcrum pivot height and width before ordering.*

# Truck Scale

CARDINAL®

## Kit No. CM-756-K

Pivot and Bearing Kit For Models SR, SRice Lake, PR and PRice Lake, 5050SR, 5060SR, 5070SR, 6050SR, 6060SR, 6070SR

4-Section, 50- and 60-Ton, 50-, 60- and 70-Ft. Motor Truck Scale\*

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|-------|-----|--------------|-------------------|-------------------------|
| A     | 8   | CM702        | 1412-B001-3       | Bearing, fulcrum        |
| B     | 8   | CM702        | 1412-B001-3       | Bearing, load           |
| C     | 16  | CM704P       | 1400-B001-19      | Pivot, load and fulcrum |
| D     | 4   | CM703P       | 1400-B001-9       | Pivot, tip              |
| E     | 4   | CM720        | 0119-B127-53      | Bearing, lower shackle  |
| F     | 8   | CM721        | 0119-B127-53      | Bolt, shackle           |
| G     | 4   | CM719        | 0119-B127-53      | Bearing, upper shackle  |
| H     | 4   | CM712P       | 1400-B001-5       | Pivot, load             |
| I     | 4   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J     | 4   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K     | 1   | CM703P       | 1400-B001-9       | Pivot, tip              |
| L     | 1   | CM756        | 0119-B103-1       | Loop, tip               |

**ALL PIVOTS ARE  
0.495 in W x 1.125 in H**  
When ordering, measure  
height and thickness. This  
may vary. **CONSULT 3.00 net**  
charge each for grinding to  
size.

**\$3,284.00** Suggested list/77 lb shipping weight

## Kit No. CM-759-K

Suspension Kit For CM-756-K

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|-------|-----|--------------|-------------------|--------------|
| M     | 16  | CM715L       | 0119-B007(16SRF)  | Link         |
| N     | 8   | CM716        | 0119-B018(14SRF)  | Saddle block |
| O     | 8   | CM717        | 0119-B019(17SRF)  | Trunnion     |

**\$3,764.00** Suggested list/280 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.



# Truck Scale

## Kit No. CM-767-K

Pivot and Bearing Kit For Models 5080SR, 6080SR, SR, SRice Lake, PR and PRice Lake  
5-Section, 50- and 60-Ton, 80-Ft. Motor Truck Scale

| REF #   | QTY     | RICE LAKE PN | EQUIV. CARDINAL #  | DESCRIPTION             |
|---------|---------|--------------|--------------------|-------------------------|
| A ..... | 10..... | CM702.....   | 1412-B001-3 .....  | Bearing, fulcrum        |
| B ..... | 10..... | CM702.....   | 1412-B001-3 .....  | Bearing, load           |
| C ..... | 20..... | CM704P ..... | 1400-B001-19 ..... | Pivot, load and fulcrum |
| D ..... | 5.....  | CM703P ..... | 1400-B001-9 .....  | Pivot, tip main lever   |
| E ..... | 5.....  | CM720.....   | 0119-B127-53 ..... | Bearing, lower shackle  |
| F ..... | 10..... | CM721.....   | 0119-B127-53 ..... | Bolt, shackle           |
| G ..... | 5.....  | CM719.....   | 0119-B127-53 ..... | Bearing, upper shackle  |
| H ..... | 5.....  | CM712P ..... | 1400-B001-5 .....  | Pivot, load             |
| I ..... | 5.....  | CM703P ..... | 1400-B001-9 .....  | Pivot, fulcrum          |
| J ..... | 5.....  | CM701.....   | 1412-B001-9 .....  | Bearing, fulcrum        |
| K ..... | 1.....  | CM703P ..... | 1400-B001-9 .....  | Pivot, tip              |
| L ..... | 1.....  | CM756.....   | 0119-B103-1 .....  | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
***When ordering, measure***  
***height and thickness. This***  
***may vary. CONSULT*****3.00 net**  
***charge each for grinding to***  
***size.***

**\$4,100.00** Suggested list/93 lb shipping weight

## Kit No. CM-768-K

Suspension Kit For CM-767-K

| REF #  | QTY     | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|--------|---------|--------------|-------------------|--------------|
| M..... | 20..... | CM715L.....  | 0119-B007 .....   | Link         |
| N..... | 10..... | CM716.....   | 0119-B018 .....   | Saddle block |
| O..... | 10..... | CM717.....   | 0119-B019 .....   | Trunnion     |

**\$4,790.00** Suggested list/337 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.

# Truck Scale

CARDINAL®

## Kit No. CM-757-K

Pivot and Bearing Kit For Models SR, SRice Lake, PR and PRice Lake, 8050SR, 8060SR, 8070SR, 4-Section, 80-Ton, 50-, 60- and 70- Ft. Motor Truck Scale\*

| REF # | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION             |
|-------|-----|--------------|-------------------|-------------------------|
| A     | 8   | CM747        | 1412-B001-5       | Bearing, fulcrum        |
| B     | 8   | CM747        | 1412-B001-5       | Bearing, load           |
| C     | 16  | CM748P       | 1400-B001-21      | Pivot, load and fulcrum |
| D     | 4   | CM703P       | 1400-B001-9       | Pivot, tip              |
| E     | 4   | CM720        | 0119-B127-52      | Bearing, lower shackle  |
| F     | 8   | CM721        | 0119-B127-52      | Bolt, shackle           |
| G     | 4   | CM719        | 0119-B127-52      | Bearing, upper          |
| H     | 4   | CM712P       | 1400-B001-5       | Pivot, load             |
| I     | 4   | CM703P       | 1400-B001-9       | Pivot, fulcrum          |
| J     | 4   | CM701        | 1412-B001-9       | Bearing, fulcrum        |
| K     | 1   | CM703P       | 1400-B001-9       | Pivot, tip              |
| L     | 1   | CM756        | 0119-B103-1       | Loop, tip               |

**ALL PIVOTS ARE**  
**0.495 in W x 1.125 in H**  
**When ordering, measure**  
**height and thickness. This**  
**may vary. CONSULT**3.00 net  
**charge each for grinding to**  
**size.**

**\$3,866.00** Suggested list/86 lb shipping weight

## Kit No. CM-758-K

Suspension Kit For CM-757-K

| REF NO. | QTY | RICE LAKE PN | EQUIV. CARDINAL # | DESCRIPTION  |
|---------|-----|--------------|-------------------|--------------|
| M       | 16  | CM784L       | 0119-C007         | Link         |
| N       | 8   | CM749        | 0119-B022         | Saddle block |
| O       | 8   | CM717        | 0119-B019(17SRF)  | Trunnion     |

**\$4,722.00** Suggested list/327 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.

# Dormant Scale

## Kit No. CM-765-K

Pivot and Bearing Kit For Models XD4638L TO XD9672L, XD, XTD and XDL, 6,500 lb Capacity Dormant Scale

| QTY    | RICE LAKE PN | DESCRIPTION   |
|--------|--------------|---|
| 4..... | CM743P ..... | Pivot, main lever fulcrum, 3/8 in x 3/4 in x 1 7/8 in       |
| 4..... | CM745P ..... | Pivot, main lever load, 3/8 in x 3/4 in x 2 3/4 in          |
| 4..... | CM751.....   | Bearing, main lever fulcrum, 1 1/4 in dia x 1 in            |
| 4..... | CM757.....   | Bearing, main lever load, 15/16 in x 1 3/8 in x 2 1/2 in    |
| 2..... | CM744P ..... | Pivot, main lever tip, 3/8 in x 3/4 in x 1 in               |
| 2..... | CM752.....   | Bearing, main lever tip, 15/16 in x 15/16 in x 1 in         |
| 2..... | CM742P ..... | Pivot, transverse lever fulcrum, 3/8 in x 3/4 in x 1 1/4 in |
| 2..... | CM750.....   | Bearing, transverse lever fulcrum, 1 in dia x 9/16 in       |
| 2..... | CM744P ..... | Pivot, transverse lever load, 3/8 in x 3/4 in x 1 in        |
| 2..... | CM754.....   | Bearing, transverse lever, 7/8 in x 7/8 in x 11/16 in       |
| 2..... | CM753.....   | Bearing, transverse lever fulcrum, 3/4 in x 3/4 in x 3/4 in |
| 1..... | CM746P ..... | Pivot, transverse lever fulcrum, 0.360 Sq. x 3 in           |

**\$1,369.00** Suggested list/8 lb shipping weight

## Kit No. CM-766-K

Pivot and Bearing Kit, 12,000 lb Capacity Dormant Scale, Models SCD and SCDL

| QTY    | RICE LAKE PN | DESCRIPTION   |
|--------|--------------|---|
| 4..... | CM789P ..... | Pivot, main lever fulcrum, 3/8 in x 3/4 in x 2 3/8 in         |
| 4..... | CM745P ..... | Pivot, main lever load, 3/8 in x 3/4 in x 2 3/4 in            |
| 4..... | CM787.....   | Bearing, main lever fulcrum, 2 in dia x 1/38 in               |
| 4..... | CM757.....   | Bearing, main lever load, 15/16 in x 1 3/8 in x 2 1/2 in      |
| 2..... | CM744P ..... | Pivot, main lever tip, 3/8 in x 3/4 in x 1 in                 |
| 2..... | CM752.....   | Bearing, main lever tip, 15/16 in x 15/16 in x 1 in           |
| 2..... | CM742P ..... | Pivot, transverse lever fulcrum, 3/8 in x 3/4 in x 1 1/4 in   |
| 2..... | CM750.....   | Bearing, transverse lever fulcrum, 1 in dia x 9/16 in         |
| 2..... | CM744P ..... | Pivot, transverse lever load, 3/8 in x 3/4 in x 1 in          |
| 2..... | CM754.....   | Bearing, transverse lever fulcrum, 7/8 in x 7/8 in x 11/16 in |
| 2..... | CM753.....   | Bearing, transverse lever fulcrum, 3/4 in x 3/4 in x 3/4 in   |
| 1..... | CM746P ..... | Pivot, transverse lever fulcrum, 0.360 Sq x 3 in              |

**\$1,506.00** Suggested list/11 lb shipping weight

\* Measure load or fulcrum pivot height and width before ordering.



# THURMAN

THURMAN®

# Thurman Price Index By Rice Lake Weighing Systems PN

| RL PN | SUGG. LIST | PAGE #    | RL PN  | SUGG. LIST | PAGE # | RL PN   | SUGG. LIST | PAGE # |
|-------|------------|-----------|--------|------------|--------|---------|------------|--------|
| 10772 | \$17.00    | 252       | TH901P | \$41.00    | 250    | TH923P  | \$29.00    | 248    |
| 10993 | \$16.00    | 252       | TH902P | \$41.00    | 250    | TH924P  | \$31.00    | 248    |
| 15290 | \$2.00     | NOT SHOWN | TH903P | \$46.00    | 250    | TH926   | \$41.00    | 249    |
| 18815 | \$16.00    | 252       | TH904P | \$47.00    | 250    | TH927   | \$21.00    | 252    |
| 18816 | \$18.00    | 252       | TH905P | \$51.00    | 249    | TH928P  | \$42.00    | 248    |
| 21912 | \$488.00   | 254       | TH907P | \$59.00    | 250    | TH929P  | \$32.00    | 249    |
| 21922 | \$33.00    | 249       | TH908P | \$81.00    | 250    | TH939P  | \$89.00    | 248    |
| 22910 | \$32.00    | 248       | TH909P | \$90.00    | 250    | TH945   | \$63.00    | 251    |
| 33645 | \$47.00    | 252       | TH910  | \$90.00    | 251    | TH946P  | \$103.00   | 248    |
| 33646 | \$41.00    | 252       | TH911  | \$90.00    | 251    | TH947   | \$281.00   | 253    |
| 33647 | \$59.00    | 254       | TH912  | \$127.00   | 251    | TH948   | \$388.00   | 253    |
| 33648 | \$53.00    | 252       | TH913  | \$127.00   | 251    | TH950   | \$208.00   | 254    |
| 33649 | \$42.00    | 252       | TH914  | \$82.00    | 251    | TH952SS | \$36.00    | 254    |
| 33650 | \$165.00   | 254       | TH915  | \$82.00    | 251    | TH954SS | \$44.00    | 254    |
| 33653 | \$50.00    | 254       | TH916  | \$103.00   | 249    | TH966   | \$227.00   | 254    |
| 33654 | \$49.00    | 254       | TH917  | \$100.00   | 249    | TH970   | \$73.00    | 251    |
| 33905 | \$262.00   | 253       | TH918  | \$232.00   | 253    |         |            |        |
| 33906 | \$232.00   | 253       | TH919  | \$330.00   | 253    |         |            |        |
| 33907 | \$388.00   | 253       | TH921  | \$205.00   | 251    |         |            |        |
| 65430 | \$159.00   | 254       | TH922P | \$32.00    | 248    |         |            |        |
| 72192 | \$205.00   | 251       |        |            |        |         |            |        |
| 75115 | \$281.00   | 253       |        |            |        |         |            |        |
| H644  | \$41.00    | 252       |        |            |        |         |            |        |
| H648  | \$19.00    | 252       |        |            |        |         |            |        |
| H697  | \$22.00    | 251       |        |            |        |         |            |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Thurman Cross Reference By Equivalent Thurman Number



| EQUIV. NEW<br>THURMAN # | EQUIV. OLD<br>THURMAN # | RL<br>PN | EQUIV. NEW<br>THURMAN # | EQUIV. OLD<br>THURMAN # | RL<br>PN | EQUIV. NEW<br>THURMAN # | EQUIV. OLD<br>THURMAN # | RL<br>PN |
|-------------------------|-------------------------|----------|-------------------------|-------------------------|----------|-------------------------|-------------------------|----------|
| 300181                  | T-181                   | TH939P   | 10004350                |                         | TH958SS  | 10008690Y               | T-269                   | TH918    |
| 10000140A               |                         | 33654    | 10004480A               |                         | TH964SS  | 10008710A               | T-255-1                 | TH901P   |
| 10000170A               |                         | TH952SS  | 10004770A               |                         | TH962SS  | 10012030A               | T-251                   | 33649    |
| 10000190A               |                         | 18815    | 10004810A               |                         | TH959SS  | 10012040A               | T-1079-4                | TH970    |
| 10001450A               |                         | 18816    | 10004820A               |                         | TH949SS  | 10012420A               | T-125                   | TH923P   |
| 10001520A               |                         | TH953SS  | 10005790A               | T-675                   | TH945    | 10012700A               | T-11                    | TH914    |
| 10001630A               |                         | TH954SS  | 10005800A               | T-12-1                  | TH911    | 10012770A               |                         | 22910    |
| 10001640A               |                         | 33653    | 10005820A               | T-270                   | TH919    | 10012860A               | T-1155-1                | TH902P   |
| 10002320A               | T-14-4                  | TH930P   | 10005830A               | T-250-1                 | 33646    | 10012970A               | T-47-1                  | TH942P   |
| 10002400A               |                         | 33651    | 10005850A               | T-12                    | TH910    | 10012980A               | T-11-1                  | TH915    |
| SP10002400A             |                         | 33650    | 10005860A               |                         | 33906    | 10013810A               |                         | TH927    |
| 10002410A               |                         | TH957SS  | 10005980A               | T-1155-2                | TH905P   | 10013950A               | T-250                   | 33645    |
| 10003020A               |                         | TH960SS  | 10007420A               | T-63-1S                 | TH926    | 10013960A               | T-251-1                 | 33648    |
| 10003190A               |                         | TH950    | 10008490A               | T-1155-4                | TH907P   | 10014240A               | T-125-1                 | TH924P   |
| 10003200A               |                         | TH966    | 10008500A               | T-1155-5                | TH908P   | 10014870A               |                         | 21922    |
| 10003220A               |                         | 21912    | 10008550A               | T-979                   | TH912    | 10015960A               | T-96                    | TH928P   |
| 10003970A               | T-115-2                 | 33907    | 10008560A               | T-979-1                 | TH913    | 10017370A               | T-197                   | TH929P   |
| 10004080A               | T-122-1                 | TH947    | 10008590A               | T-1155                  | TH903P   | 10018420A               |                         | 65430    |
| 10004080Y               | T-1626                  | 75115    |                         |                         |          | 10019610A               | T-14-1                  | TH935P   |
| 10004340A               |                         | TH961SS  |                         |                         |          | 10021340A               |                         | 17749    |
|                         |                         |          |                         |                         |          | 10022410                | T-1053-10               | TH921    |
|                         |                         |          |                         |                         |          | 10028830A               |                         | 33652    |
|                         |                         |          |                         |                         |          | 10030540A               |                         |          |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-14-2   |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-14-3   |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-47     |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-47-2   |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-96-1   |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-96-2   |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-181-1  |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-191    |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-192    |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-197-1  |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-255    |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-255-2  |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-1155-3 |
|                         |                         |          |                         |                         |          | N/A                     |                         | T-1155-6 |

THURMAN®

# Individual Thurman Scale Parts

## Pivots

| RL PN  | DESCRIPTION  | THURMAN<br>NEW # | SUGG. LIST |
|--------|--|------------------|------------|
| TH923P | Equiv. Thurman no. T-125<br>Equiv. new Thurman no. 10012420A<br>Size: 3/8 in x 3/8 in x 2 3/4 in long<br>Pivot   | <b>65869</b>     | \$29.00    |
| TH924P | Equiv. Thurman no. T-125-1<br>Equiv. new Thurman no. 10014240A<br>Size: 3/8 in x 3/8 in x 3 3/4 in long<br>Pivot |                  | \$31.00    |
| TH922P | Equiv. Thurman no. T-47-2<br>Size: 1/2 in x 1/2 in x 2 1/4 in long<br>Pivot                                      |                  | \$32.00    |
| 22910  | Equiv. Thurman no. 10012770A<br>Size: 1/2 in x 1/2 in x 2 3/4 in long<br>Pivot                                   | <b>65879</b>     | \$32.00    |
| TH928P | Equiv. Thurman no. T-96<br>Equiv. new Thurman no. 10015960A<br>Size: 5/8 in x 5/8 in x 4 in long<br>Pivot        | <b>66076</b>     | \$42.00    |
| TH939P | Equiv. Thurman no. T-181<br>Equiv. new Thurman no. 300181<br>Size: 1 1/8 in x 1 1/8 in x 7 3/4 in long<br>Pivot  | <b>72189</b>     | \$89.00    |
| TH946P | Equiv. Thurman no. T-181-1<br>Size: 1 1/8 in x 1 1/8 in x 9 in l<br>Pivot  | <b>66504</b>     | \$103.00   |
| TH929P | Equiv. Thurman no. T-197<br>Equiv. new Thurman no. 10017370A<br>Size: 3/8 in x 7/8 in x 1 in long<br>Pivot       | <b>66295</b>     | \$32.00    |





THURMAN®



# Individual Thurman Scale Parts

Pivots (Cont.)





| RL PN  | DESCRIPTION  | THURMAN<br>NEW # | SUGG. LIST |
|--------|--|------------------|------------|
| TH901P | Equiv. Thurman no. T-255-1<br>Equiv. new Thurman no.<br>10008710A<br>Size: 1/2 in x 1 in x 1 7/8 in long<br>With spot drill<br>Pivot | <b>65647</b>     | \$41.00    |
| TH904P | Equiv. Thurman no. T-255<br>Size: 1/2 in x 1 in x 3 3/4 in long<br>With spot drill<br>Pivot  |                  | \$47.00    |
| TH902P | Equiv. Thurman no. T-1155-1<br>Equiv. new Thurman no.<br>10012860A<br>Size: 1/2 in x 1 in x 2 1/4 in long<br>Pivot                   | <b>65889</b>     | \$41.00    |
| TH903P | Equiv. Thurman no. T-1155<br>Equiv. new Thurman no.<br>10008590A<br>Size: 1/2 in x 1 in x 3 3/4 in long<br>Pivot                     | <b>65628</b>     | \$46.00    |
| TH905P | Equiv. Thurman no. T-1155-2<br>Equiv. new Thurman no.<br>10005980A<br>Size: 1/2 in x 1 in x 5 11/16 in long<br>Pivot                 | <b>65319</b>     | \$51.00    |
| TH907P | Equiv. Thurman no. T-1155-4<br>Equiv. new Thurman no.<br>10008490A<br>Size: 1/2 in x 1 in x 7 3/4 in long<br>Pivot                   | <b>65610</b>     | \$59.00    |
| TH908P | Equiv. Thurman no. T-1155-5<br>Equiv. new Thurman no.<br>10008500A<br>Size: 1/2 in x 1 in x 11 in long<br>Pivot                      | <b>65613</b>     | \$81.00    |
| TH909P | Equiv. Thurman no. T-1155-6<br>Size: 1/2 in x 1 in x 12 3/16 in long<br>Pivot  |                  | \$90.00    |



THURMAN®

# Individual Thurman Scale Parts

## Bearings




| RL PN | DESCRIPTION  | THURMAN<br>NEW # | SUGG. LIST |  |
|-------|--|------------------|------------|--|
| 21922 | Equiv. Thurman no.<br>Equiv. new Thurman no. 10014870A<br>Size: 1 in dia x 1 in<br>Bearing   | <b>65950</b>     | \$33.00    |   |
| TH926 | Equiv. Thurman no. T-63-1S<br>Size: 1/2 in x 3/4 in x 1 in long<br>Bearing, fits casting no. T-339   |                  | \$41.00    |   |
| TH916 | Equiv. Thurman no. T-192<br>Equiv. new Thurman no. 10007420A<br>Size: 1 1/8 in x 2 in x 4 3/4 in long<br>Bearing, truck scale<br>With pins |                  | \$103.00   |   |
| TH917 | Equiv. Thurman no. T-191<br>Size: 1 1/8 in x 2 in x 4 3/4 in long<br>Bearing, truck scale  |                  | \$100.00   |  |

THURMAN®

# Individual Thurman Scale Parts

Bearings (Cont.)

| RL PN | DESCRIPTION<br>NEW #   | THURMAN       | SUGG. LIST |
|-------|--|---------------|------------|
| TH914 | Equiv. Thurman no. T-11<br>10012700A<br>Size: 2 1/8 in x 1 in x 3 5/8 in long<br>Bearing, load with 2 dowel holes<br>And a tapered shank<br>Use roll pin no. 15290                               | <b>65874</b>  | \$82.00    |
| TH910 | Equiv. Thurman no. T-12<br>Equiv. new Thurman no. 10005850A<br>Size: 2 in x 1 in x 5 5/8 in long<br>Bearing, load with 2 dowel holes<br>And a tapered shank<br>Use roll pin no. 15290            | <b>65298</b>  | \$90.00    |
| TH912 | Equiv. Thurman no. T-979<br>Equiv. new Thurman no. 10008550A<br>Size: 2 in x 1 1/4 in x 7 9/16 in long<br>Bearing, load with 2 dowel holes<br>And a tapered shank<br>Use roll pin no. 15290      | <b>65621</b>  | \$127.00   |
| TH921 | Equiv. Thurman no. T-1053-10<br>Equiv. new Thurman no. 10022410A<br>Size: 1 1/4 in x 2 in x 10 3/4 in long<br>Bearing, load with 2 dowel holes<br>And a straight shank<br>Use roll pin no. 15290 | <b>66413a</b> | \$205.00   |
| TH945 | Equiv. Thurman no. T-675<br>Equiv. new Thurman no. 10005790A<br>Size: 1 1/2 in x 1 in x 3 1/4 in long<br>Rocker use with TH911 & TH915   | <b>65280</b>  | \$63.00    |
| TH970 | Equiv. Thurman no. T-1079-4<br>Equiv. new Thurman no. 10012040A<br>Size: 1 1/2 in x 1 3/4 in x 6 in<br>Rocker for TH913  | <b>65856</b>  | \$73.00    |
| TH915 | Equiv. Thurman no. T-11-1<br>Equiv. new Thurman no. 10012980A<br>Size: 2 1/8 in x 1 in x 3 5/8 in long<br>Bearing, fulcrum with straight shank<br>Shank size: 11/16 in dia                       | <b>65903</b>  | \$82.00    |
| TH911 | Equiv. Thurman no. T-12-1<br>Equiv. new Thurman no. 10005800A<br>Size: 2 in x 1 in x 5 5/8 in long<br>Bearing, fulcrum with straight shank<br>Shank size: 11/16 in dia                           | <b>65282</b>  | \$90.00    |
| TH913 | Equiv. Thurman no. T-979-1<br>Equiv. new Thurman no. 10008560A<br>Size: 2 in x 1 1/4 in x 7 9/16 in long<br>Bearing, fulcrum with straight shank<br>Shank size: 11/16 in dia                     | <b>65624</b>  | \$127.00   |
| 72192 | Equiv. Thurman no.<br>Size: 2 in x 1 in x 10 3/4 in no holes, fulcrum  | <b>66401</b>  | \$205.00   |




THURMAN®

# Individual Thurman Scale Parts

Miscellaneous Diameter Balls, Plates & Stands

| RL PN | DESCRIPTION   | THURMAN<br>NEW # | SUGG. LIST |
|-------|---|------------------|------------|
| 18815 | Equiv. Thurman no.<br>10000190A size: 5/8 in dia<br>Ball, model 3300  | <b>64346</b>     | \$16.00    |
| 10993 | Equiv. Howe no. n/a<br>Size: 3/4 in dia<br>Ball (steel)   |                  | \$16.00    |
| 18816 | Equiv. Thurman no.<br>10001450A size: 7/8 in dia<br>Ball, model 3500  |                  | \$18.00    |
| 10772 | Equiv. Howe no. n/a<br>Size: 1 in dia<br>Ball (steel)   |                  | \$17.00    |
| H648  | Equiv. Howe no. 42035848<br>Size: 1 5/16 in dia<br>Ball (steel)<br>Models: 57, type 54,<br>Floor scales etc.                        |                  | \$19.00    |
| TH927 | Equiv. Thurman no.<br>Equiv. new Thurman no.<br>10013810A<br>Size: 1 7/16 in dia<br>Ball, warehouse scale<br>Model 3300, suspension | <b>65929</b>     | \$21.00    |
| H697  | Equiv. Howe no.<br>Size: 1 1/2 in dia<br>Ball (steel)   | <b>64684</b>     | \$22.00    |
| 33645 | Equiv. Thurman no. T-250<br>Equiv. new Thurman no.<br>10013950A size: 2 in dia<br>Ball, truck scale                                 | <b>65930</b>     | \$47.00    |
| H644  | Equiv. Howe no. 42102471<br>Size: 2 3/8 in dia<br>Ball (cast)   |                  | \$41.00    |
| 33646 | Equiv. Thurman no. T-250-1<br>Equiv. new Thurman no.<br>10005830A size: 2 1/2 in dia<br>Ball, truck scale                           | <b>65294</b>     | \$41.00    |
| 33649 | Equiv. Thurman no. T-251<br>Equiv. new Thurman no.<br>10012030A size: 3 in dia<br>Ball, truck scale                                 | <b>65855</b>     | \$42.00    |
| 33648 | Equiv. Thurman no. T-251-1<br>Equiv. new Thurman no.<br>10013960A size: 3 1/2 in dia<br>Ball, truck scale                           | <b>65931</b>     | \$53.00    |







THURMAN®

# Individual Thurman Scale Parts

Miscellaneous Diameter Balls, Plates & Stands (Cont.)

| RL PN | DESCRIPTION  | THURMAN<br>NEW # | SUGG. LIST |
|-------|--|------------------|------------|
| TH919 | Equiv. Thurman no. T-270<br>Equiv. new Thurman no.<br>10005820A<br>Size: 4 in x 4 in x 8 in long<br>Ball stand, truck scale                          | <b>65293</b>     | \$330.00   |
| TH948 | Equiv. Thurman no. T-115<br>Equiv. new Thurman no.<br>10030540A<br>Size: 5 in x 7 3/4 in x 11 in long<br>Ball stand, 75-ton<br>truck scale           | <b>72236</b>     | \$388.00   |
| 33907 | Equiv. Thurman no. T115-2<br>Equiv. new Thurman no.<br>10003970A<br>Size: 5 in x 6 in x 11 in long<br>Ball stand, class III & IV                     | <b>64960</b>     | \$388.00   |
| TH918 | Equiv. Thurman no. T-269,<br>T1556<br>Equiv. new Thurman no.<br>10008690Y<br>Size: 6 1/4 in x 1 1/4 in x 11 in long<br>Ball plate, truck scale       | <b>65643</b>     | \$232.00   |
| TH947 | Equiv. Thurman no. T-122-1<br>Equiv. new Thurman no.<br>10004080Y<br>Size: 13 in x 2 1/4 in x 12 in long<br>Ball plate, 75-ton truck scale           |                  | \$281.00   |
| 75115 | Equiv. Thurman no. T1626<br>Equiv. new Thurman no. 1<br>0004080Y<br>Size: 8 in x 1 1/2 in x 13 in long<br>Ball plate                                 | <b>72236</b>     | \$281.00   |
| 33906 | Equiv. Thurman no. n/a<br>Equiv. new Thurman no.<br>10005860A<br>Size: 4 1/4 in x 1 1/8 in x 8 1/4 in long<br>Ball plate, model 8160<br>class I & II |                  | \$232.00   |
| 33905 | Equiv. Thurman no. n/a<br>Equiv. new Thurman no.<br>10048650A<br>Size: 5 in x 1 1/2 in x 11 in long<br>Ball plate, model 8160 class III & IV         |                  | \$262.00   |







THURMAN®

# Individual Thurman Scale Parts

## Miscellaneous Parts

| RL PN   | DESCRIPTION   | THURMAN<br>NEW # | SUGG. LIST |
|---------|---|------------------|------------|
| TH950   | Equiv. Thurman no.<br>10003190A size: 2 3/8 in dia x 14 in<br>50,000 And 60,000 lb<br>Trunnion, electronic<br>truck scales  | <b>64812</b>     | \$208.00   |
| TH966   | Equiv. Thurman no.<br>10003200A size: 2 3/4 in dia x 14 in<br>100,000 lb<br>Trunnion, electronic<br>truck scales  | <b>64814</b>     | \$227.00   |
| 65430   | Equiv. Thurman no.<br>10018420A<br>size: 1 1/4 in dia x 7 in inside dimensions<br>Link, electronic truck scales   | <b>66347</b>     | \$159.00   |
| 21912   | Equiv. Thurman no. 10003220A<br>Size: 1 3/8 in dia x 7 3/4 in inside dimensions<br>Link, electronic truck scales  |                  | \$488.00   |
| 33654   | Equiv. Thurman no. 10000140A<br>Size: A. 3/4 in C. 1/2 in<br>B. 1 1/8 in D. 1/2 in-20 THrd<br>Load cup<br>Model 3500 1,000-5,000 lb,<br>1500/1502, 3300/3301 1,000-4,000 lb               |                  | \$49.00    |
| 33653   | Equiv. Thurman no.<br>10001640A<br>Size: A. 1 1/8 in C. 3/4 in<br>B. 1 1/2 in D. 3/4 in-16 THrd<br>Load cup<br>Model 3510/3520 10,000 and<br>20,000 lb, 1500/1503, 5,000 and<br>10,000 lb | <b>64554</b>     | \$50.00    |
| 33650   | Equiv. Thurman no. Sp 10002400a<br>Size: A. 1 3/4 in C. 13/16 in<br>B. 2 13/16 in D. 1 in-14 THrd<br>Load cup   |                  | \$165.00   |
| 33647   | Equiv. Thurman no.<br>Size: A. 1 3/4 in C. 1/2 in<br>B. 2 3/4 in D. 1/2 in-20 THrd<br>Load cup  |                  | \$59.00    |
| TH952SS | Equiv. Thurman no. 10000170A<br>Size: 0.783 in dia x 1/2 in<br>Bearing socket   |                  | \$36.00    |
| TH954SS | Equiv. Thurman no. 10001630A<br>Size: 1.127 in dia x 3/4 in<br>Bearing socket   |                  | \$44.00    |



# THURMAN KITS

THURMAN®

# Thurman Kit Price Index By Rice Lake PN

| RL PN  | SUGG. LIST | PAGE # | RL PN  | SUGG. LIST | PAGE # | RL PN  | SUGG. LIST | PAGE # |
|--------|------------|--------|--------|------------|--------|--------|------------|--------|
| 34323  | \$2,799.00 | 258    | TH302K | \$2,224.00 | 261    | TH309K | \$5,543.00 | 263    |
| 34324  | \$3,139.00 | 258    | TH303K | \$2,218.00 | 261    | TH310K | \$5,310.00 | XX     |
| 34325  | \$3,346.00 | 258    | TH304K | \$2,670.00 | 262    | TH312K | \$7,936.00 | XX     |
| 34326  | \$3,346.00 | 259    | TH306K | \$4,585.00 | 262    | TH313K | \$6,158.00 | XX     |
| 34327  | \$4,150.00 | 259    | TH307K | \$4,434.00 | 263    | TH314K | \$3,148.00 | 262    |
| 34328  | \$4,790.00 | 259    | TH308K | \$5,337.00 | 263    |        |            |        |
| 34329  | \$5,337.00 | 260    |        |            |        |        |            |        |
| 34330  | \$6,049.00 | 260    |        |            |        |        |            |        |
| TH301K | \$2,136.00 | 261    |        |            |        |        |            |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and The item is subject to a special order quote.


XX Call for details.

THURMAN®




# Mechanical Vehicle Scales

Models 8100 (XTCP), 8110 and 8120, (STCP), 8130 and 8140 (SAM)



THURMAN®

## Model 8160 Electro-mechanical



# Truck Scale

## Kit No. 34323 Thurman PN 96955

Pivot and Bearing Kit 2-Section, 1982 and Newer, Class III and IV

Model 8100 XTCP

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY    | RL PN        | EQUIV. THURMAN #       | DESCRIPTION                         |
|--------|--------------|------------------------|-------------------------------------|
| 8..... | TH907P ..... | T-1155-4, 10008490A    | Pivot, load and fulcrum             |
| 4..... | TH912.....   | T-979, 10008550A.....  | Bearing, load                       |
| 4..... | TH913.....   | T-979-1, 10008560A...  | Bearing and fulcrum                 |
| 4..... | TH903P ..... | T-1155, 10008590A....  | Pivot, torque tube load and fulcrum |
| 4..... | TH970.....   | T-1079-4, 10012040D    | Rocker                              |
| 2..... | TH915.....   | T-11-1, 10012980A..... | Bearing, torque tube fulcrum        |
| 2..... | TH917.....   | T-191 .....            | Bearing, torque tube load           |
| 2..... | TH916.....   | T-192 .....            | Bearing, main lever, tip            |
| 2..... | TH901P ..... | T255-1, 10008710A ...  | Pivot, main lever tip               |
| 1..... | 22910 .....  | 10012770A.....         | Pivot, transverse lever tip         |
| 8..... | 15290 .....  | n/a.....               | Pin, spring 3/8 in x 1 1/2 in       |

**\$2,799.00** Suggested list/80 lb shipping weight

## Kit No. 34324 Thurman PN 96807

Suspension Kit, 2-Section, old scale use kit TH914K, 1982 and Newer Scale Use Class III and IV

Model 8100 XTCP

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY    | RL PN       | EQUIV. THURMAN #       | DESCRIPTION                                  |
|--------|-------------|------------------------|--|
| 8..... | 33649 ..... | T251, 10012030a .....  | Ball 3 inch                                  |
| 4..... | 33907 ..... | T-115-2, 10003970a.... | Tee block (ball stand) 6 inch high           |
| 4..... | 75115 ..... | T-1626, 10004080y .... | Ball plate, <i>check height of tee block</i> |

**\$3,139.00** Suggested list/350 lb shipping weight

## Kit No. 34325 Thurman PN 34325

Pivot and Bearings Kit, 3-Section, 1982 and Newer Class I and II

Model 8100 XTCP

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY     | RL PN        | EQUIV. THURMAN #       | DESCRIPTION                         |
|---------|--------------|------------------------|-------------------------------------|
| 12..... | TH905P ..... | T-1155-2, 10005980A    | Pivot, load and fulcrum             |
| 6.....  | TH910.....   | T-12, 10005850A.....   | Bearing, load                       |
| 6.....  | TH911.....   | T-12-1, 10005800A..... | Bearing, fulcrum                    |
| 6.....  | TH903P ..... | T1155, 10008590A.....  | Pivot, torque tube load and fulcrum |
| 6.....  | TH945.....   | T675, 10005790A.....   | Rocker                              |
| 3.....  | TH915.....   | T11-1, 10012980A ..... | Bearing, torque tube fulcrum        |
| 3.....  | TH917.....   | T191 .....             | Bearing, torque tube load           |
| 3.....  | TH916.....   | T192 .....             | Bearing, main lever tip             |
| 3.....  | TH901P ..... | T255-1, 1008710A ..... | Pivot, main lever tip               |
| 1.....  | 22910 .....  | 10012770A.....         | Pivot, torque tube tip              |
| 12..... | 15290 .....  | n/a.....               | Pin, spring 3/8 in x 1 1/2 in       |

**\$3,346.00** Suggested list/90 lb shipping weight

# Truck Scale

## Kit No. 34326 Thurman PN 65811

Suspension Kit, 1982 and Newer, 3-Sections, Class I and II

Model 8100 XTCP

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY     | RL PN       | EQUIV. THURMAN #       | DESCRIPTION            |
|---------|-------------|------------------------|------------------------|
| 12..... | 33646 ..... | T-250-1, 10005830A...  | Balls, 2 1/2 inch      |
| 6.....  | TH918.....  | T-269, 10008690a ..... | Ball plate             |
| 6.....  | TH919.....  | T-270, 10005820a ..... | Tee block (ball stand) |

**\$3,346.00** Suggested list/156 lb shipping weight

## Kit No. 34327 Thurman PN 96956

Pivot and Bearing Kit, 3-Sections, 1982 and Newer Class III and IV

Model 8100 XTCD

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY     | RL PN        | EQUIV. THURMAN #      | DESCRIPTION                         |
|---------|--------------|-----------------------|-------------------------------------|
| 12..... | TH907P ..... | T115, 10008490A.....  | Pivot, load and fulcrum             |
| 6.....  | TH912.....   | T979, 10008550a ..... | Bearing, load                       |
| 6.....  | TH913.....   | T-979-1, 10008560A... | Bearing, fulcrum                    |
| 6.....  | TH903P ..... | TH1155, 10008590A ..  | Pivot, torque tube load and fulcrum |
| 6.....  | TH970.....   | T1079-4, 10012040A .. | Rocker                              |
| 3.....  | TH915.....   | T11-1, 100012980A ... | Bearing, torque tube fulcrum        |
| 3.....  | TH917.....   | T191 .....            | Bearing, torque tube load           |
| 3.....  | TH916.....   | T192 .....            | Bearing, main lever tip             |
| 3.....  | TH901P ..... | T255-1, 10008710A ... | Pivot, main lever tip               |
| 1.....  | 22910 .....  | 10012770A.....        | Pivot, torque tube tip              |
| 12..... | 15290 .....  | n/a.....              | Pin, spring 3/8 in x 1 1/2 in       |

**\$4,150.00** Suggested list/105 lb shipping weight

## Kit No. 34328 Thurman PN 96809

Suspension Kit, 3-Sections, 1982 and Newer Class III and IV

Model 8100 XTCD

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY     | RL PN       | EQUIV. THURMAN #      | DESCRIPTION                                  |
|---------|-------------|-----------------------|--|
| 12..... | 33649 ..... | T251, 10012030A.....  | Balls, 3 inch                                |
| 6.....  | 33907 ..... | T-115-2, 10003970A... | Tee block (ball stand) 6 inch high           |
| 6.....  | 75115 ..... | T1626, 10004080A..... | Ball plate, <i>check height of tee block</i> |

**\$4,790.00** Suggested list/527 lb shipping weight

THURMAN®

# Truck Scale

## Kit No. 34329 Thurman PN 96957

Pivot and Bearings Kit, 4-Sections, 1982 and Newer, Class III and IV

Model 8100 XTCD

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY     | RL PN        | EQUIV. THURMAN #       | DESCRIPTION                         |
|---------|--------------|------------------------|-------------------------------------|
| 16..... | TH907P ..... | T-1155-4, 10008490A    | Pivot, load and fulcrum             |
| 8.....  | TH912.....   | T-979, 10008550A.....  | Bearing, load                       |
| 8.....  | TH913.....   | T-979-1, 10008560A...  | Bearing, fulcrum                    |
| 8.....  | TH903P ..... | T1155, 10008590A.....  | Pivot, torque tube load and fulcrum |
| 8.....  | TH970.....   | T1079-4, 100112040A    | Rocker                              |
| 4.....  | TH915.....   | T11-1, 10012980A ..... | Bearing, torque tube fulcrum        |
| 4.....  | TH917.....   | T191 .....             | Bearing, torque tube load           |
| 4.....  | TH916.....   | T192 .....             | Bearing, main lever tip             |
| 4.....  | TH901P ..... | T255-1, 10008710A ...  | Pivot, main lever tip               |
| 1.....  | 22910 .....  | 10012770A.....         | Pivot, torque tube tip              |
| 16..... | 15290 .....  | n/a.....               | Pin, spring 3/8 in x 1 1/2 in       |

**\$5,337.00** Suggested list/120 lb shipping weight

## Kit No. 34330 Thurman PN 96808

Suspension Kit, 4-Sections, 1981 and Older Use Kit TH313K, 1982 and Newer Use This Kit, 34330

Model 8100 XTCD

Models 8110 and 8120 STCP

Models 8130 and 8140 SAM

| QTY     | RL PN       | EQUIV. THURMAN #       | DESCRIPTION                                  |
|---------|-------------|------------------------|--|
| 16..... | 33649 ..... | T251, 10012030a .....  | Balls, 3 inch                                |
| 8.....  | 33907 ..... | T-115-2, 10003970a...  | Tee block (ball stand) 6 inch high           |
| 8.....  | 75115 ..... | T1626, 10004080a ..... | Ball plate, <i>check height of tee block</i> |

**\$6,049.00** Suggested list/700 lb shipping weight

THURMAN®

# Truck Scale

## Kit No. TH301K

Pivot and Bearing Kit (Does Not Fit Side Arm), 2-Section, 27-Ton Light Duty

| QTY     | RL PN        | EQUIV. THURMAN #     | DESCRIPTION               |
|---------|--------------|----------------------|---------------------------|
| 4.....  | TH914.....   | T-11 .....           | Bearing, load             |
| 4.....  | TH945.....   | T675, 10005790A..... | Rocker                    |
| 6.....  | TH915.....   | T-11-1 .....         | Bearing, fulcrum          |
| 12..... | TH904P ..... | T-255 .....          | Pivot, load and fulcrum   |
| 2.....  | TH916.....   | T-192 .....          | Bearing, main lever tip   |
| 2.....  | TH917.....   | T-191 .....          | Bearing, torque tube load |
| 2.....  | TH901P ..... | T-255-1 .....        | Pivot, tip                |
| 1.....  | 22910 .....  | 10012770A.....       | Pivot, transverse tip     |
| 16..... | 15290 .....  | n/a.....             | Roll pin                  |

**\$2,136.00** Suggested list/45 lb shipping weight

## Kit No. TH302K Thurman PN 72805

Pivot and Bearing Kit (Does Not Fit Side Arm), 2-Section, 27- and 37-Ton Heavy Duty Truck Scale

| QTY    | RL PN        | EQUIV. THURMAN #      | DESCRIPTION                  |
|--------|--------------|-----------------------|------------------------------|
| 4..... | TH910.....   | T-12 .....            | Bearing, load                |
| 4..... | TH911.....   | T-12-1 .....          | Bearing, fulcrum             |
| 4..... | TH945.....   | T675, 10005790a ..... | Rocker                       |
| 8..... | TH905P ..... | T-1155-2 .....        | Pivot, load and fulcrum      |
| 2..... | TH916.....   | T-192 .....           | Bearing, main lever tip      |
| 2..... | TH917.....   | T-191 .....           | Bearing, torque tube load    |
| 2..... | TH915.....   | T-11-1 .....          | Bearing, torque tube fulcrum |
| 2..... | TH901P ..... | T-255-1 .....         | Pivot, tip                   |
| 2..... | TH902P ..... | T-1155-1 .....        | Pivot, torque tube load      |
| 2..... | TH904P ..... | T-255 .....           | Pivot, torque tube fulcrum   |
| 1..... | TH922P ..... | T-47-2 .....          | Pivot, transverse tip        |
| 8..... | 15290 .....  | n/a.....              | Roll pin                     |

**\$2,224.00** Suggested list/53 lb shipping weight

## Kit No. TH303K Thurman PN 65810

Suspension Kit, 2-Section, 27- and 37-Ton Light and Heavy Duty Truck Scales

| QTY    | RL PN       | EQUIV. THURMAN # | DESCRIPTION            |
|--------|-------------|------------------|------------------------|
| 8..... | 33646 ..... | T-250-1 .....    | Ball, 2 1/2 in         |
| 4..... | TH918.....  | T-269 .....      | Ball plate             |
| 4..... | TH919.....  | T-270 .....      | Tee block (ball stand) |

**\$2,218.00** Suggested list/156 lb shipping weight

THURMAN®

# Truck Scale

## Kit No. TH304K

Pivot & Bearing Kit, 2-Section, 52-Ton Truck Scale

| QTY    | RL PN       | EQUIV. THURMAN #        | DESCRIPTION                  |
|--------|-------------|-------------------------|------------------------------|
| 4..... | TH913.....  | T-979-1.....            | Bearing, fulcrum             |
| 4..... | TH912.....  | T-979.....              | Bearing, load                |
| 4..... | TH970.....  | T1079-4, 10012040A..... | Rocker                       |
| 8..... | TH907P..... | T-1155-4.....           | Pivot, load & fulcrum        |
| 2..... | TH911.....  | T-12-1.....             | Bearing, torque tube fulcrum |
| 2..... | TH916.....  | T-192.....              | Bearing, main lever tip      |
| 2..... | TH917.....  | T-191.....              | Bearing, torque tube load    |
| 2..... | TH905P..... | T-1155-2.....           | Pivot, torque tube fulcrum   |
| 2..... | TH903P..... | T-1155.....             | Pivot, torque tube load      |
| 2..... | TH901P..... | T-255-1.....            | Pivot, main lever tip        |
| 1..... | 22910.....  | 10012770A.....          | Pivot, transverse tip        |
| 8..... | 15290.....  | n/a.....                | Roll pin                     |

**\$2,670.00** Suggested list/72 lb shipping weight

## Kit No. TH314K

Suspension Kit For 1981 and Older Use TH314K, Newer Scales Use Kit 34324

| QTY    | RL PN      | EQUIV. THURMAN # | DESCRIPTION                                  |
|--------|------------|------------------|--|
| 8..... | 33649..... | T-251.....       | Ball, 3 in                                   |
| 4..... | TH947..... | T-122-1.....     | Ball plate, <i>check height of tee block</i> |
| 4..... | TH948..... | T-115.....       | Tee block (ball stand) 7 3/4 in high         |

**\$3,148.00** Suggested list/390 lb shipping weight

## Kit No. TH306K

Pivot & Bearing Kit, 4-Section, 52- & 62-Ton Truck Scale, Class I and II

Model 8100 XTCD

Models 8110 & 8120 STCP

Models 8130 & 8140 SAM

| QTY     | RL PN       | EQUIV. THURMAN #     | DESCRIPTION                  |
|---------|-------------|----------------------|------------------------------|
| 8.....  | TH910.....  | T-12.....            | Bearing, load                |
| 8.....  | TH911.....  | T-12-1.....          | Bearing, fulcrum             |
| 12..... | TH945.....  | T675, 10005790A..... | Rocker                       |
| 16..... | TH905P..... | T-1155-2.....        | Pivot, load & fulcrum        |
| 4.....  | TH916.....  | T-192.....           | Bearing, lower tip           |
| 4.....  | TH917.....  | T-191.....           | Bearing, torque tube load    |
| 4.....  | TH901P..... | T-255-1.....         | Pivot, tip                   |
| 4.....  | TH902P..... | T-1155-1.....        | Pivot, torque tube load      |
| 4.....  | TH915.....  | T-11-1.....          | Bearing, torque tube fulcrum |
| 4.....  | TH904P..... | T-255.....           | Pivot, torque tube fulcrum   |
| 1.....  | 22910.....  | 10012770A.....       | Pivot, transverse tip        |
| 16..... | 15290.....  | n/a.....             | Roll pin                     |

**\$4,585.00** Suggested list/100 lb shipping weight

# Truck Scale

## Kit No. TH307K Thurman PN 65812

Suspension Kit For TH306K

| QTY     | RL PN       | EQUIV. THURMAN # | DESCRIPTION            |
|---------|-------------|------------------|------------------------|
| 16..... | 33646 ..... | T-250-1 .....    | Ball, 2 1/2 in         |
| 8.....  | TH918.....  | T-269 .....      | Ball plate             |
| 8.....  | TH919.....  | T-270 .....      | Tee block (ball stand) |

**\$4,434.00** Suggested list/312 lb shipping weight

## Kit No. TH308K

Pivot & Bearing Kit, 5-Section, 52- & 62-Ton Truck Scale

| QTY     | RL PN        | EQUIV. THURMAN #      | DESCRIPTION                       |
|---------|--------------|-----------------------|-----------------------------------|
| 10..... | TH910.....   | T-12 .....            | Bearing, load                     |
| 10..... | TH911.....   | T-12-1 .....          | Bearing, fulcrum                  |
| 10..... | TH945.....   | T-675, 10005790A..... | Rocker                            |
| 20..... | TH905P ..... | T-1155-2.....         | Pivot, load & fulcrum             |
| 5.....  | TH916.....   | T-192 .....           | Bearing, lower tip                |
| 5.....  | TH917.....   | T-191 .....           | Bearing, torque tube load         |
| 5.....  | TH901P ..... | T-255-1 .....         | Pivot, tip                        |
| 5.....  | TH915.....   | T-11-1 .....          | Bearing, torque tube fulcrum      |
| 5.....  | TH902P ..... | T-1155-1.....         | Pivot, torque tube load & fulcrum |
| 1.....  | 22910 .....  | 10012770A.....        | Pivot, transverse tip             |
| 5.....  | TH904P ..... | T-255 .....           | Pivot, torque tube fulcrum        |
| 20..... | 15290 .....  | n/a.....              | Roll pin                          |

**\$5,337.00** Suggested list/125 lb shipping weight

## Kit No. TH309K

Suspension Kit For TH308K

| QTY     | RL PN       | EQUIV. THURMAN # | DESCRIPTION            |
|---------|-------------|------------------|------------------------|
| 20..... | 33646 ..... | T-250-1 .....    | Ball, 2 1/2 in         |
| 10..... | TH918.....  | T-269 .....      | Ball plate             |
| 10..... | TH919.....  | T-270 .....      | Tee block (ball stand) |

**\$5,543.00** Suggested list/390 lb shipping weight

THURMAN®

# Truck Scale

## Kit No. TH310K

Pivot & Bearing Kit, 4-Section, 75-Ton Truck Scale

| QTY     | RL PN        | EQUIV. THURMAN #         | DESCRIPTION                |
|---------|--------------|--------------------------|----------------------------|
| 8.....  | TH912.....   | T-979 .....              | Bearing, load              |
| 8.....  | TH913.....   | T-979-1.....             | Bearing, fulcrum           |
| 8.....  | TH970.....   | T1079-4, 10012040A ..... | rocker                     |
| 16..... | TH907P ..... | T-1155-4.....            | Pivot, load & fulcrum      |
| 4.....  | TH916.....   | T-192 .....              | Bearing, main lever tip    |
| 4.....  | TH911 .....  | T-12-1 .....             | Bearing, torque tube       |
| 4.....  | TH905P ..... | T-1155-2.....            | Pivot, torque tube fulcrum |
| 4.....  | TH903P ..... | T-1155 .....             | Pivot, torque tube load    |
| 4.....  | TH901P ..... | T-255-1.....             | Pivot, main lever tip      |
| 4.....  | TH917 .....  | T-191 .....              | Bearing, torque tube       |
| 1.....  | 22910 .....  | 10012770A.....           | Pivot, transverse tip      |
| 16..... | 15290 .....  | n/a.....                 | roll pin                   |

**\$5,310.00** Suggested list/143 lb shipping weight

## Kit No. TH313K

Suspension Kit For TH310K Built Before 1982 For Scales Built After 1982 Use Kit 34330

| QTY     | RL PN       | EQUIV. THURMAN # | DESCRIPTION              |
|---------|-------------|------------------|--------------------------|
| 8.....  | TH947.....  | T-122-1.....     | Ball plate               |
| 8.....  | TH948.....  | T-115 .....      | Tee block, 7 3/4 in tall |
| 16..... | 33649 ..... | T-251 .....      | Ball, 3 in               |

**\$6,158.00** Suggested list/777 lb shipping weight

## Kit No. TH312K

Straight Lever, 4-Section, 50- & 75-Ton Truck Scale

| QTY     | RL PN        | EQUIV. THURMAN # | DESCRIPTION             |
|---------|--------------|------------------|-------------------------|
| 40..... | TH914.....   | T-11 .....       | Bearing, load & fulcrum |
| 32..... | TH904P ..... | T-255 .....      | Pivot, load & fulcrum   |
| 14..... | TH901P ..... | T-255-1.....     | Pivot, tip              |
| 14..... | TH916.....   | T-192 .....      | Bearing, tip            |
| 12..... | TH917 .....  | T-191 .....      | Bearing, torque tube    |
| 8.....  | TH903P ..... | T-1155 .....     | Pivot, extension lever  |
| 12..... | TH902P ..... | T-1155-1.....    | Pivot                   |
| 1.....  | 22910 .....  | 10012770A.....   | Pivot, tip              |

**\$7,936.00** Suggested list/172 lb shipping weight

Call 715-234-9171 For Suspension Parts



# HARDY

HARDY®

# Hardy Price Index By Rice Lake PN

| RL PN      | SUGGESTED LIST | PAGE # | RL PN     | SUGGESTED LIST | PAGE # | RL PN     | SUGGESTED LIST | PAGE # |
|------------|----------------|--------|-----------|----------------|--------|-----------|----------------|--------|
| 13720      | \$10.00/FT     | 275    | 0525-0077 | \$50.00        | 272    | 0525-0200 | \$17.00        | 274    |
| 13721      | \$5.00/FT      | 275    | 0525-0133 | \$90.00        | 270    | 0525-0203 | \$53.00        | 268    |
| 0525-0035  | \$210.00       | 275    | 0525-0134 | \$110.00       | 270    | 0525-0204 | \$20.00        | 274    |
| *0525-0037 | \$165.00       | 275    | 0525-0143 | \$71.00        | 269    | 0525-0207 | \$55.00        | 268    |
| 0525-0045  | \$223.00       | 275    | 0525-0144 | \$75.00        | 269    | 0525-0208 | \$21.00        | 274    |
| 0525-0047  | \$223.00       | 275    | 0525-0146 | \$71.00        | 269    | 0525-0215 | \$101.00       | 273    |
| 0525-0049  | \$230.00       | 275    | 0525-0147 | \$76.00        | 269    | 0525-0216 | \$105.00       | 273    |
| 0525-0051  | \$230.00       | 275    | 0525-0148 | \$68.00        | 269    | 0525-0223 | \$110.00       | 273    |
| 0525-0053  | \$249.00       | 275    | 0525-0149 | \$75.00        | 270    | 0525-0224 | \$106.00       | 273    |
| 0525-0055  | \$249.00       | 275    | 0525-0152 | \$202.00       | 274    | 0525-0225 | \$120.00       | 273    |
| 0525-0056  | \$55.00        | 272    | 0525-0153 | \$216.00       | 274    | 0525-0226 | \$120.00       | 273    |
| 0525-0057  | \$17.00        | 274    | 0525-0154 | \$223.00       | 274    | 0525-0227 | \$146.00       | 273    |
| 0525-0059  | \$41.00        | 271    | 0525-0155 | \$244.00       | 274    | 0525-0228 | \$146.00       | 273    |
| 0525-0060  | \$34.00        | 272    | 0525-0156 |                | 274    | 0525-0507 | \$39.00        | 271    |
| 0525-0061  | \$25.00        | 271    | 0525-0194 | \$52.00        | 268    | 0525-0508 | \$40.00        | 271    |
| 0525-0063  | \$26.00        | 271    | 0525-0195 | \$76.00        | 268    | 0525-0509 | \$41.00        | 271    |
| 0525-0064  | \$27.00        | 271    | 0525-0196 | \$50.00        | 268    |           |                |        |
| 0525-0070  | \$56.00        | 272    | 0525-0199 | \$50.00        | 268    |           |                |        |
| 0525-0074  | \$43.00        | 272    |           |                |        |           |                |        |
| 0525-0075  | \$49.00        | 272    |           |                |        |           |                |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

Call for details.

HARDY®

# Hardy Cross Reference By Equivalent Hardy Number

| EQUIV.<br>HARDY # | RL<br>PN  | PAGE # | EQUIV.<br>HARDY # | RL<br>PN  | PAGE # | EQUIV.<br>HARDY # | RL<br>PN  | PAGE # |
|-------------------|-----------|--------|-------------------|-----------|--------|-------------------|-----------|--------|
| 2K201             | 0525-0060 | 272    | 7K201             | 0525-0075 | 272    | 10K2001           | 0525-0133 | 270    |
| 2K308             | 0525-0041 | XX     | 7K303 (OLD)       | 0525-0508 | 271    | 10K2002           | 0525-0134 | 270    |
| 2K309             | 0525-0043 | XX     | 7K308             | 0525-0053 | 275    | 10KX2000          | 0525-0151 | XX     |
| 2K1203            | 0525-0196 | 268    | 7K309             | 0525-0055 | 275    | 12K201            | 0525-0070 | 272    |
| 2KX111            | 0525-0225 | 273    | 7K1203            | 0525-0203 | 268    | 12K303            | 0525-0059 | 271    |
| 3K303             | 0525-0061 | 271    | 7K1205            | 0525-0204 | 274    | 12K309            | 0525-0266 | XX     |
| 3K303 (OLD)       | 0525-0507 | 271    | 7K2001            | 0525-0148 | 269    | 12K1203           | 0525-0221 | XX     |
| 3K308             | 0525-0045 | 275    | 7K2002            | 0525-0149 | 270    | 13K711            | 0525-0033 | XX     |
| 3K309             | 0525-0047 | 275    | 7KX111            | 0525-0227 | 273    | 13K1303           | 0525-0194 | 268    |
| 3K2001            | 0525-0143 | 269    | 7KX2000           | 0525-0155 | 274    | 13K1314           | 0525-0195 | 268    |
| 3K2002            | 0525-0144 | 269    | 8K201             | 0525-0077 | 272    | 13K1408           | 0525-0012 | XX     |
| 3KX2000           | 0525-0152 | 274    | 8K303             | 0525-0064 | 271    | 13K1409           | 0525-0013 | XX     |
| 4K201             | 0525-0074 | 272    | 8K303 (OLD)       | 0525-0509 | 271    | 13K1410           | 0525-0014 | XX     |
| 4K308             | 0525-0049 | 275    | 8K1203            | 0525-0207 | 268    | 13KX109           | 0525-0223 | 273    |
| 4K309             | 0525-0051 | 275    | 8K1205            | 0525-0208 | 274    | 13KX110           | 0525-0224 | 273    |
| 4K1203            | 0525-0199 | 268    | 8KX111            | 0525-0228 | 273    | 16K201            | 0525-0174 | XX     |
| 4K1205            | 0525-0200 | 274    | 8KX2000           | 0525-0156 | 274    | D2542-9-B         | 0525-0181 | XX     |
| 4KX111            | 0525-0226 | 273    | 10K201            | 0525-0056 | 272    | KX123             | 0525-0215 | 273    |
| 4KX2000           | 0525-0153 | 274    | 10K308            | 0525-0035 | 275    | KX124             | 0525-0216 | 273    |
| 5K2001            | 0525-0146 | 269    | 10K309            | 0525-0037 | 275    | KX142             | 0525-0217 | XX     |
| 5K2002            | 0525-0147 | 269    | 10K311            | 0525-0057 | 274    |                   |           |        |
| 5KX2000           | 0525-0154 | 274    | 10K1203           | 0525-0190 | XX     |                   |           |        |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.







XX Call for details.

## Hardy Scale Models and Gross Capacities

| MODEL | GROSS CAPACITY   |
|-------|------------------|
| HS-1  | 0-625 LB         |
| HS-2  | 626-1,250 LB     |
| HS-3  | 1,251-2,500 LB   |
| HS-4  | 2,501-6,250 LB   |
| HS-5  | 6,251-7,500 LB   |
| HS-6  | 7,501-11,250 LB  |
| HS-7  | 11,251-25,000 LB |
| HS-8  | 12,501-25,000 LB |
| HS-9  | 25,001-30,000 LB |
| HS-10 | 30,001-37,500 LB |
| HS-11 | 37,501-50,000 LB |
| HS-12 | 50,001-62,500 LB |

# Individual Hardy Scale Parts


## Bearings

| RL PN     | DESCRIPTION  | SUGG. LIST |   |
|-----------|--|------------|---|
| 0525-0194 | Equiv. Hardy no. 13K1303<br>Size: 15/16 in x 15/16 in x 1 1/32 in<br>Hole size: 0.453 or 29/64 in dia<br>Spacer: 0525-0200<br>Fits shackle no. 0525-0223, 0525-0224<br>Extension lever: all models (1/2 in bar)<br>Type A<br>Bearing | \$52.00    |    |
| 0525-0195 | Equiv. Hardy no. 13K1314<br>Size: 1 1/4 in x 1 1/4 in x 1 7/16 in<br>Hole size: 0.578 or 37/64 in dia<br>Spacer: 0525-0204<br>Fits shackle no. 0525-0217<br>Extension lever: H.D. (3/4 in bar)<br>Type B<br>Bearing                  | \$76.00    |    |
| 0525-0196 | Equiv. Hardy no. 2K1203<br>Size: 15/16 in x 15/16 in x 31/32 in<br>Hole size: 0.453 or 29/64 in dia<br>Spacer: 0525-0200<br>Fits shackle no. 0525-0225<br>Models: hs-1, HS-2<br>Type A<br>Bearing                                    | \$50.00    |  |
| 0525-0199 | Equiv. Hardy no. 4K1203<br>Size: 15/16 in x 15/16 in x 29/32 in<br>Hole size: 0.453 in or 29/64 in dia<br>Spacer: 0525-0200<br>Fits shackle no. 0525-0215<br>Models: HS-3, HS-4<br>Type A<br>Bearing                                 | \$50.00    |  |
| 0525-0203 | Equiv. Hardy no. 7K1203<br>Size: 1 1/4 in x 1 1/4 in x 1 3/16 in<br>Hole size: 0.578 in or 37/64 in dia<br>Spacer: 0525-0204<br>Fits shackle no. 0525-0227<br>Models: hs-5, HS-6, HS-7<br>Type B<br>Bearing                          | \$53.00    |  |
| 0525-0207 | Equiv. Hardy no. 8K1203<br>Size: 1 1/4 in x 1 1/2 in x 1 3/8 in<br>Hole size: 0.719 in or 23/32 in dia<br>Spacer: 0525-0208<br>Fits shackle no. 0525-0228<br>Model: HS-8<br>Type B<br>Bearing  | \$55.00    |  |

# Individual Hardy Scale Parts

## Bearings (Cont.)

| RL PN     | DESCRIPTION   | SUGG. LIST |
|-----------|---|------------|
| 0525-0143 | <p>Equiv. Hardy no. 3K2001</p> <p>Size: 1 1/4 in x 5/8 in x 2 3/16 in</p> <p>Hole size: 3/8 in dia x 1 9/16 in center to center</p> <p>Fits shackle no. 0525-0152</p> <p>Models: HS-1, HS-2, HS-3</p> <p>Upper bearing</p>    | \$71.00    |
| 0525-0144 | <p>Equiv. Hardy no. 3K2002</p> <p>Size: 1 1/4 in x 5/8 in x 3 5/8 in</p> <p>Hole size: 3/8 in dia x 3 in center to center</p> <p>Fits shackle no. 0525-0152</p> <p>Models: HS-1, HS-2, HS-3</p> <p>Lower bearing</p>          | \$75.00    |
| 0525-0146 | <p>Equiv Hardy no. 5K2001</p> <p>Size: 1 1/4 in x 3/4 in x 2 5/8 in</p> <p>Hole size: 1/2 in dia x 1 3/4 in center to center</p> <p>Fits shackle no. 0525-0153, 0525-0154</p> <p>Models: HS-4, HS-5</p> <p>Upper bearing</p>  | \$71.00    |
| 0525-0147 | <p>Equiv. Hardy no. 5K2002</p> <p>Size: 1 1/4 in x 3/4 in x 4 1/2 in</p> <p>Hole size: 1/2 in dia x 3 5/8 in center to center</p> <p>Fits shackle no. 0525-0153, 0525-0154</p> <p>Models: HS-4, HS-5</p> <p>Lower bearing</p> | \$76.00    |
| 0525-0148 | <p>Equiv. Hardy no. 7K2001</p> <p>Size: 1 1/4 in x 3/4 in x 3 9/16 in</p> <p>Hole size: 5/8 in dia x 2 7/16 in center to center</p> <p>Fits shackle no. 0525-0155</p> <p>Models HS-6, HS-7</p>                                | \$68.00    |




HARDY®

# Individual Hardy Scale Parts

Bearings (Cont.)

| RL PN     | DESCRIPTION   | SUGG. LIST |
|-----------|---|------------|
| 0525-0149 | <p>Equiv. Hardy no. 7K2002</p> <p>Size: 1 1/4 in x 3/4 in x 5 3/4 in</p> <p>Hole size: 5/8 in dia x 4 5/8 in center to center</p> <p>Fits shackle no. 0525-0155</p> <p>Models: HS-6, HS-7</p> <p>Lower bearing</p>                    | \$75.00    |
| 0525-0133 | <p>Equiv. Hardy no. 10K2001</p> <p>Size: 1 1/4 in x 1 in x 3 7/8 in</p> <p>Hole size: 11/16 in dia x 2 5/8 in center to center</p> <p>Fits shackle no. 0525-0156, 0525-0151</p> <p>Models: HS-8, HS-9, HS-10</p> <p>Upper bearing</p> | \$90.00    |
| 0525-0134 | <p>Equiv. Hardy no. 10K2002</p> <p>Size: 1 1/4 in x 1 in x 6 3/8 in</p> <p>Hole size: 11/16 in dia x 5 1/8 in center to center</p> <p>Fits shackle no: 0525-0156, 0525-0151</p> <p>Models: HS-8, HS-9, HS-10</p> <p>Lower bearing</p> | \$110.00   |





HARDY®

# Individual Hardy Scale Parts

## Pivots

| RL PN     | DESCRIPTION   | SUGG. LIST |
|-----------|---|------------|
| 0525-0061 | Equiv. Hardy no. 3K303<br>Size: 1/2 in x 1/2 in x 1/2 in<br>Fits splice nose iron: 0525-0041, 0525-0043,<br>0525-0045, 0525-0047<br>Models: HS-1, HS-2, HS-3<br>Pivot                 | \$25.00    |
| 0525-0063 | Equiv. Hardy no. 7K303<br>Size: 1/2 in x 1/2 in x 5/8 in<br>Fits splice nose iron: 0525-0049, 0525-0051,<br>0525-0053, 0525-0055<br>Models: HS-4, HS-5, HS-6, HS-7<br>Pivot           | \$26.00    |
| 0525-0064 | Equiv. Hardy no. 8K303<br>Size: 1/2 in x 1/2 in x 3/4 in<br>Fits splice nose iron: 0525-0035, 0525-0037<br>Models: HS-8, HS-9, HS-10<br>Pivot   | \$27.00    |
| 0525-0059 | Equiv. Hardy no. 12K303<br>Size: 1/2 in x 3/4 in x 1 in<br>Fits splice nose iron: 0525-0265, 0525-0266<br>Models: HS-11, HS-12<br>Pivot   | \$41.00    |
| 0525-0507 | Equiv. Hardy no. 3K303 - old style<br>Size: 1/2 in x 3/4 in x 1/2 in<br>Fits splice nose iron: 0525-0041, 0525-0043,<br>0525-0045, 0525-0047<br>Models: HS-1, HS-2, HS-3<br>Pivot     | \$39.00    |
| 0525-0508 | Equiv hardy no. 7K303 - old style<br>Size: 1/2 in x 3/4 in x 5/8 in<br>Fits splice nose iron: 0525-0049, 0525-0051<br>0525-0053, 0525-0055<br>Models: HS-4, HS-5, HS-6, HS-7<br>Pivot | \$40.00    |
| 0525-0509 | Equiv. Hardy no. 8K303 - old style<br>Size: 1/2 in x 3/4 in x 3/4 in<br>Fits splice nose iron: 0525-0035, 0525-0037<br>Models: HS-8, HS-9<br>Pivot                                    | \$41.00    |





HARDY®

# Individual Hardy Scale Parts

Pivots (Cont.)

| RL PN     | DESCRIPTION  | SUGG. LIST |
|-----------|--|------------|
| 0525-0060 | Equiv. Hardy no. 2K201<br>Size: 3/8 in x 3/8 in x 3 1/2 in<br>Load and fulcrum: main lever<br>Models: HS-1, HS-2<br>Pivot    | \$34.00    |
| 0525-0074 | Equiv. Hardy no. 4K201<br>Size: 1/2 in x 1/2 in x 3 1/2 in<br>Load and fulcrum: main lever<br>Models: HS-3, HS-4<br>Pivot    | \$43.00    |
| 0525-0075 | Equiv. Hardy no. 7K201<br>Size: 5/8 in x 5/8 in x 4 in<br>Load and fulcrum: main lever<br>Model: HS-5, HS-6, HS-7<br>Pivot   | \$49.00    |
| 0525-0077 | Equiv. Hardy no. 8K201<br>Size: 3/4 in x 3/4 in x 4 5/8 in<br>Load and fulcrum: main lever<br>Models: HS-8<br>Pivot          | \$50.00    |
| 0525-0056 | Equiv. Hardy no. 10K201<br>Size: 1/2 in x 3/4 in x 2 5/8 in<br>Load and fulcrum: main lever<br>Models: HS-9, HS-10<br>Pivot  | \$55.00    |
| 0525-0070 | Equiv. Hardy no. 12K201<br>Size: 1/2 in x 3/4 in x 3 1/4 in<br>Load and fulcrum: main lever<br>Models: HS-11, HS-12<br>Pivot | \$56.00    |




HARDY®



# Individual Hardy Scale Parts

## Loops

| RL PN     | DESCRIPTION   | SUGG. LIST |
|-----------|---|------------|
| 0525-0215 | Equiv. Hardy no. KX123<br>Size: A. 2 29/32 in<br>B. 1 in<br>C. 1 1/16 in<br>Uses bearing no. 0525-0199<br>Loop      | \$101.00   |
| 0525-0216 | Equiv. Hardy no. KX124<br>Size: A. 2 29/32 in<br>B. 1 in<br>C. 15/16 in<br>Uses bearing no. 0525-0196<br>Loop       | \$105.00   |
| 0525-0223 | Equiv. Hardy no. 13KX109<br>Size: A. 2 17/32 in<br>B. 1 in<br>C. 13/16 in<br>Uses bearing no. 0525-0194<br>Loop     | \$110.00   |
| 0525-0224 | Equiv. Hardy no. 13KX110<br>Size: A. 1 27/32 in<br>B. 1 in<br>C. 13/16 in<br>Uses bearing no. 0525-0194<br>Loop     | \$106.00   |
| 0525-0225 | Equiv. Hardy no. 2KX111<br>Size: A. 2 17/32 in<br>B. 1 in<br>C. 15/16 in<br>Uses bearing no. 0525-0196<br>Loop      | \$120.00   |
| 0525-0226 | Equiv. Hardy no. 4KX111<br>Size: A. 2 17/32 in<br>B. 1 in<br>C. 1 1/16 in<br>Uses bearing no. 0525-0199<br>Loop     | \$120.00   |
| 0525-0227 | Equiv. Hardy no. 7KX111<br>Size: A. 3 in<br>B. 1 9/32 in<br>C. 1 9/16 in<br>Uses bearing no. 0525-0203<br>loop      | \$146.00   |
| 0525-0228 | Equiv. Hardy no. 8KX111<br>Size: A. 3 9/32 in<br>B. 1 5/16 in<br>C. 1 1/2 in<br>Uses bearing no. 05250-0207<br>Loop | \$146.00   |






HARDY®

# Individual Hardy Scale Parts

## Miscellaneous



| RL PN     | DESCRIPTION   | SUGG. LIST      |
|-----------|---|-----------------|
| 0525-0152 | Equiv. Hardy no. 3Kx2000<br>Steelyard rod dia 1/2 in<br>Top bearing: 0525-0143<br>Bottom bearing: 0525-0144<br>Models: HS-1, HS-2, HS-3<br>Shackle assembly | \$202.00        |
| 0525-0153 | Equiv. Hardy no. 4Kx2000<br>Steelyard rod dia 1/2 in<br>Top bearing: 0525-0146<br>Bottom bearing: 0525-0147<br>Model: HS-4<br>Shackle assembly              | \$216.00        |
| 0525-0154 | Equiv. Hardy no. 5Kx2000<br>Steelyard rod dia 5/8 in<br>Tip bearing: 0525-0146<br>Bottom bearing: 0525-0147<br>Model: HS-5<br>Shackle assembly              | \$223.00        |
| 0525-0155 | Equiv. Hardy no. 7Kx2000<br>Steelyard rod dia 5/8 in<br>Top bearing: 0525-0148<br>Bottom bearing: 0525-0149<br>Models: hs-6, hs-7<br>Shackle assembly       | \$244.00        |
| 0525-0156 | Equiv. Hardy no. 8Kx2000<br>Steelyard rod dia 3/4 in<br>Top bearing: 0525-0133<br>Bottom bearing: 0525-0134<br>Model: HS-8<br>Shackle assembly              | Consult\$273.00 |
| 0525-0057 | Equiv. Hardy no. 10K311<br>Size: 1/4 in x 3/4 in x 1 3/4 in<br>Models: HS-8, HS-9, HS-10<br>Nose iron retainer plate  | \$17.00         |
| 0525-0200 | Equiv. Hardy no. 4K1205<br>Size: 7/16 in O.D. x 1 in<br>Bearing spacer  | \$17.00         |
| 0525-0204 | Equiv. Hardy no. 7K1205<br>Size: 9/16 in O.D. x 1 9/32 in<br>Bearing spacer   | \$20.00         |
| 0525-0208 | Equiv. Hardy no. 8K1205<br>Size: 11/16 in O.D. x 1 5/16 in<br>Bearing spacer  | \$21.00         |



# Individual Hardy Scale Parts

Miscellaneous (Cont.)

| RL PN             | DESCRIPTION   | SUGG. LIST |
|-------------------|---|------------|
| 13720             | Cable<br>Size: 1/8 in dia   | \$10.00/Ft |
| 13721             | Cable<br>Size: 3/16 in dia  | \$5.00/Ft  |
| 0525-0035<br>(B)  | Equiv Hardy no. 10K308<br>size: 3/4 in x 3 15/16 in x 8 15/16 in<br>Uses pivot no. 0525-0064<br>Models: HS-8, HS-9, HS-10, R.H., nose iron  | \$210.00   |
| *0525-0037<br>(B) | Equiv. Hardy no. 10K309<br>size: 3/4 in x 3 15/16 in x 8 15/16 in<br>Uses pivot no. 0525-0064<br>Models: HS-8, HS-9, HS-10, I.H., nose iron | \$165.00   |
| 0525-0045<br>(B)  | Equiv. Hardy no. 3K308<br>size: 1/2 in x 3 1/32 in x 8 5/16 in<br>Uses pivot no. 0525-0061<br>Models: HS-3, R.H., nose iron                 | \$223.00   |
| 0525-0047<br>(B)  | Equiv. Hardy no. 3K309<br>size: 1/2 in x 2 7/16 in x 8 5/16 in<br>Uses pivot no. 0525-0061<br>Models: HS-3, I.H., nose iron                 | \$223.00   |
| 0525-0049<br>(B)  | Equiv. Hardy no. 4K308<br>size: 5/8 in x 3 11/32 in x 8 5/16 in<br>Use pivot no. 0525-0063<br>Models: HS-4, R.H., nose iron                 | \$230.00   |
| 0525-0051<br>(B)  | Equiv. Hardy no. 4K309<br>size: 5/8 in x 2 7/16 in x 8 5/16 in<br>Uses pivot no. 0525-0063<br>Models: HS-4, I.H., nose iron                 | \$230.00   |
| 0525-0053<br>(B)  | Equiv. Hardy no. 7K308<br>size: 5/8 in x 2 15/16 in x 8 5/16 in<br>Use pivot no. 0525-0063<br>Models: HS-5, HS-6, HS-7, R.H., nose iron     | \$249.00   |
| 0525-0055<br>(B)  | Equiv. Hardy no. 7K309<br>size: 5/8 in x 2 15/16 in x 8 5/16 in<br>Use pivot no. 0525-0063<br>Models: HS-5, HS-6, HS-7, I.H., nose iron     | \$249.00   |



HARDY®



# HARDY KITS

HARDY®

# Hardy Kit Price Index By Rice Lake PN

| RL PN    | SUGGESTED LIST | PAGE # | RL PN    | SUGGESTED LIST | PAGE # | RL PN    | SUGGESTED LIST | PAGE # |
|----------|----------------|--------|----------|----------------|--------|----------|----------------|--------|
| HS-101-K | \$1,026.00     | 279    | HS-106-K | \$1,291.00     | 281    | HS-204-K | \$1,838.00     | 280    |
| HS-103-K | \$1,008.00     | 279    | HS-108-K | \$1,529.00     | 281    | HS-205-K | \$1,831.00     | 280    |
| HS-104-K | \$998.00       | 280    | HS-203-K | \$1,803.00     | 279    | HS-206-K | \$2,334.00     | 281    |
| HS-105-K | \$1,291.00     | 280    |          |                |        | HS-208-K | \$2,082.00     | 281    |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Hardy Kit Reference By Capacity

| Pivot and Bearing Kits |          |        | Kits With Complete Assemblies |          |        |
|------------------------|----------|--------|-------------------------------|----------|--------|
| CAPACITY (LB)          | RL PN    | PAGE # | CAPACITY (LB)                 | RL PN    | PAGE # |
| 0-1,250                | HS-101-K | 279    | 0-1,250                       | HS-201-K | XX     |
| 1,251-2,500            | HS-103-K | 279    | 1,251-2,500                   | HS-203-K | 279    |
| 2,501-6,250            | HS-104-K | 280    | 2,501-6,250                   | HS-204-K | 280    |
| 6,251-7,500            | HS-105-K | 280    | 6,251-7,500                   | HS-205-K | 280    |
| 7,501-12,500           | HS-106-K | 281    | 7,501-12,500                  | HS-206-K | 281    |
| 12,501-25,000          | HS-108-K | 281    | 12,501-25,000                 | HS-208-K | 281    |
| 25,001-37,500          | HS-109-K | XX     | 25,001-37,500                 | HS-209-K | XX     |

\*Item obsolete or discontinued. When remaining stock is depleted, published prices are withdrawn and the item is subject to a special order quote.

XX Call for details.

# Hopper Scale

## Kit No. HS-101-K

Pivots and Bearings Only For The Main Levers, Models HS-1 and HS-2, 0-1, 250 lb Capacity

| QTY     | RL PN          | DESCRIPTION                          |
|---------|----------------|--------------------------------------|
| 16..... | 0525-0196..... | Bearing, main lever load and fulcrum |
| 16..... | 0525-0200..... | Bearing, spacer                      |
| 8.....  | 0525-0060..... | Pivot, main lever load and fulcrum   |
| 2.....  | 0525-0061..... | Pivot, main lever tip (new style)    |
| 2.....  | 0525-0507..... | Pivot, main lever tip                |
| 1.....  | 0525-0143..... | Bearing, top of splice shackle       |
| 1.....  | 0525-0144..... | Bearing, bottom of splice shackle    |

**\$1,026.00** Suggested list/5 lb shipping weight

## Kit No. HS-103-K

Pivots and Bearings Only For The Main Levers Model HS-3, 1, 251-2, 500 lb Capacity

| QTY     | RL PN          | DESCRIPTION                          |
|---------|----------------|--------------------------------------|
| 16..... | 0525-0199..... | Bearing, main lever load and fulcrum |
| 16..... | 0525-0200..... | Bearing, spacer                      |
| 8.....  | 0525-0074..... | Pivot, main lever load and fulcrum   |
| 2.....  | 0525-0061..... | Pivot, main lever tip (new style)    |
| 2.....  | 0525-0507..... | Pivot, main lever tip                |
| 1.....  | 0525-0143..... | Bearing, top of splice shackle       |
| 1.....  | 0525-0144..... | Bearing, bottom of splice shackle    |

**\$1,008.00** Suggested list/7 lb shipping weight

## Kit No. HS-203-K

This Kit Fits The Main Levers Model HS-3, 1, 251-2, 500 lb Capacity But Has Complete Assemblies

| QTY    | RL PN          | DESCRIPTION          |
|--------|----------------|----------------------|
| 8..... | 0525-0226..... | Loop, main lever     |
| 8..... | 0525-0074..... | Pivot, main lever    |
| 1..... | 0525-0045..... | Pivot with nose iron |
| 1..... | 0525-0047..... | Pivot with nose iron |
| 1..... | 0525-0152..... | Shackle assembly     |

**\$1,803.00** Suggested list/18 lb shipping weight

# Hopper Scale

## Kit No. HS-104-K

Pivots and Bearings Only For The Main Levers Model HS-4, 2, 501-6, 250 lb Capacity

| QTY     | RL PN          | DESCRIPTION                          |
|---------|----------------|--------------------------------------|
| 16..... | 0525-0199..... | Bearing, main lever load and fulcrum |
| 16..... | 0525-0200..... | Bearing, spacer                      |
| 8.....  | 0525-0074..... | Pivot, main lever load and fulcrum   |
| 2.....  | 0525-0063..... | Pivot, main lever tip (new style)    |
| 2.....  | 0525-0508..... | Pivot, main lever tip                |
| 1.....  | 0525-0146..... | Bearing, top of splice shackle       |
| 1.....  | 0525-0147..... | Bearing, bottom of splice shackle    |

**\$998.00** Suggested list/6 lb shipping weight

## Kit No. HS-204-K

This Kit Fits The Main Lever Model HS-4, 2, 501-6, 250 lb Capacity Scale But Has Complete Assemblies

| QTY    | RL PN          | DESCRIPTION                        |
|--------|----------------|------------------------------------|
| 8..... | 0525-0226..... | Loop, main lever                   |
| 8..... | 0525-0074..... | Pivot, main lever load and fulcrum |
| 1..... | 0525-0049..... | Pivot with nose iron, r.H.         |
| 1..... | 0525-0051..... | Pivot with nose iron, l.H.         |
| 1..... | 0525-0153..... | Shackle assembly                   |

**\$1,838.00** Suggested list/21 lb shipping weight

## Kit No. HS-105-K

Pivots and Bearings Only For The Main Levers Model HS-5, 6, 251-7, 500 lb Capacity

| QTY     | RL PN          | DESCRIPTION                          |
|---------|----------------|--------------------------------------|
| 16..... | 0525-0203..... | Bearing, main lever load and fulcrum |
| 16..... | 0525-0204..... | Bearing, spacer                      |
| 8.....  | 0525-0075..... | Pivot, main lever load and fulcrum   |
| 2.....  | 0525-0063..... | Pivot, main lever tip (new style)    |
| 2.....  | 0525-0508..... | Pivot, main lever tip                |
| 1.....  | 0525-0146..... | Bearing, top of splice shackle       |
| 1.....  | 0525-0147..... | Bearing, bottom of splice shackle    |

**\$1,291.00** Suggested list/11 lb shipping weight

## Kit No. HS-205-K

This Kit Fits The The Main Levers Model HS-5, 6, 251-7, 500 lb Capacity But Has Complete Assemblies

| QTY    | RL PN          | DESCRIPTION                        |
|--------|----------------|------------------------------------|
| 8..... | 0525-0227..... | Loop, main lever load and fulcrum  |
| 8..... | 0525-0075..... | Pivot, main lever load and fulcrum |
| 1..... | 0525-0053..... | Pivot with nose iron, R.H.         |
| 1..... | 0525-0055..... | Pivot with nose iron, l.H.         |
| 1..... | 0525-0154..... | Shackle assembly                   |

**\$1,831.00** Suggested list/37 lb shipping weight



# Hopper Scale

## Kit No. HS-106-K

Pivots and Bearings Only For The Main Levers, Models HS-6 and HS-7, 7, 501-12, 500 lb Capacity

| QTY     | RL PN          | DESCRIPTION                          |
|---------|----------------|--------------------------------------|
| 16..... | 0525-0203..... | Bearing, main lever load and fulcrum |
| 16..... | 0525-0204..... | Bearing, spacer                      |
| 8.....  | 0525-0075..... | Pivot, main lever load and fulcrum   |
| 2.....  | 0525-0063..... | Pivot, main lever tip (new style)    |
| 2.....  | 0525-0508..... | Pivot, main lever tip                |
| 1.....  | 0525-0148..... | Bearing, top of splice shackle       |
| 1.....  | 0525-0149..... | Bearing, bottom of splice shackle    |

**\$1,291.00** Suggested list/12 lb shipping weight

## Kit No. HS-206-K

This Kit Fits The Main Levers, Models HS-6 and HS-7, 7, 501-12, 500 lb Capacity But Has Complete Assemblies

| QTY    | RL PN          | DESCRIPTION                        |
|--------|----------------|------------------------------------|
| 8..... | 0525-0227..... | Loop, main lever load and fulcrum  |
| 8..... | 0525-0075..... | Pivot, main lever load and fulcrum |
| 1..... | 0525-0053..... | Pivot with nose iron, R.H.         |
| 1..... | 0525-0055..... | Pivot with nose iron, L.H.         |
| 1..... | 0525-0155..... | Shackle assembly                   |

**\$2,334.00** Suggested list/39 lb shipping weight

## Kit No. HS-108-K

Pivots and Bearings For The Main Levers, Models HS-8, 12, 501-25,000 lb Capacity

| QTY     | RL PN          | DESCRIPTION                          |
|---------|----------------|--------------------------------------|
| 16..... | 0525-0207..... | Bearing, main lever load and fulcrum |
| 16..... | 0525-0208..... | Bearing, spacer                      |
| 8.....  | 0525-0077..... | Pivot, main lever load and fulcrum   |
| 2.....  | 0525-0064..... | Pivot, main lever tip (new style)    |
| 2.....  | 0525-0509..... | Pivot, main lever tip                |
| 1.....  | 0525-0133..... | Bearing, top of splice shackle       |
| 1.....  | 0525-0134..... | Bearing, bottom of splice shackle    |

**\$1,529.00** Suggested list/18 lb shipping weight

## Kit No. HS-208-K

This Kit Fits The Main Levers, Models HS-8, 12, 501-25,000 lb Capacity But Has Complete Assemblies

| QTY    | RL PN          | DESCRIPTION                        |
|--------|----------------|------------------------------------|
| 8..... | 0525-0228..... | Loop, main lever load and fulcrum  |
| 8..... | 0525-0077..... | Pivot, main lever load and fulcrum |
| 1..... | 0525-0035..... | Pivot with nose iron, R.H.         |
| 1..... | 0525-0037..... | Pivot with nose iron, L.H.         |
| 1..... | 0525-0156..... | Shackle assembly                   |

**\$2,082.00** Suggested list/64 lb shipping weight









# MISCELLANEOUS

MISCELLANEOUS

# Baker/Weld-tec®






## Truck Scale Parts

### MISCELLANEOUS

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| 34353 | Size: 1 in x 3/4 in x 6 9/16 in<br>5 1/8 in between feet<br>Bearing, 50 and 60 ton, load fulcrum                          | \$70.00        |   |
| 34352 | Size: 1 in x 3/4 in x 8 in<br>6 1/8 in between feet<br>Bearing, 80 ton, fulcrum   | \$77.00        |    |
| 34351 | Size: 1 in x 3/4 in x 8 in<br>6 5/8 in between feet<br>Bearing, 80 ton, load  | \$77.00        |    |
| F462  | Size: 1 in x 3/4 in x 6 in<br>4 3/16 in between feet<br>Bearing, all torque tube fulcrum                                  | \$68.00        |   |
| F461  | Bearing size: 1 in x 3/4 in x 2 1/16 in<br>Block size: 2 in x 1 in x 5 1/4 in<br>Bearing assembly, upper tip connection   | \$80.00        |    |
| F460  | Bearing size: 1 in x 3/4 in x 2 1/16 in<br>Block size: 2 in x 3/4 in x 5 1/4 in<br>Bearing assembly, lower tip connection | \$82.00        |    |
| 10800 | Size: 1/2 in x 1 1/32 in x 6 1/2 in<br>Pivot, load and fulcrum<br>50 And 60 ton, 32 1/2 ton/section                       | \$44.00        |   |
| 10801 | Size: 1/2 in x 1 1/32 in x 8 in<br>Pivot, load and fulcrum<br>80 Ton, 40 ton/section                                      | \$53.00        |   |
| F454P | Size: 1/2 in x 1 in x 6 in<br>Pivot, torque tube load and fulcrum<br>All capacities                                       | \$43.00        |   |
| F457P | Size: 1/2 in x 1 in x 2 in<br>Pivot, tip<br>All capacities  | \$29.00        |  |

# Baker/Weld-tec®

## Truck Scale Parts (Cont.)

| RL PN   | DESCRIPTION   | SUGGESTED LIST |   |
|---------|---|----------------|---|
| H714L   | Link<br>Size: 3/4 in x 5 in x 12 3/8 in<br>Link inner dimension 8 3/8 in<br>All models              | \$127.00       |    |
| SP403   | Trunnion<br>Size: 2 in dia x 8 in<br>All models   | \$190.00       |    |
| SP404   | Saddle block<br>Size: 5 in x 3 in x 5 in<br>All 30, 50, and 60 Ton scales<br>With 6 1/2 in pivots   | \$327.00       |   |
| 22912   | Saddle block<br>Size: 5 in x 3 in x 6 1/2 in<br>All 80 ton scale<br>With 8 in Pivot                 | \$337.00       |   |
| 11129   | Stand, portable scales<br>Size: 5 in x 7 5/8 in to beginning surface<br>32 1/2 Ton/sectional scales | \$327.00       |  |
| S9686-1 | Stand, pit<br>Size: 8 in x 18 in base x 8 1/2 in high<br>32 1/2 Ton sectional                       | \$357.00       |  |

MISCELLANEOUS

### Kit No. 35418

Pivot and Bearing Kit, 2-Section, 30-Ton

| QTY    | RL PN       | DESCRIPTION                         |
|--------|-------------|-------------------------------------|
| 8..... | 10800 ..... | Pivot, load and fulcrum             |
| 8..... | 34353 ..... | Bearing, load and fulcrum           |
| 4..... | F454P ..... | Pivot, torque tube load and fulcrum |
| 3..... | F457P ..... | Pivot, tip                          |
| 3..... | F460 .....  | Bearing block assembly              |
| 2..... | F461 .....  | Bearing block assembly              |
| 2..... | F462 .....  | Bearing, torque tube fulcrum        |

**\$1,698.00** Suggested list/50 lb shipping weight

### Kit No. 35419

Suspension Kit, 2-Section, 30 Ton

| QTY    | RL PN      | DESCRIPTION  |
|--------|------------|--------------|
| 8..... | H714L..... | Link         |
| 4..... | SP403..... | Trunnion     |
| 4..... | SP404..... | Saddle block |

**\$2,788.00** Suggested list/135 lb shipping weight

### Kit No. 35420

Pivot and Bearing Kit, 4-Section, 50 and 60 Ton, 32 1/2 Tons Per Section

| QTY     | RL PN       | DESCRIPTION                         |
|---------|-------------|-------------------------------------|
| 16..... | 10800 ..... | Pivot, load and fulcrum             |
| 16..... | 34353 ..... | Bearing, load fulcrum               |
| 8.....  | F454P ..... | Pivot, torque tube load and fulcrum |
| 5.....  | F457P ..... | Pivot, tip                          |
| 5.....  | F460 .....  | Bearing block assembly              |
| 4.....  | F461 .....  | Bearing block assembly              |
| 4.....  | F462 .....  | Bearing, torque tube fulcrum        |

**\$3,394.00** Suggested list/100 lb shipping weight

# Baker/Weld-tec®

Truck Scale Kits (Cont.)

## Kit No. 35421

Suspension Kit, 4-Sections, 50 and 60 Ton, 32 1/2 Tons Per Section

| QTY     | RL PN      | DESCRIPTION  |
|---------|------------|--------------|
| 16..... | H714L..... | Link         |
| 8.....  | SP403..... | Trunnion     |
| 8.....  | SP404..... | Saddle block |

**\$5,573.00** Suggested list/265 lb shipping weight

## Kit No. 35422

Pivot and Bearings Kit, 5-Section, 50 and 60 Ton, 32 1/2 Tons Per Section

| QTY     | RL PN       | DESCRIPTION                         |
|---------|-------------|-------------------------------------|
| 20..... | 10800 ..... | Pivot, load and fulcrum             |
| 20..... | 34353 ..... | Bearing, load and fulcrum           |
| 10..... | F454P ..... | Pivot, torque tube load and fulcrum |
| 6.....  | F457P ..... | Pivot, tip                          |
| 6.....  | F460 .....  | Bearing block assembly              |
| 5.....  | F461 .....  | Bearing block assembly              |
| 5.....  | F462 .....  | Bearing, torque tube fulcrum        |

**\$3,819.00** Suggested list/130 lb shipping weight

## Kit No. 35423

Suspension Kit, 5-Section, 50 and 60 Ton, 32 1/2 Tons Per Section

| QTY     | RL PN      | DESCRIPTION  |
|---------|------------|--------------|
| 20..... | H714L..... | Link         |
| 10..... | SP403..... | Trunnion     |
| 10..... | SP404..... | Saddle block |

**\$6,965.00** Suggested list/325 lb shipping weight

## Kit No. 35424

Pivot and Bearings Kit, 4-Section, 80 Ton, 40 Tons Per Section

| QTY     | RL PN       | DESCRIPTION                         |
|---------|-------------|-------------------------------------|
| 16..... | 10801 ..... | Pivot, load and fulcrum             |
| 8.....  | 34351 ..... | Bearing, load                       |
| 8.....  | 34352 ..... | Bearing, fulcrum                    |
| 8.....  | F454P ..... | Pivot, torque tube load and fulcrum |
| 5.....  | F457P ..... | Pivot, tip                          |
| 5.....  | F460 .....  | Bearing block assembly              |
| 4.....  | F461 .....  | Bearing block assembly              |
| 4.....  | F462 .....  | Bearing, torque tube fulcrum        |

**\$3,319.00** Suggested list/110 lb shipping weight

# Baker/Weld-tec®

Truck Scale Kits (Cont.)

MISCELLANEOUS

## Kit No. 35425

Suspension Kit, 4-Section, 80 Ton, 40 Tons Per Section

| QTY | RL PN | DESCRIPTION |
|-----|-------|-------------|
|-----|-------|-------------|

|         |             |              |
|---------|-------------|--------------|
| 16..... | H714L.....  | Link         |
| 8.....  | SP403.....  | Trunnion     |
| 8.....  | 22912 ..... | Saddle block |

**\$5,929.00** Suggested list/280 lb shipping weight

## Kit No. 35426

Pivot and Bearings Kit, 5-Sections, 80 Ton, 40 Tons Per Section

| QTY | RL PN | DESCRIPTION |
|-----|-------|-------------|
|-----|-------|-------------|

|         |             |                                     |
|---------|-------------|-------------------------------------|
| 20..... | 10801 ..... | Pivot, load and fulcrum             |
| 10..... | 34351 ..... | Bearing, load                       |
| 10..... | 34352 ..... | Bearing, fulcrum                    |
| 10..... | F454P ..... | Pivot, torque tube load and fulcrum |
| 6.....  | F457P ..... | Pivot, tip                          |
| 6.....  | F460 .....  | Bearing block assembly              |
| 5.....  | F461 .....  | Bearing block assembly              |
| 5.....  | F462 .....  | Bearing, torque tube fulcrum        |

**\$4,148.00** Suggested list/135 lb shipping weight

## Kit No. 35427

Suspension Kit, 5-Section, 80 Ton, 40 Tons Per Section

| QTY | RL PN | DESCRIPTION |
|-----|-------|-------------|
|-----|-------|-------------|







|         |             |              |
|---------|-------------|--------------|
| 20..... | H714L.....  | Link         |
| 10..... | SP403.....  | Trunnion     |
| 10..... | 22912 ..... | Saddle block |

**\$7,136.00** Suggested list/350 lb shipping weight



# Canadian Scale Co. Ltd.®

## Truck Scale Parts




| RL PN | DESCRIPTION  | SUGGESTED LIST |  |
|-------|--|----------------|--|
| H614P | Canadian PN<br>Pivot,<br>Size: 1/2 in x 1 1/8 in x 2 in                  | \$41.00        |   |
| C103P | Canadian PN<br>Pivot,<br>Size: 1/2 in x 1 1/8 in x 5 1/2 in              | \$54.00        |   |
| P716P | Canadian PN<br>Pivot,<br>Size: 1/2 in x 1 1/8 in x 6 1/2 in              | \$56.00        |   |
| C102  | Canadian PN<br>Bearing<br>Size: 1 in x 1 in x 5 1/2 in<br>Hole in bottom | \$64.00        |   |
| C104  | Canadian PN<br>Bearing<br>Size: 1 in x 1 in x 6 1/2 in<br>Hole in bottom | \$70.00        |  |
| C101  | Canadian PN<br>Bearing<br>Size: 1 in x 1 in x 6 1/2 in<br>Hole in side   | \$70.00        |  |

MISCELLANEOUS

# Cardinal® SCA Load Cell

Load Cup Identification AND PN


MISCELLANEOUS

| RL PN | DESCRIPTION   | SUGGESTED LIST |   |
|-------|---|----------------|---|
| 69431 | Cups, load cell<br>For 50k SCA<br>Size: 2 1/2 in dia x 13/16 in H, 1.910 inner dimension<br>Upper and lower               | \$143.00       |  |
| 85433 | Rice lake rlscs<br>Cups, load cell<br>Size: 2 1/2 in dia x 3/4 in H, 1 1/2 in inner dimension<br>Set of two pieces        | \$100.00       |   |
| 92988 | O-ring, Rice Lake cell<br>Size: 1 1/4 in I.D. x 1 1/2 outer dimension<br>RLSCA  | \$1.00         |  |
| 68918 | Load cell, RLSCA<br>Replaces cardinal SCA<br>Size: 3 outer dimension x 7 3/4 in with cups<br>Complete, load cell and cups | \$1,285.00     |  |

# Durline/Derlein®

## Truck Scale Parts

| RL PN  | DESCRIPTION  | SUGGESTED LIST |
|--------|--|----------------|
| 508100 | Equiv. Durline no. 508100, 290013<br>Pivot<br>Size: 1/2 in x 1 in x 2 in     | \$33.00        |
| 508200 | Equiv. Durline no. 508200, 290014<br>Pivot<br>Size: 1/2 in x 1 in x 3 in     | \$37.00        |
| 508300 | Equiv. Durline no. 508300, 290015<br>Pivot<br>Size: 1/2 in x 1 in x 4 in     | \$40.00        |
| 508400 | Equiv. Durline no. 508400, 290016<br>Pivot<br>Size: 1/2 in x 1 in x 5 7/8 in | \$42.00        |
| 508500 | Equiv. Durline no. 508500, 290017<br>Pivot<br>Size: 1/2 in x 1 in x 7 in     | \$44.00        |
| 508600 | Equiv. Durline no. 508600, 290018<br>Pivot<br>Size: 1/2 in x 1 in x 8 in     | \$68.00        |
| 508700 | Equiv. Durline no. 508700, 290019<br>Pivot<br>Size: 1/2 in x 1 in x 9 3/8 in | \$73.00        |




MISCELLANEOUS

# Durline/Derlein®

Truck Scale Parts (Cont.)

MISCELLANEOUS

| RL PN  | DESCRIPTION   | SUGGESTED LIST |
|--------|---|----------------|
| 508800 | Equiv. Durline no. 508800<br>Bearing<br>Size: 1 in x 1 in x 1 in                    | \$31.00        |
| 508900 | Equiv. Durline no. 508900<br>Bearing<br>size: 1 in x 1 in x 2 in                    | \$33.00        |
| 509100 | Equiv. Durline no. 509100<br>Bearing<br>size: 1 in x 1 in x 3 in                    | \$42.00        |
| 509200 | Equiv. Durline no. 509200<br>Bearing<br>size: 1 in x 1 in x 5 7/8 in                | \$63.00        |
| 509300 | Equiv. Durline no. 509300<br>Bearing<br>size: 1 in x 1 in x 7 in                    | \$67.00        |
| 509500 | Equiv. Durline no. 509500<br>Bearing<br>size: 1 in x 1 1/2 in x 9 3/8 in            | \$155.00       |
| 509000 | Equiv. Durline no. 509000<br>Bearing with frictions<br>size: 1 in x 1 in x 2 1/8 in | \$33.00        |
| 509101 | Equiv. Durline no. 509101<br>Bearing with frictions<br>size: 1 in x 1 in x 2 7/8 in | \$42.00        |



# Durline/Derlein®

## Suspension


| RL PN  | DESCRIPTION   | SUGGESTED LIST  |   |
|--------|---|-----------------|---|
| 502800 | Equiv. Durline no. 502800<br>Size: 2 in dia x 7 1/4 in<br>Trunnion 35/42 T sec                          | \$180.00        |    |
| 109573 | Equiv. Durline no. 502900, 675006<br>Size: 2 1/2 in dia x 7 7/16 in<br>Trunnion 55/75 T sec             | \$210.00        |   |
| 109564 | Equiv. Durline no.<br>Size: 4 3/8 in x 4 in x 5 5/8 in<br>Saddle block 35/42 T sec                      | \$337.00        |   |
| 84196  | Equiv. Durline no. 675002<br>Size: 4 1/4 in x 4 in x 9 in<br>Saddle block 55/75 T sec                   | \$392.00        |    |
| 502200 | Equiv. Durline no. 502200<br>Size: 5/8 in x 5 in x 12 in, 8 5/8 in inner diameter<br>Link 35/42 T sec   | \$127.00        |    |
| 84860  | Equiv. Durline no. 675005<br>Size: 3/4 in x 6 in x 16 in, 11 1/16 in inner diameter<br>Link 55/75 T sec | \$136.00        |   |
| 94657  | Equiv. Durline no. 300024<br>Size: 2 in x 2 1/2 in x 6 in<br>Tip connection with bearing 35/42 T sec    | \$107.00        |   |
| 84221  | Equiv. Durline no. 675014<br>Size: 2 in x 2 in x 6 in<br>Tip connection 55/75 T sec                     | \$117.00        |   |
| 94658  | Equiv. Durline no. 300023<br>Size: 2 in x 2 1/2 in x 6 in<br>Tip connection 35/42 T sec                 | \$112.00        |  |
| 84219  | Equiv. Durline no. 675015<br>Size: 2 in x 3 1/4 in x 6 in<br>Tip connection 55/75 T sec                 | \$118.00        |   |
| S10156 | equiv. Durline no.<br>Size 10 in x 12 in base x 14 3/8 in<br>Girder chair                               | Consult\$328.00 |   |

MISCELLANEOUS

# ELECTRONIC FLEXURES




## MISCELLANEOUS

| PN           | A         | B         | C          | D         | E         | F           | SUGGESTED LIST |
|--------------|-----------|-----------|------------|-----------|-----------|-------------|----------------|
| 33305.....   | 2.50..... | 3.00..... | 1.500..... | 1.50..... | .032..... | ø0.390..... | \$39.00        |
| 33306.....   | 2.50..... | 3.00..... | 1.500..... | 1.50..... | .025..... | ø0.390..... | \$39.00        |
| 33303.....   | 3.00..... | 3.25..... | 2.250..... | 1.50..... | .032..... | ø0.390..... | \$42.00        |
| 33304.....   | 3.00..... | 3.25..... | 2.250..... | 1.50..... | .025..... | ø0.390..... | \$42.00        |
| 11142.....   | 3.00..... | 3.25..... | 1.750..... | 1.50..... | .040..... | ø0.390..... | \$54.00        |
| 33302.....   | 3.00..... | 3.75..... | 2.250..... | 1.50..... | .032..... | ø0.390..... | \$42.00        |
| 11138.....   | 3.00..... | 3.75..... | 2.250..... | 1.50..... | .042..... | ø3.90.....  | \$54.00        |
| 33087.....   | 3.00..... | 4.75..... | 3.250..... | 1.50..... | .032..... | ø0.390..... | \$42.00        |
| 11140.....   | 3.00..... | 4.75..... | 3.250..... | 1.50..... | .040..... | ø0.390..... | \$54.00        |
| 11141.....   | 4.00..... | 5.50..... | 3.500..... | 2.00..... | .062..... | ø0.531..... | \$54.00        |
| 33086.....   | 4.00..... | 6.00..... | 3.500..... | 2.00..... | .062..... | ø0.500..... | \$42.00        |
| 33307.....   | 4.00..... | 7.00..... | 4.500..... | 2.00..... | .062..... | ø0.500..... | \$42.00        |
| Consult..... | 4.00..... | 4.75..... | 3.25.....  | 2.00..... | .062..... | ø0.531..... | \$45.00        |



# FAIRBANKS ROCKER COLUMN LOAD CELLS

Load Cup Identification and PN







| RL PN  | DESCRIPTION  | SUGGESTED LIST |   |
|--------|--|----------------|---|
| 109228 | Equiv. Fairbanks no. 66980<br>Size: 3 3/4 in dia x 1 3/8 in<br>Fits upper and lower<br>Fits Flintec and sensortronic<br>LCF -HR4020-1<br>With o-ring 72103   | \$193.00       |  |
| 109331 | Equiv. Fairbanks no. 70511<br>Size: 3 3/4 in dia x 1 5/8 in<br>Receiver cup, lower<br>Fits flintec rc3<br>For load cell lcf-hr4020-2A<br>With roll pin, pn 15290<br>With o-rings, pn 72103, 109355 | \$116.00       |  |
| 109332 | Equiv. Fairbanks no. 70512<br>Size: 3 3/4 in dia x 1 3/8 in<br>Receiver cup, upper<br>Fit flintec rc3<br>For load cell lcf-hr4020-2A<br>With o-rings, pn 72103, 109355                             | \$143.00       |  |

Call for other load cell cups.

MISCELLANEOUS

# Hardin®

## Truck Scales


| RL PN  | DESCRIPTION   | SUGGESTED LIST |   |
|--------|---|----------------|---|
| 10873  | Hardin equiv. PN<br>Pivot<br>Size: 1/2 in x 1/2 in x 6 in                     | \$49.00        |    |
| TH922P | Hardin equiv. PN<br>Pivot<br>Size: 1/2 in x 1/2 in x 2 1/4 in                 | \$32.00        |   |
| 10799  | Hardin equiv. PN<br>Bearing<br>Size: 1 in x 1 in x 3 in                       | \$53.00        |    |
| CM702  | Hardin equiv. PN<br>Bearing<br>Size: 1 in x 1 in x 6 in                       | \$62.00        |   |
| H714L  | Hardin equiv. PN<br>Link<br>Size: 3/4 x 5 in x 12 3/8 in                      | \$127.00       |    |
| 11121  | Hardin equiv. PN<br>Trunnion<br>Size: 2 in dia x 8 1/2 in                     | \$193.00       |    |
| 11120  | Hardin equiv. PN<br>Saddle pin<br>Size: 2 in dia x 5 1/2 in                   | \$152.00       |   |
| H910   | Hardin equiv. PN<br>Stand, main lever<br>Size: 8 in x 14 in base x 11 in high | \$433.00       |  |



# Rex®

## Hopper Scale Pivots

| RL PN | DESCRIPTION                               | SUGGESTED LIST |
|-------|---|----------------|
| 10983 | Pivot<br>Size: 1/2 in x 3/4 in x 3 3/4 in | \$56.00        |
| 11020 | Pivot<br>Size: 3/4 in x 1 in x 4 3/4 in   | \$73.00        |
| 10984 | Pivot<br>Size: 1 in x 1 1/4 in x 6 in     | \$90.00        |



MISCELLANEOUS



# Rice Lake

## Load Cell Cups

| RL PN  | DESCRIPTION   | SUGGESTED LIST |   |
|--------|---|----------------|---|
| 71602  | Toledo equiv. TA200764, 68000410<br>Size: 3 3/4 in dia x 1 1/4 in<br>Standard digital upper   | \$201.00       |    |
| 44290  | Rice Lake retro kit cup<br>Size: 3 3/4 in dia x 1 3/4 in lower<br>For kits 78713, 78714 and 152774<br>With Flintec RC1 load cell                                    | \$201.00       |    |
| 154107 | Rice Lake retro kit cup<br>Size: 3 3/4 in dia x 1 13/16 in upper<br>For kit no. 154347, 154348, 154349 upper<br>With Flintec RC3 load cell<br>Truck only            | \$185.00       |    |
| 154106 | Rice Lake retro kit cup<br>Size: 3 3/4 in dia x 2 3/16 in<br>For kit no. 154347, 154348, 154349 lower<br>With Flintec RC3 load cells<br>Truck scale only            | \$185.00       |    |
| 111365 | Rice Lake retro kit cup<br>Size: 3 3/4 in dia x 2 in upper<br>For kits 129844, 111367<br>With Flintec RC3 load cells<br>Rail/truck combo for kits 129844 and 111367 | \$195.00       |   |
| 111366 | Rice Lake retro kit cup<br>Size: 4 1/8 in dia x 1 3/8 in lower<br>With Flintec RC3 load cells<br>Rail/truck combo for kits 129844 and 111367                        | \$195.00       |  |

# Southwestern®


## Truck Scale Parts

| RL PN | DESCRIPTION                               | SUGGESTED LIST |   |
|-------|---|----------------|---|
| 10825 | Bearing<br>Size: 5/8 in x 1 1/4 in x 7 in | \$67.00        |  |
| 10823 | Bearing<br>Size: 5/8 in x 1 1/4 in x 6 in | \$62.00        |   |
| 10834 | Pivot<br>Size: 1/2 in x 1 in x 7 in       | \$51.00        |  |
| 10832 | Pivot<br>Size: 1/2 in x 1 in x 6 in       | \$47.00        |   |
| 10843 | Pivot<br>Size: 1/2 in x 1 in x 2 in       | \$28.00        |   |

MISCELLANEOUS

# TIP CONNECTION BOLTS

| RL PN  | DESCRIPTION              | SUGGESTED LIST |
|--------|--------------------------|----------------|
| 154030 | Bolt, 1/2 in dia x 16 in | \$22.00        |
| 90846  | Bolt, 5/8 in dia x 8 in  | \$15.00        |
| 90836  | Bolt, 5/8 in dia x 13 in | \$17.00        |
| 90815  | Bolt, 5/8 in dia x 16 in | \$18.00        |
| CM721  | Bolt, 5/8 in dia x 18 in | \$27.00        |
| 154029 | Bolt, 3/4 in dia x 12 in | \$21.00        |
| 94458  | Bolt, 3/4 in dia x 15 in | \$32.00        |
| 94459  | Bolt, 3/4 in dia x 21 in | \$41.00        |



# METTLER-TOLEDO® DIGITOL LOAD CELLS



## Load Cup Identification and PN

| RL PN  | DESCRIPTION   | SUGGESTED LIST |   |
|--------|---|----------------|---|
| 71602  | <p>Toledo equiv. no. TA200764, 68000410</p> <p>Size: 3 3/4 in dia x 1 1/4 in</p> <p>Receiver cup, upper</p> <p>With o-ring 72103</p> <p>Fits Digitol cells</p> <p>E14CO2500A, 15476400A</p> <p>A15475900A truck scales only</p>             | \$201.00       |  <p>  2 1/2 in DIA  </p>   |
| 101563 | <p>Toledo equiv. no. TA200814, 68000400</p> <p>Size: 3 3/4 in dia x 1 1/4 in</p> <p>Receiver cup, lower</p> <p>With o-ring 72103</p> <p>Fits Digitol cells</p> <p>E14002500A, E12995400A</p> <p>15476400A, A15475900A truck scales only</p> | \$205.00       |  <p>  2 1/2 in DIA  </p>   |
| 156255 | <p>Toledo equiv. no. TA200835-1, 68004120</p> <p>Size: 3 3/4 in dia x 1 1/2 H</p> <p>Receiver cup, upper</p> <p>With o-ring 94272</p> <p>Fits Digitol cells</p> <p>PN 14002900A, 15475900A truck/truck combo</p>                            | \$195.00       |  <p>  2 3/4 in DIA  </p>   |
| 156254 | <p>Toledo equiv. no. TA200830-1, 68004119</p> <p>Size: 4 1/8 in dia x 1 1/2 H</p> <p>Fits digitol cells</p> <p>PN 14002900A, 15475900A truck/truck combo</p>  | \$195.00       |  <p>  2 3/4 in DIA  </p> |

MISCELLANEOUS

# INDIVIDUAL SCALE PARTS

## UNIBRIDGE®

| RL PN  | DESCRIPTION  | SUGGESTED LIST |   |
|--------|--|----------------|---|
| 130187 | Equiv. Unibridge no.<br>Size: 1.8 in inner dimension x 2.375 in outer dimension x 1 3/8 lg<br>Mechanical<br>Sleeve         | \$127.00       |  |
| 130188 | Equiv. Unibridge no.<br>Size: 1.8 in inner dimension x 2.375 in outer dimension x 2 1/16 lg<br>Electronic scales<br>Sleeve | \$127.00       |  |



## AVERY WEIGH-TRONIX®

| RL PN  | DESCRIPTION   | SUGGESTED LIST |   |
|--------|---|----------------|---|
| 154031 | Equiv. Weigh-tronix no.<br>Link<br>Size: 3/4 x 5. x 8 1/2 in<br>4 13/16 in inner dimension            | \$152.00       |   |
| 154118 | Equiv. Weigh-tronix no. 27171-0014<br>Link<br>Size: 3/4. x 6 x 8 1/2 in<br>4 13/16 in inner dimension | \$160.00       |   |
| 154119 | Equiv. Weigh-tronix no. 50816-0015<br>Link<br>Size: 1 x 6 x 9 in<br>4 15/16 in inner dimension        | \$187.00       |   |
| 154144 | Equiv. Weigh tronix no. 14006-0013<br>Size: 1 3/4 in dia x 4 1/4 in<br>1 1/2-12Nf threads             | \$208.00       |  |
| 154146 | Equiv. Weigh tronix no. 50816-0017<br>Pin with spacer 55488-0013<br>Size: 2 1/2 in dia x 8 1/4 in     | \$187.00       |  |

# Winslow®

## Truck Scale Parts



| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| 10739 | Equiv. Winslow no. A698<br>Size: 1/2 in x 1 in x 2 1/4 in         | \$41.00        |
| 89459 | Equiv. Winslow no. B20<br>Size: 1/2 in x 1 in x 1 1/2 in<br>Pivot | \$32.00        |
| 10733 | Equiv. Winslow no. B2<br>Size: 31/64 in x 1 in x 2 3/4 in         | \$32.00        |
| 10702 | Equiv. Winslow no. D95L1<br>Size: 1/2 in x 1 in x 2 3/4 in        | \$32.00        |
| 10714 | Equiv. Winslow no. D95 L15<br>Size: 1/2 in x 1 in x 3 3/16 in     | \$33.00        |
| 10717 | Equiv. Winslow no. B983L1<br>Size: 1/2 in x 1 in x 4 1/8 in       | \$34.00        |
| 10718 | Equiv. Winslow no. B983L2<br>Size: 1/2 in x 1 in x 4 5/8 in       | \$34.00        |
| 10719 | Equiv. Winslow no. B983L3<br>Size: 1/2 in x 1 in x 5 1/4 in       | \$37.00        |
| 10721 | Equiv. Winslow no. B983L3<br>Size: 1/2 in x 1 in x 5 5/8 in       | \$40.00        |
| 10700 | Equiv. Winslow no. D95L3<br>Size: 1/2 in x 1 in x 6 1/16 in       | \$41.00        |
| 10701 | Equiv. Winslow no. D95L4<br>Size: 1/2 in x 1 in x 6 9/16 in       | \$43.00        |
| 10722 | Equiv. Winslow no. B983<br>Size: 1/2 in x 1 in x 6 5/8 in         | \$43.00        |
| 10704 | Equiv. Winslow no. D95L5<br>Size: 5/8 in x 1 1/4 in x 8 7/16 in   | \$114.00       |
| 10724 | Equiv. Winslow no. B983L7<br>Size: 5/8 in x 1 1/4 in x 8 1/2 in   | \$114.00       |



MISCELLANEOUS

# Winslow®

## Truck Scale Parts (Cont.)

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| 10742 | Equiv. Winslow no. n/a<br>Size: 7/8 in sq bearing  | \$36.00        |   |
| 10743 | Equiv. Winslow no. B-15<br>Size: 5/8 in x 1 1/4 in x 2 3/8 in<br>With friction plates                            | \$44.00        |    |
| 89460 | Equiv. Winslow no. B33<br>Size: 1/2 in x 1 in x 1 5/8 in<br>Bearing  | \$43.00        |   |
| 10740 | Equiv. Winslow no. B12<br>Size: 5/8 in x 1 1/4 in x 2 11/16 in<br>With friction points both ends                 | \$44.00        |   |
| 10741 | Equiv. Winslow no. B431U<br>Size: 5/8 in x 1 1/4 in x 2 5/8 in<br>With a friction point on one end               | \$51.00        |    |
| 89458 | Equiv. Winslow no. B38<br>Size: 5/8 in x 1 1/4 in x 1 7/8 in<br>With a friction point on one end                 | \$43.00        |   |
| 10752 | Equiv. Winslow no. D101 I1<br>Size: 3/4 in sq. x 4 1/2 in  | \$53.00        |   |
| 11218 | Equiv. Winslow no. A708<br>Size: 3/4 in sq. x 5 1/8 in   | \$54.00        |   |
| 10750 | Equiv. Winslow no. A954<br>Size: 3/4 in sq. 295 5 1/2 in   | \$58.00        |  |
| 10753 | Equiv. Winslow no. D101 L2<br>Size: 3/4 in sq. x 6 in  | \$63.00        |   |
| 10754 | Equiv. Winslow no. D101 L3<br>Size: 3/4 in sq. x 6 1/2 in  | \$67.00        |   |
| 10755 | Equiv. Winslow no. D101 L4<br>Size: 1 in sq. x 8 3/8 in  | \$118.00       |   |
| 89089 | Equiv. Winslow no. A5483<br>Size: 1 15/16 in x 3 5/8 in x 6 3/8 in<br>Cast steel with bearing insert<br>PN 10754 | \$180.00       |  |

| RL PN  | ROLLERS             | SUGGESTED LIST |   |
|--------|---------------------|----------------|---|
| 108469 | 1 in dia x 3 in     | \$40.00        |   |
| 108470 | 1 1/2 in dia x 3 in | \$34.00        |   |
| 108471 | 1 1/2 in dia x 4 in | \$42.00        |   |
| 108472 | 1 1/2 in dia x 6 in | \$43.00        |   |
| 108473 | 1 1/2 in dia x 8 in | \$44.00        |   |
| 108474 | 2 in dia x 8 in     | \$46.00        |   |
| 108475 | 2 in dia x 11 in    | \$49.00        |  |



# Types of Winslow® Scales

|          |   |
|----------|---|
| Type P   | Side arm with two rollers                     |
| Type P1  | Economy 45° cast lever with two rollers       |
| Type P2  | Built after 1976 with two rollers             |
|          |   |
| Type S   | Pit scale with three rollers                  |
| Type S1  | Pit scale, roadway, with three rollers        |
| Type S2  | Pit scale built after 1976 with three rollers |
|          |   |
| Type CS  | PV-contractor with two rollers                |
| Type CS1 | PV-contractor 1972-1976 with two rollers      |
| Type CS2 | PV-contractor after 1976 with two rollers     |

# Winslow® Kits

## Truck Scale Kits

### Kit No. 89461

50 Ton, 4-Section, 40, 50 AND 60 feet, Type CS-1 1976 - 5-10-83 with 6 in Pivots

| QTY     | RL PN       | EQUIV. WINSLOW # | DESCRIPTION   |
|---------|-------------|------------------|---|
| 16..... | 10700 ..... | D95 L3 .....     | Pivot   |
| 16..... | 10753 ..... | D101 L2 .....    | Bearing, load x fulcrum 3/4 in x 3/4 in x 6 in      |
| 4.....  | 10739 ..... | A698 .....       | Pivot, m l tip 1/2 in x 1 in x 2 1/4 in             |
| 4.....  | 10743 ..... | B15 .....        | Bearing, lower m l tip 5/8 in x 1 1/4 in x 2 3/8 in |
| 4.....  | 10740 ..... | B12 .....        | Bearing, upper 5/8 in x 1 1/4 in x 2 11/16 in       |
| 4.....  | 10740 ..... | B12 .....        | Bearing, stand 5/8 in x 1 1/4 in x 2 11/16 in       |
| 8.....  | 10702 ..... | D95 L1 .....     | Pivot, torque tube 1/2 in x 1 in x 2 3/4 in         |
| 1.....  | 89459 ..... | B20 .....        | Pivot, torque tube tip 1/2 in x 1 in x 1 1/2 in     |
| 1.....  | 89460 ..... | B33 .....        | Bearing, torque tube tip 1/2 in x 1 in x 1 5/8 in   |

**\$2,807.00** Suggested list

### Kit No. 89462

60 Ton, 4-Section, Type CS and CS1 1972-1976 with 6 1/2 in Pivots

| QTY     | RL PN       | EQUIV. WINSLOW # | DESCRIPTION   |
|---------|-------------|------------------|---|
| 16..... | 10701 ..... | D95 L4 .....     | Pivot, load x fulcrum 1/2 in x 1 in x 6 9/16 in         |
| 16..... | 10754 ..... | D101 L3 .....    | *Bearing, load x fulcrum 3/4 in x 3/4 in x 6 1/2 in     |
| 4.....  | 10739 ..... | A698 .....       | Pivot, m l tip 1/2 in x 1 in x 2 1/4 in                 |
| 4.....  | 10743 ..... | B15 .....        | Bearing, lower tip conn. 5/8 in x 1 1/4 in x 2 3/8 in   |
| 4.....  | 10740 ..... | B12 .....        | Bearing, upper tip conn. 5/8 in x 1 1/4 in x 2 11/16 in |
| 4.....  | 10740 ..... | B12 .....        | Bearing, t tube stand 5/8 in x 1 1/4 in x 2 11/16 in    |
| 8.....  | 10702 ..... | D95 L .....      | Pivot, torque tube 1/2 in x 1 in x 2 3/4 in             |
| 1.....  | 89459 ..... | B20 .....        | Pivot, torque tube tip 1/2 in x 1 in x 1 1/2 in         |
| 1.....  | 89460 ..... | B33 .....        | Bearing, torque tube tip 1/2 in x 1 in x 1 5/8 in       |

**\$2,955.00** Suggested list

### Kit No. 89463

50 x 60 Ton, 4-Section After June 1983, Type P2 and CS 2

| QTY     | RL PN       | EQUIV. WINSLOW # | DESCRIPTION   |
|---------|-------------|------------------|---|
| 16..... | 10701 ..... | D95 L4 .....     | Pivot, load x fulcrum 1/2 in x 1 in x 6 9/16 in         |
| 16..... | 89089 ..... | A5483 .....      | Bearing, load x fulcrum 2 in x 3 5/8 in x 6 3/8 in      |
| 4.....  | 10739 ..... | A698 .....       | Pivot, tip 1/2 in x 1 in x 2 1/4 in                     |
| 8.....  | 10714 ..... | D95 L15 .....    | Pivot, torque tube 1/2 in x 1 in x 3 3/16 in            |
| 4.....  | 10743 ..... | B15 .....        | Bearing, lower tip conn. 5/8 in x 1 1/4 in x 2 3/8 in   |
| 4.....  | 10740 ..... | E373 .....       | Bearing, upper tip conn. 5/8 in x 1 in x 2 5/8 in       |
| 4.....  | 10740 ..... | E373 .....       | Bearing, torque tube stand 5/8 in x 1 1/4 in x 2 5/8 in |
| 1.....  | 10734 ..... | 7859-A2E .....   | Pivot, torque tube tip 5/8 in dia x 3 1/8 in            |
| 2.....  | 10742 ..... | B646-3 .....     | Bearing, torque tube tip 7/8 in x 7/8 in x 7/8 in       |

**\$4,504.00** Suggested list

\* Cast steel bearing

# Winslow® Kit

Truck Scale Kits (Cont.)

## Kit No. 89464

50 Ton, 4-Section, **Type S**, 1971-1976 with 6 in Pivots

| QTY     | RL PN      | EQUIV. WINSLOW # | DESCRIPTION   |
|---------|------------|------------------|---|
| 16..... | 10700..... | D95 L3.....      | Pivot, load and fulcrum 1/2 in x 1 in x 6 1/16 in       |
| 16..... | 10753..... | D101 L2.....     | Bearing, load x fulcrum 3/4 in x 3/4 in x 6 in          |
| 4.....  | 10739..... | A698.....        | Pivot, tip 1/2 in x 1 in x 2 1/4 in                     |
| 4.....  | 10743..... | B15.....         | Bearing, lower tip 5/8 in x 1 1/4 in x 2 3/8 in         |
| 4.....  | 89458..... | B38.....         | Bearing, upper tip conn. 5/8 in x 1 1/4 in x 1 7/8 in   |
| 4.....  | 11024..... | 7859-A4E.....    | Pivot, adj  |
| 4.....  | 11023..... | 7859-A5E.....    | Pivot, fix  |
| 2.....  | 10742..... | B-646-3.....     | Bearing, tip 7/8 in x 7/8 in x 7/8 in                   |
| 1.....  | 10734..... | 7859-A2E.....    | Pivot, tip 5/8 in dia x 3 1/8 in                        |
| 4.....  | 89458..... | B38.....         | Bearing, torque tube stand 5/8 in x 1 1/4 in x 1 7/8 in |

**\$3,244.00** Suggested list

## Kit No. 89465

50 Ton, 4-Section, **Type S1**, 6 in Pivots

| QTY     | RL PN      | EQUIV. WINSLOW # | DESCRIPTION   |
|---------|------------|------------------|---|
| 16..... | 10700..... | D95L3.....       | Pivot, load x fulcrum 1/2 in x 1 in x 6 1/16 in           |
| 16..... | 10753..... | D101L2.....      | Bearing, load x fulcrum 3/4 in x 3/4 in x 6 in            |
| 4.....  | 10739..... | A698.....        | Pivot, tip 1/2 in x 1 in x 2 1/4 in                       |
| 4.....  | 10743..... | B15.....         | Bearing, lower tip conn. 5/8 in x 1 1/4 in x 2 3/8 in     |
| 8.....  | 10702..... | D95 L1.....      | Pivot, torque tube l and f 1/2 in x 1 in x 2 3/4 in       |
| 4.....  | 10740..... | B12.....         | Bearing, upper tip conn. 5/8 in x 1 1/4 in x 2 11/16 in   |
| 4.....  | 10740..... | B12.....         | Bearing, torque tube stand 5/8 in x 1 1/4 in x 2 11/16 in |
| 1.....  | 10734..... | 7859-A2.....     | Pivot, torque tube tip 5/8 in dia x 3 1/8 in              |
| 2.....  | 10742..... | B646-3.....      | Bearing, torque tube tip 7/8 in x 7/8 in x 7/8 in         |

**\$2,400.00** Suggested list

MISCELLANEOUS



# RICE LAKE WEIGHING

RICE LAKE WEIGHING

## Pipe Lever Scales

# Rice Lake Weighing

## Pipe Lever Scale Type I, 25K/30K




RICE LAKE WEIGHING

| REF#   | PN        | DESCRIPTION                                    | PRICE      |
|--|-----------|--|------------|
| 1  | 40174     | Bolt .....                                     | \$2.00     |
| 2  | 15179     | Washer.....                                    | \$1.50     |
| 3  | 14697     | Lock nut.....                                  | \$1.50     |
| 4  | 39990     | Bearing.....                                   | \$70.00    |
| 5  | 39991     | Spool .....                                    | \$65.00    |
| 6  | 39993     | Trunnion Pin .....                             | \$130.00   |
| 7  | 0525-0056 | Pivot.....                                     | \$55.00    |
| 8  | 39988     | Loop assembly.....                             | \$240.00   |
| 9  | 39101     | Drive screw .....                              | \$1.50     |
| 10   | 39989     | Loop side plate .....                          | \$35.00    |
| 11   | 26344     | Cap screw.....                                 | \$4.00     |
| 12   | 15177     | Washer.....                                    | \$1.50     |
| 13   | 40181     | Lock nut .....                                 | \$1.50     |
| 14   | 39975     | Nose iron assembly, right .....                | \$170.00   |
| 15   | 39969     | Shackle assembly, nose iron connection.....    | \$165.00   |
| 16   | 39972     | Nose iron assembly, left.....                  | \$170.00   |
| 17   | 39963     | Shackle support block, center connection ..... | \$54.00    |
| 18   | CM764     | Bearing with friction plates .....             | \$46.00    |
| 19   | 39971     | Large shackle loop, center connection.....     | \$91.00    |
| 20   | 15244     | Cotter pin .....                               | \$1.50     |
| 21   | 22102     | Clevis pin.....                                | \$3.00     |
| 22   | 39970     | Small shackle loop, center connection.....     | \$91.00    |
| 23   | 17899     | ITCM mount, mild steel without load cell.....  | \$325.00   |
| 24   | 21443     | Load cell, RL20000 - 5k .....                  | \$470.00   |
| 25   | *39978    | Girder chair .....                             | \$340.00   |
| 26   | *39982    | Fulcrum stand assembly .....                   | \$295.00   |
| * The standard PN is shown; however, this part can be customized.<br>Please specify any customized parts when ordering replacements. |           |  |            |
| 28   | 39964     | Load cell stand.....                           | \$325.00   |
| 29   | 39962     | Rod upper.....                                 | \$60.00    |
| 30   | 39961     | Rod lower.....                                 | \$45.00    |
| 31   | 126994    | 3/4-10 NC nut.....                             | \$4.25     |
| 32   | 14686     | 3/4-10 NC jam nut.....                         | \$1.06     |
| <b>25,000</b>  |           |  |            |
|  | 40378     | 4 x 4.....                                     | \$7,500.00 |
|  | 40379     | 5 x 5.....                                     | \$7,500.00 |
|  | 40380     | 6 x 6.....                                     | \$6,900.00 |
|  | 40381     | 7 x 7 .....                                    | \$7,500.00 |
|  | 40382     | 8 x 8.....                                     | \$7,500.00 |
|  | 40383     | 9 x 9.....                                     | \$7,500.00 |
|  | 40384     | 10 x 10.....                                   | \$7,500.00 |
| <b>30,000</b>  |           |  |            |
|  | 39935     | 5 x 5.....                                     | \$8,600.00 |
|  | 39936     | 6 x 6.....                                     | \$8,600.00 |
|  | 39937     | 7 x 7 .....                                    | \$8,600.00 |
|  | 39938     | 8 x 8.....                                     | \$9,700.00 |
|  | 39939     | 9 x 9.....                                     | \$8,600.00 |
|  | 39940     | 10 x 10.....                                   | \$8,600.00 |

(See Diagram Pipe Lever Scale Type I)

# Rice Lake Weighing

Pipe Lever Scale Type I, 25K/30K



Pipe Lever Scale Type I

# Rice Lake Weighing

## Pipe Lever Scale Type I, 40K/50K



RICE LAKE WEIGHING

| REF# | PN        | DESCRIPTION                                    | PRICE    |
|------|-----------|--|----------|
| 1    | 39164     | Bolt .....                                     | \$15.00  |
| 2    | 15190     | Washer.....                                    | \$1.50   |
| 3    | 22457     | Lock nut.....                                  | \$11.00  |
| 4    | 39134     | Bearing.....                                   | \$83.00  |
| 5    | 39135     | Spool .....                                    | \$70.00  |
| 6    | 39131     | Trunnion Pin .....                             | \$145.00 |
| 7    | 0525-0070 | Pivot.....                                     | \$56.00  |
| 8    | 39133     | Loop assembly.....                             | \$260.00 |
| 9    | 39101     | Drive screw .....                              | \$1.50   |
| 10   | 39132     | Loop side plate .....                          | \$45.00  |
| 11   | 15097     | Cap screw.....                                 | \$4.00   |
| 12   | 15179     | Washer.....                                    | \$1.50   |
| 13   | 14697     | Lock nut .....                                 | \$1.50   |
| 14   | 39119     | Nose iron assembly, right .....                | \$220.00 |
| 15   | 39148     | Shackle assembly, nose iron connection.....    | \$250.00 |
| 16   | 39116     | Nose iron assembly, left.....                  | \$220.00 |
| 17   | 39143     | Shackle support block, center connection ..... | \$85.00  |
| 18   | 39146     | Bearing with friction plates .....             | \$40.00  |
| 19   | 39144     | Large shackle loop, center connection.....     | \$80.00  |
| 20   | 39186     | Cotter pin.....                                | \$1.50   |
| 21   | 39185     | Clevis pin.....                                | \$14.00  |
| 22   | 39145     | Small shackle loop, center connection .....    | \$52.00  |
| 23   | 17900     | ITCM mount, mild steel without load cell.....  | \$325.00 |
| 24   | 21444     | Load cell, RL20000 - 10,000lb .....            | \$470.00 |
| 25   | *39136    | Girder chair .....                             | \$430.00 |
| 26   | 39128     | Fulcrum stand assembly .....                   | \$360.00 |

\* The standard PN is shown; however, this part can be customized.  
Please specify any customized parts when ordering replacements.

### Components of PN 42499

|    |       |                             |          |
|----|-------|-----------------------------|----------|
| 27 | 42500 | Hold-down chain option..... | \$240.00 |
|----|-------|-----------------------------|----------|

### Components of PN 42500

|    |       |                              |          |
|----|-------|------------------------------|----------|
|    | 22138 | Washer, plain 1 Type A ..... | Consult  |
|    | 42098 | Chain, 3/4 Grade 40 .....    | \$44.00  |
| 28 | 39140 | Load cell stand, SST .....   | \$440.00 |
| 29 | 39142 | Rod upper, SST .....         | \$45.00  |
| 30 | 39141 | Rod lower.....               | \$30.00  |
| 31 | 90860 | 1-8 NC nut.....              | \$2.00   |
| 32 | 14701 | 1-8 NC jam nut .....         | \$1.20   |

### 40,000

|       |              |             |
|-------|--------------|-------------|
| 39152 | 5 x 5.....   | \$11,800.00 |
| 39153 | 6 x 6.....   | \$11,800.00 |
| 39154 | 7 x 7.....   | \$11,800.00 |
| 39155 | 8 x 8.....   | \$11,800.00 |
| 39156 | 9 x 9.....   | \$11,800.00 |
| 39157 | 10 x 10..... | \$11,800.00 |

### 50,000


|       |              |             |
|-------|--------------|-------------|
| 39158 | 5 x 5.....   | \$12,100.00 |
| 39159 | 6 x 6.....   | \$12,100.00 |
| 39160 | 7 x 7.....   | \$12,100.00 |
| 39161 | 8 x 8.....   | \$12,100.00 |
| 39162 | 9 x 9.....   | \$12,100.00 |
| 39163 | 10 x 10..... | \$12,100.00 |

(See Diagram Pipe Lever Scale Type I)



# Rice Lake Weighing

## Pipe Lever Scale Type I, 40K/50K



Pipe Lever Scale Type I

# Rice Lake Weighing

## Pipe Lever Scale Type II 25K, Mild Steel

### MILD STEEL SCALE PN, SIZE (INCHES) AND COMPONENT PN


|      |                                     |     | MODEL #    | PLS25-3         | PLS25-1     | PLS25-2     | PLS25-4 | PLS25-5 | PLS25-6  | PLS7272-25 |
|------|-------------------------------------|-----|------------|-----------------|-------------|-------------|---------|---------|----------|------------|
|      |                                     |     | PN         | 29587           | 29586       | 29588       | 29589   | 35008   | 35009    | 40409      |
|      |                                     |     | DIMENSIONS | 62 5/8 x 62 5/8 | 60 1/2 x 66 | 66 1/2 x 91 | 64 x 64 | 62 x 92 | 62 x 105 | 72 x 72    |
| REF# | DESCRIPTION                         | QTY |            |                 |             |             |         |         |          |            |
| 1    | Main pipe lever, right              | 1   | 35005      | 35001           | 35003       | 35007       | 35011   | 35013   | 40473    |            |
| 2    | Main pipe lever, left               | 1   | 35004      | 35000           | 35002       | 35006       | 35010   | 35012   | 40472    |            |
| 3    | Girder chair                        | 4   | 35045      | 35058           | 35045       | 35051       | 35051   | 35051   | 40478    |            |
| 4*   | Bearing                             | 8   | CM755      | CM755           | CM755       | CM755       | CM755   | CM755   | CM755    |            |
| 5    | Pin, trunnion                       | 4   | CM773      | CM773           | CM773       | CM773       | CM773   | CM773   | CM773    |            |
| 6*   | Pin, cotter                         | 16  | 15232      | 15232           | 15232       | 15232       | 15232   | 15232   | 15232    |            |
| 7*   | Pin, clevis                         | 8   | 15295      | 15295           | 15295       | 15295       | 15295   | 15295   | 15295    |            |
| 8*   | Bolt, hex                           | 8   | 14739      | 14739           | 14739       | 14739       | 14739   | 14739   | 14739    |            |
| 9*   | Washer, plain STD                   | 8   | 21938      | 21938           | 21938       | 21938       | 21938   | 21938   | 21938    |            |
| 10*  | Side plate, loop                    | 8   | CM729-1    | CM729-1         | CM729-1     | CM729-1     | CM729-1 | CM729-1 | CM729-1  |            |
| 11*  | Spool                               | 4   | CM729-2    | CM729-2         | CM729-2     | CM729-2     | CM729-2 | CM729-2 | CM729-2  |            |
| 12   | Pivot                               | 8   | 65351      | 65351           | 65351       | 65351       | 65351   | 65351   | 65351    |            |
| 13   | Fulcrum stand, assembly, clevis pin | 4   | 35055      | 35055           | 35055       | 35054       | 35054   | 35054   | 40483    |            |
| 16   | Nose iron, right                    | 1   | 35048      | 35048           | 35048       | N106        | N106    | N106    | 40468    |            |
| 17   | Nose iron, left                     | 1   | 35049      | 35049           | 35049       | N107        | N107    | N107    | 40469    |            |
| 18   | Pivot                               | 2   | CM761P     | CM761P          | CM761P      | CM761P      | CM761P  | CM761P  | CM761P   |            |
| 19   | Screw cap                           | 4   | 22096      | 22096           | 22096       | 22096       | 22096   | 22096   | 22096    |            |
| 20   | Washer plain                        | 4   | 15173      | 15173           | 15173       | 15173       | 15173   | 15173   | 15173    |            |
| 21   | Nut, flexloc                        | 4   | 22076      | 22076           | 22076       | 22076       | 22076   | 22076   | 22076    |            |
| 22   | Shackle loop, large                 | 1   | CM791-1    | CM791-1         | CM791-1     | CM791-1     | CM791-1 | CM791-1 | CM791-1  |            |
| 23   | Shackle support block               | 1   | N109       | N109            | N109        | N109        | N109    | N109    | N109     |            |
| 24   | Shackle loop, small                 | 1   | CM791-2    | CM791-2         | CM791-2     | CM791-2     | CM791-2 | CM791-2 | CM791-2  |            |
| 25   | Bearing assembly                    | 2   | CM764      | CM764           | CM764       | CM764       | CM764   | CM764   | CM764    |            |
| 26   | Pin, clevis                         | 1   | 22102      | 22102           | 22102       | 22102       | 22102   | 22102   | 22102    |            |
| 27   | Pin, cotter                         | 1   | 15244      | 15244           | 15244       | 15244       | 15244   | 15244   | 15244    |            |
| 28   | Screw, machine                      | 2   | 22005      | 22005           | 22005       | 22005       | 22005   | 22005   | 22005    |            |
| 29   | Load cell, SBM RL 20000 - 3k        | 1   | 21442      | 21442           | 21442       | 21442       | 21442   | 21442   | 21442    |            |
| 30   | Ground strap                        | 1   | 17779      | 17779           | 17779       | 17779       | 17779   | 17779   | 17779    |            |
| 31   | Rod end                             | 2   | 17740      | 17740           | 17740       | 17740       | 17740   | 17740   | 17740    |            |
| 32   | Clevis assembly                     | 2   | 17788      | 17788           | 17788       | 17788       | 17788   | 17788   | 17788    |            |
| 33   | Shackle support rod                 | 1   | 35084      | 35084           | 35084       | N111        | N111    | N111    | 40471    |            |
| 34   | Nut, jam                            | 3   | 14676      | 14676           | 14676       | 14676       | 14676   | 14676   | 14676    |            |
| 35   | Adapter, threaded                   | 1   | 33571      | 33571           | 33571       | 33571       | 33571   | 33571   | 33571    |            |
| 36   | Load cell support stand             | 1   | 35036      | 35036           | 35036       | 35059       | 35059   | 35059   | 40475    |            |

\* CM729 with bearings

(See Diagram Lever Scale Type II-Mild Steel)

# Rice Lake Weighing

Pipe Lever Scale Type II 25K, Mild Steel



Lever Scale Type II  
Mild Steel

# Rice Lake Weighing

## Pipe Lever Scale Type II 25K, Stainless Steel

| MODEL #    | STAINLESS STEEL SCALE PN, SIZE (INCHES) AND COMPONENT PN |             |             |            |            |            |
|------------|--|-------------|-------------|------------|------------|------------|
|            | PLS25-3SST   | PLS25-1SST  | PLS25-2SST  | PLS25-4SST | PLS25-5SST | PLS25-6SST |
|            | PN   | PN          | PN          | PN         | PN         | PN         |
| DIMENSIONS | 62 5/8 x 62 5/8  | 60 1/2 x 66 | 66 1/2 x 91 | 64 x 64    | 62 x 92    | 62 x 105   |

| REF# | DESCRIPTION              | QTY |       |       |       |       |       |       |
|------|--------------------------|-----|-------|-------|-------|-------|-------|-------|
| 1    | Main pipe lever, right   | 1   | 46268 | 46270 | 46272 | 50198 | 50195 | 50197 |
| 2    | Main pipe lever, left    | 1   | 46267 | 46269 | 46271 | 50175 | 50194 | 50193 |
| 3    | Girder chair             | 4   | 98433 | 98433 | 98433 | 50178 | 50178 | 50178 |
| 4*   | Bearing                  | 8   | 46323 | 46323 | 46323 | 46323 | 46323 | 46323 |
| 5    | Pin, trunnion            | 4   | 46302 | 46302 | 46302 | 46302 | 46302 | 46302 |
| 6*   | Pin, cotter              | 16  | 15233 | 15233 | 15233 | 15233 | 15233 | 15233 |
| 7*   | Pin, clevis              | 8   | 47992 | 47992 | 47992 | 47992 | 47992 | 47992 |
| 8*   | Screw cap                | 8   | 21949 | 21949 | 21949 | 21949 | 21949 | 21949 |
| 9*   | Washer plain STD         | 8   | 15161 | 15161 | 15161 | 15161 | 15161 | 15161 |
| 10*  | Side plate, loop         | 8   | 46300 | 46300 | 46300 | 46300 | 46300 | 46300 |
| 11*  | Spool                    | 4   | 46301 | 46301 | 46301 | 46301 | 46301 | 46301 |
| 12** | Pivot                    | 8   | 65351 | 65351 | 65351 | 65351 | 65351 | 65351 |
| 13   | Fulcrum stand, assembly  | 4   | 98437 | 98437 | 98437 | 50182 | 50182 | 50182 |
| 16   | Nose iron, left          | 1   | 46303 | 46303 | 46303 | 46303 | 46303 | 46303 |
| 17   | Nose iron, right         | 1   | 46304 | 46304 | 46304 | 46304 | 46304 | 46304 |
| 18   | Pivot                    | 2   | 46307 | 46307 | 46307 | 46307 | 46307 | 46307 |
| 19   | Screw cap                | 4   | 38210 | 38210 | 38210 | 38210 | 38210 | 38210 |
| 20   | Washer plain             | 4   | 15175 | 15175 | 15175 | 15175 | 15175 | 15175 |
| 21   | Nut, lock                | 4   | 14666 | 14666 | 14666 | 14666 | 14666 | 14666 |
| 22   | Shackle loop, large      | 1   | 46289 | 46289 | 46289 | 46289 | 46289 | 46289 |
| 23   | Shackle support block    | 1   | 46295 | 46295 | 46295 | 46295 | 46295 | 46295 |
| 24   | Shackle loop, small      | 1   | 46292 | 46292 | 46292 | 46292 | 46292 | 46292 |
| 25   | Bearing assembly         | 2   | 46296 | 46296 | 46296 | 46296 | 46296 | 46296 |
| 26   | Pin, clevis              | 1   | 47994 | 47994 | 47994 | 47994 | 47994 | 47994 |
| 27   | Pin, cotter              | 1   | 47993 | 47993 | 47993 | 47993 | 47993 | 47993 |
| 28   | Screw, machine           | 2   | 47995 | 47995 | 47995 | 47995 | 47995 | 47995 |
| 29   | Load cell, RL 20000 - 3k | 1   | 21442 | 21442 | 21442 | 21442 | 21442 | 21442 |
| 30   | Ground strap             | 1   | 17779 | 17779 | 17779 | 17779 | 17779 | 17779 |
| 31   | Rod end                  | 2   | 33507 | 33507 | 33507 | 33507 | 33507 | 33507 |
| 32   | Clevis assembly          | 2   | 33639 | 33639 | 33639 | 33639 | 33639 | 33639 |
| 33   | Shackle support rod      | 1   | 46324 | 46324 | 46324 | 46324 | 46324 | 46324 |
| 34   | Nut, jam                 | 3   | 14680 | 14680 | 14680 | 14680 | 14680 | 14680 |
| 35   | Adapter, threaded        | 1   | 33571 | 33571 | 33571 | 33571 | 33571 | 33571 |
| 36   | Load cell stand          |     | 98204 | 98204 | 98204 | 98204 | 98204 | 98204 |


\* 46299 with bearings

\*\* Old SST scales used a round pivot, 46285 and wedge 46286

(See Diagram Lever Scale Type II-Stainless Steel)

# Rice Lake Weighing

## Pipe Lever Scale Type II 25K, Stainless Steel



# Rice Lake Weighing

## Chairs/Stand/Trunnions and Bearings


| PN    | DESCRIPTION                          | PRICE    |
|-------|--------------------------------------|----------|
| CM755 | Bearing, 1-3/8 x 15/16.....          | \$58.00  |
| CM773 | Trunnion .....                       | \$101.00 |
| CM783 | Fulcrum stand .....                  | \$227.00 |
| F731  | Bearing.....                         | \$44.00  |
| 35045 | Girder chair, 6 1/2 x 10.....        | \$185.00 |
| 35051 | Girder chair, 7 3/4 x 7 3/4 .....    | \$185.00 |
| 35054 | Stand, fulcrum 7 3/4 x 7 3/4 .....   | \$185.00 |
| 35055 | Stand, fulcrum 6 x 6 base.....       | \$185.00 |
| 35058 | Girder chair, 6 x 7 3/4 base.....    | \$185.00 |
| 39128 | Fulcrum stand assembly, 40K.....     | \$360.00 |
| 39131 | Pin, trunnion 2 3/8 diameter.....    | \$145.00 |
| 39134 | Bearing, 2 5/8 x 2 5/8 x 3 1/4 ..... | \$83.00  |
| 39136 | Girder chair, 40k and 50k.....       | \$430.00 |
| 39523 | Pin, trunnion 7/8 diameter.....      | \$70.00  |
| 39524 | Fulcrum stand assembly, 5k.....      | \$295.00 |
| 39529 | Girder chair, 5k pipe.....           | \$340.00 |
| 39978 | Girder chair, 20k and 25k.....       | \$340.00 |
| 39982 | Fulcrum stand assembly, 20k.....     | \$295.00 |
| 39990 | Bearing, 1 3/4 x 2 x 2 1/2 .....     | \$70.00  |
| 39993 | Pin, trunnion 1 5/8 diameter.....    | \$130.00 |
| 40449 | Girder chair, 10k pipe.....          | \$340.00 |
| 40452 | Fulcrum stand assembly, 10k.....     | \$295.00 |
| 40460 | Bearing 1 3/16 x 1 1/4 .....         | \$60.00  |
| 40461 | Pin, trunnion 1 1/8 diameter.....    | \$90.00  |
| 40478 | Girder chair, 8 x 8 base .....       | \$185.00 |
| 46302 | Pin, trunnion 1 1/4 diameter.....    | \$120.00 |
| 46308 | Girder chair, 25k SST pipe .....     | \$295.00 |
| 98437 | Fulcrum stand assembly, 25k.....     | \$395.00 |
| 50178 | Girder chair, 7 3/4 x 7 3/4 .....    | \$295.00 |
| 50182 | Stand, fulcrum 7 3/4 x 7 3/4 .....   | \$350.00 |




# Rice Lake Weighing

## Pipe Lever Stands


| PN     | Capacity    | Style | Material | A     | B     | C       | D     | E       | Bearing PN |
|--------|-------------|-------|----------|-------|-------|---------|-------|---------|------------|
| CM783  | 25K         | A     | Steel    | 8     | 8     | 8 1/8   | 6     | 6       | CM755      |
| 35055  | 25K         | B     | Steel    | 6     | 6     | 4 1/2   | 4 1/2 | 8 5/8   | CM755      |
| 98457  | 25K         | B     | SST      | 6     | 6     | 4 1/2   | 4 1/2 | 8 5/8   | 46323      |
| 35054  | 25K         | B     | Steel    | 7 3/4 | 7 3/4 | 4 1/2/6 | 6     | 8 1/8   | CM755      |
| 50040  | 25K         | B     | Steel    | 6     | 7 3/4 | 6       | 4 1/2 | 8 1/8   | CM755      |
| 50182  | 25K         | B     | SST      | 7 3/4 | 7 3/4 | 4 1/2   | 6     | 8 1/8   | 46323      |
| 39524  | 5K          | C     | Steel    | 5     | 5     | 3 1/2   | 3 1/2 | 5       | F731       |
| 40452  | 10K         | C     | Steel    | 6     | 6     | 4 1/2   | 4 1/2 | 6 3/4   | 40460      |
| 39982  | 20K/25K/30K | C     | Steel    | 9     | 9     | 6 1/2   | 6 1/2 | 11 1/8  | 39990      |
| 39128  | 40K/50K     | C     | Steel    | 12    | 12    | 9 1/4   | 9 1/4 | 14 3/4  | 39134      |
| 101601 | 60K         | C     | Steel    | 12    | 12    | 7 1/2   | 5     | 14 3/4  | 39134      |
| 115797 | 25K/30K     | D     | Steel    | 6     | 6     | -       | -     | 6 17/32 | CM755      |




STYLE A



STYLE B



STYLE C




STYLE D



# Rice Lake Weighing

## Girder Chairs

| PN     | Capacity | Material | A                                 | B     | C     | D     | E      | Trunnion PN |
|--------|----------|----------|-----------------------------------|-------|-------|-------|--------|-------------|
| CM776  | 25K      | Steel    | 7 3/4                             | 7 3/4 | 4/6   | 6     | 10 1/2 | CM773       |
| 35051  | 25K      | Steel    | 7 3/4                             | 7 3/4 | 4/6   | 6     | 9 1/2  | CM773       |
| 40478  | 25K      | Steel    | 8                                 | 8     | 6     | 6     | 9 1/2  | CM773       |
| 50178  | 25K      | SST      | 7 3/4                             | 7 3/4 | 4/6   | 6     | 9 1/2  | 46302       |
| 35045  | 25K      | Steel    | 10                                | 6 1/2 | 7 1/2 | 3     | 9 1/2  | CM773       |
| 98433  | 25K      | SST      | 10                                | 6 1/2 | 7 1/2 | 3     | 9 1/2  | 46302       |
| 35058  | 25K      | Steel    | 6                                 | 7 3/4 | -     | 5 3/4 | 9 1/2  | CM773       |
| 39529  | 5K       | Steel    | 7                                 | 5 1/2 | 5 1/2 | 5 1/2 | 6 1/4  | 39523       |
| 40449  | 10K      | Steel    | 7 1/2                             | 7 1/2 | 6     | 6     | 6 7/8  | 40461       |
| 39978  | 25K/30K  | Steel    | 12                                | 12    | 9 1/2 | 9 1/2 | 11 1/8 | 39993       |
| Sp     | 40K      | Steel    | 12                                | 16    | 6 1/2 | 11    | 15 1/8 | 39131       |
| 39136  | 40K/50K  | Steel    | 16                                | 16    | 13    | 13    | 15 1/8 | 39131       |
| 102453 | 40K      | Steel    | same as 39186 but corners cut off |       |       |       |        | 39131       |
| 102454 | 40K      | Steel    | same as 39186 but corners cut off |       |       |       |        | 39131       |





# RICE LAKE WEIGHING

## Hopper Scale Kits for Type I and II

# Pivot and Bearing Kit Type 1

## Kit No. 154148

5K Basic Kit

| QTY | RL PN | DESCRIPTION |
|-----|-------|-------------|
|-----|-------|-------------|

|        |              |                           |
|--------|--------------|---------------------------|
| 8..... | T195P .....  | Pivot, load and fulcrum   |
| 8..... | F731 .....   | Bearing, load and fulcrum |
| 2..... | CM761P ..... | Pivot, tip                |
| 2..... | CM764.....   | Bearing, tip              |

**\$973.00** Suggested list/XX lb shipping weight

## Kit No. 154150

5K Kit With Complete Assemblies

| QTY | RL PN | DESCRIPTION |
|-----|-------|-------------|
|-----|-------|-------------|

|        |             |                            |
|--------|-------------|----------------------------|
| 8..... | T195P ..... | Pivot, load and fulcrum    |
| 4..... | F731 .....  | Bearing, fulcrum           |
| 4..... | 39549 ..... | Loop assembly with bearing |
| 1..... | N110.....   | Tip connection             |
| 1..... | 35048 ..... | Nose iron, right           |
| 1..... | 35049 ..... | Nose iron, left            |
| 4..... | 39523 ..... | Trunnion pins              |

**\$2,327.00** Suggested list/XX lb shipping weight

## Kit No. 154151

10K Basic Kit

| QTY | RL PN | DESCRIPTION |
|-----|-------|-------------|
|-----|-------|-------------|

|        |             |                           |
|--------|-------------|---------------------------|
| 8..... | T197P ..... | Pivot, load and fulcrum   |
| 8..... | 40460 ..... | Bearing, load and fulcrum |
| 2..... | CM7618..... | Pivot, tip                |
| 2..... | CM764.....  | Bearing, tip              |

**\$1,399.00** Suggested list/77 lb shipping weight

# Pivot and Bearing Kit Type 1

## Kit No. 154152

10K Kit With Complete Assemblies

| QTY    | RL PN       | DESCRIPTION                 |
|--------|-------------|-----------------------------|
| 8..... | T195P ..... | Pivot, load and fulcrum     |
| 4..... | 40460 ..... | Bearing, load and fulcrum   |
| 4..... | 40457 ..... | Loop assembly, load         |
| 1..... | 35048 ..... | Nose iron, right            |
| 1..... | 35049 ..... | Nose iron, left             |
| 1..... | N110.....   | Shackle assembly, nose iron |
| 4..... | 40461 ..... | Trunnion pins               |

**\$3,148.00** Suggested list/XX lb shipping weight

## Kit No. 154153

25K and 30K Basic Kit

| QTY    | RL PN          | DESCRIPTION               |
|--------|----------------|---------------------------|
| 8..... | 0525-0056..... | Pivot, load and fulcrum   |
| 8..... | 39990 .....    | Bearing, load and fulcrum |
| 2..... | CM761P .....   | Pivot, nose iron          |
| 2..... | CM764.....     | Bearing, tip connection   |

**\$1,433.00** Suggested list/XX lb shipping weight

## Kit No. 154154

25K and 30K Kit With Complete Assemblies

| QTY    | RL PN          | DESCRIPTION             |
|--------|----------------|-------------------------|
| 8..... | 0525-0056..... | Pivot, load and fulcrum |
| 4..... | 39990 .....    | Bearing, fulcrum        |
| 4..... | 39988 .....    | Loop assembly, load     |
| 1..... | 39975 .....    | Nose iron, right        |
| 1..... | 39972 .....    | Nose iron, left         |
| 1..... | 39969 .....    | Shackle assembly        |
| 4..... | 39993 .....    | Trunnion                |

**\$3,736.00** Suggested list/XX lb shipping weight

# Pivot and Bearing Kit Type 1

## Kit No. 154156

40K and 50K Basic Kit

| QTY    | RL PN          | DESCRIPTION               |
|--------|----------------|---------------------------|
| 8..... | 0525-0070..... | Pivot, load and fulcrum   |
| 8..... | 39134 .....    | Bearing, load and fulcrum |
| 2..... | 0525-0059..... | Pivot, tip                |
| 2..... | 39146 .....    | Bearing, tip              |

**\$1,638.00** Suggested list/XX lb shipping weight

## Kit No. 154155

40K and 50K Kit With Complete Assemblies

| QTY    | RL PN          | DESCRIPTION                  |
|--------|----------------|------------------------------|
| 8..... | 0525-0070..... | Pivot, load and fulcrum      |
| 4..... | 39134 .....    | Bearing, fulcrum             |
| 4..... | 39133 .....    | Loop assembly, with bearings |
| 1..... | 39148 .....    | Tip connections              |
| 1..... | 39116 .....    | Nose iron, left              |
| 1..... | 39119 .....    | Nose iron, right             |
| 4..... | 39131 .....    | Trunnion                     |

**\$4,790.00** Suggested list/XX lb shipping weight

# Rice Lake Weighing

## Type II Hopper Scale Repair Kits

### Kit No. 108647 Tool Steel Scales

This is a repair kit for models PLS-25-1, PLS-25-2, PLS-25-3, PLS-25-4, PLS-25-5, PLS-25-6 and PLS-7272-25

| QTY    | RL PN        | DESCRIPTION             |
|--------|--------------|-------------------------|
| 8..... | 65351 .....  | Pivot, load and fulcrum |
| 4..... | CM729.....   | Loops, load             |
| 8..... | CM755.....   | Bearing, fulcrum        |
| 1..... | N110.....    | Tip connection          |
| 2..... | CM761P ..... | Pivots, tip             |
| 8..... | 15297 .....  | Pin, stand bearing      |
| 8..... | 15232 .....  | Pin, cotter             |
| 4..... | CM773.....   | Trunnion                |

**\$2,177.00** Suggested list 327/33 lb shipping weight

### Kit No. 108648 Stainless Steel Scales

This is a repair kit for models PLS-25-1SST, PLS-25-2SST, PLS-25-3SST, PLS-25-4SST, PLS-25-5SST and PLS-25-6SST

| QTY      | RL PN       | DESCRIPTION             |
|----------|-------------|-------------------------|
| *8 ..... | 65351 ..... | Pivot, load and fulcrum |
| 4.....   | 46299 ..... | Loop, load              |
| 1.....   | 46288 ..... | Center connection       |
| 2.....   | 46307 ..... | Pivot, tip              |
| 8.....   | 46323 ..... | Bearing, stand          |
| 4.....   | 46302 ..... | Trunnion                |
| 8.....   | 47992 ..... | Pin, stand bearing      |
| 8.....   | 15233 ..... | Cotter key              |

**\$3,319.00** Suggested list/33 lb shipping weight

*\* 65351 is for newer style scales with 3/4 in square pivots. Old style uses round pivot*

*PN 46285 x wedge 46286. Page 351*










# RICE LAKE/ POWELL

RICE LAKE/POWELL

# Individual Powell Scale Parts

(For scales built in Jasper, AL facility)

32.5 ton/sectional capacity, unless otherwise indicated

| RL PN | DESCRIPTION   | SUGGESTED LIST |
|-------|---|----------------|
| P705  | Equiv. Powell no. 3104<br>Size: 2 in dia x 8 3/8 in<br>Trunnion<br>Mechanical and electronic  | \$193.00       |
|       |    |                |
| P706  | Equiv. Powell no. 3303<br>Size: 2 in dia x 5 5/8 in<br>Upper load pin<br>For 60k electronic mount   | \$160.00       |
|       |    |                |
| P707  | Equiv. Powell no. 3103<br>Size: 2 in dia x 5 5/8 in<br>Upper load pin<br>Mechanical scales  | \$165.00       |
|       |    |                |
| 90259 | Equiv Powell no.<br>Size: 8 in x 18 in base x 6 1/4 in high<br>load cell stand<br>60k for ET models   | \$550.00       |
|       |    |                |
| 90258 | Equiv. Powell no.<br>Size: 8 in x 18 in base 6 1/2 in high<br>load cell stand<br>75k for ET models  | \$550.00       |
|       |   |                |
| 71043 | Equiv. Powell no. 3102<br>Size: 2 in x 2 in x 5 in<br>Block, saddle<br>Fits P707 pin<br>Use bearing H624<br>Roll pin PN 71043, 3/16 in dia x 1 in | \$143.00       |
|       |    |                |

# Individual Powell Scale Parts

(For scales built in Jasper, AL facility)

32.5 ton/sectional capacity, unless otherwise indicated

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| H624  | Equiv. Powell no. 3106<br>Size: 1 in x 1 in x 6 1/2 in<br>Bearings   | \$70.00        |    |
| H691  | Equiv. Powell no. 3108<br>Size: 1 in x 1 in x 4 in<br>Bearings   | \$58.00        |   |
|       |  |                | Part No. 15280  |
| P716P | Equiv. Powell no. 3105<br>Size: 1/2 in x 1 1/8 in x 6 1/2 in   | \$56.00        |    |
| H655P | Equiv. Powell no. 3107<br>Size: 1/2 in x 1 1/8 in x 4 in<br>Pivots   | \$53.00        |   |
| 10797 | Equiv. Powell no. 3109<br>Size: 1/2 in x 1 1/8 in x 2 5/8 in<br>Pivot, tip   | \$49.00        |    |
| P701  | Equiv. Powell no. 3110<br>Size: 2 in x 1 7/8 in x 6 in<br>Lower tip connection<br>Parallel strap<br>Main lever and translever shackles | \$82.00        |  |
| P702  | Equiv. Powell no. 3111<br>Size: 2 3/4 in x 1 3/4 in x 6 in<br>Upper tip connection<br>Horizontal strap<br>Main lever shackles          | \$79.00        |  |
| 90163 | Equiv. Powell no. 3119<br>Size: 2 in x 3/4 in x 6 in<br>Three hole strap<br>For translever shackle                                     | \$42.00        |  |
| 90846 | Size: 5/8 in x 8 in<br>Bolt for translever shackle   | \$15.00        |  |
| 90836 | Size: 5/8 in x 13 in<br>Bolt for main lever shackle, pv scales   | \$17.00        |   |
| 90815 | Size: 5/8 in x 16 in<br>Bolt for main lever shackle, pit scale   | \$18.00        |   |

Use Nut  
PN 90873

RICE LAKE/POWELL

# Individual Powell Scale Parts

(For scales built in Jasper, AL facility)

32.5 ton/sectional capacity, unless otherwise indicated

| RL PN | DESCRIPTION  | SUGGESTED LIST |   |
|-------|--|----------------|---|
| 90760 | Equiv. Powell no. 3118<br>Size: 1 3/8 in x 3 in x 18 in<br>Nose iron   | \$255.00       |    |
| 90176 | Equiv. Powell no. 3213<br>Size: 6 in x 14 in base x 12 3/4 in<br>Main lever stand, pit scales<br>Girder chair<br>Roll pin pn 15288 | \$350.00       |    |
| 90166 | Equiv. Powell no. 3212<br>Size: 8 in x 14 in base x 20 1/4 in H<br>Backbone stand, pit scale                                       | \$395.00       |    |
| 90167 | Equiv. Powell no. 3114<br>Size: 6 in x 14 in base 12 3/4 in H<br>Stand main lever<br>Main lever stand, pit scale                   | \$292.00       |    |
| 90161 | Equiv. Powell no. 3112<br>Size: 2 in x 5 in x 9 1/2 in<br>Stand<br>Back bone stand, portable                                       | \$245.00       |   |
| 90162 | Equiv. Powell no. 3113<br>Size: 2 in x 5 in x 8 1/2 in<br>Stand<br>Main lever stand, portable                                      | \$245.00       |   |
| 69784 | Equiv. Powell no. 3101<br>Size: 3/4 in x 5 in x 12 3/8 in<br>2 3/8 in x 8 1/8 in id<br>Link, all<br>Mechanical                     | \$126.00       |  |
| 70596 | Equiv. Powell no. 3301<br>Size: 3/4 in x 5 in x 10 1/2 in outer dimensions<br>2 1/4 in x 6 3/4 in id<br>Electronic truck scales    | \$122.00       |   |

# RICE LAKE/ POWELL KITS

RICE LAKE/POWELL

# Rice Lake ATV-M Powell Portable MC Parts Kits

## Kit No. P-1003K 2-Section

32.5 Ton Sectional  
Portable Scale Length 10 ft, 20 ft, 25 ft  
Pivot and Bearing Kit

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 10..... | P716P..... | Main pivot                    |
| 8.....  | H624.....  | Main bearing                  |
| 2.....  | H655P..... | Backbone pivot                |
| 2.....  | H691.....  | Backbone bearing              |
| 3.....  | 10797..... | Nose iron pivot               |
| 3.....  | P701.....  | Parallel strap with bearing   |
| 2.....  | P702.....  | Horizontal strap with bearing |
| 10..... | 15280..... | Alignment pin for bearing     |

**\$1,821.00** Suggested list/50 lb shipping weight

## Kit No. 89051 2-Section

Portable Scale Length 30 ft and 35 ft

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 12..... | P716P..... | Main pivot                    |
| 10..... | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 3.....  | 10797..... | Nose iron pivot               |
| 3.....  | P701.....  | Parallel strap with bearing   |
| 2.....  | P702.....  | Horizontal strap with bearing |
| 10..... | 15280..... | Alignment pin for bearing     |

**\$1,845.00** Suggested list/55 lb shipping weight

## Kit No. P-1004K 2-Section

Suspension Kit for P-1003K and 89051

| QTY    | RL PN      | DESCRIPTION                 |
|--------|------------|-----------------------------|
| 8..... | 69784..... | Link                        |
| 4..... | 71043..... | Upper block without bearing |
| 4..... | P707.....  | Upper bearing pin           |
| 4..... | P705.....  | Lower trunnion pin          |
| 4..... | 15288..... | Pin 3/8 in x 1 1/2 in       |

**\$2,972.00** Suggested list/130 lb shipping weight

# Rice Lake ATV-M/PT-M Powell Portable MC/MP Scale Parts

## Kit No. 71020 3-Section

32.5 Ton Sectional  
Portable Scale Lengths 35 ft and 40 ft  
Pivot and Bearing Kit

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 16..... | P716P..... | Main pivot                    |
| 13..... | H624.....  | Main bearing                  |
| 2.....  | H655P..... | Backbone pivot                |
| 2.....  | H691.....  | Backbone bearing              |
| 4.....  | 10797..... | Nose iron pivot               |
| 4.....  | P701.....  | Parallel strap with bearing   |
| 3.....  | P702.....  | Horizontal strap with bearing |
| 15..... | 15280..... | Alignment pin for bearing     |

**\$2,677.00** Suggested list/75 lb shipping weight

## Kit No. 107658 3-Section

Pit Scale Length 50 ft

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 17..... | P716P..... | Main pivot                    |
| 14..... | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 4.....  | 10797..... | Nose iron pivot               |
| 4.....  | P701.....  | Parallel strap with bearing   |
| 3.....  | P702.....  | Horizontal strap with bearing |
| 14..... | 15280..... | Alignment pin for bearing     |

**\$2,582.00** Suggested list/75 lb shipping weight

## Kit No. 107659 3-Section

Pit Scale Length 60 ft

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 18..... | P716p..... | Main pivot                    |
| 15..... | H624.....  | Main bearing                  |
| 0.....  | H655p..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 4.....  | 10797..... | Nose iron pivot               |
| 4.....  | P701.....  | Parallel strap with bearing   |
| 3.....  | P702.....  | Horizontal strap with bearing |
| 15..... | 15280..... | Alignment pin for bearing     |

**\$2,977.00** Suggested list/80 lb shipping weight

## Kit No. 71063 3-Section

Suspension Kit for 71020, 107658 and 107659

| QTY     | RL PN      | DESCRIPTION                 |
|---------|------------|-----------------------------|
| 12..... | 69784..... | Link                        |
| 6.....  | 71043..... | Upper block without bearing |
| 6.....  | P707.....  | Upper bearing pin           |
| 6.....  | P705.....  | Lower trunnion pin          |
| 6.....  | 15288..... | Roll pin                    |

**\$4,458.00** Suggested list/195 lb shipping weight

# Rice Lake ATV-M

## Powell Portable MC Scale Parts

### Kit No. 107661 4-Section

32.5 Ton Sectional  
Portable Scale Length 50 ft  
Pivot and Bearing Kit

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 20..... | P716P..... | Main pivot                    |
| 16..... | H624.....  | Main bearing                  |
| 4.....  | H655P..... | Backbone pivot                |
| 4.....  | H691.....  | Backbone bearing              |
| 5.....  | 10797..... | Nose iron pivot               |
| 5.....  | P701.....  | Parallel strap with bearing   |
| 4.....  | P702.....  | Horizontal strap with bearing |
| 20..... | 15280..... | Alignment pin for bearing     |

**\$3,511.00** Suggested list/96 lb shipping weight

### Kit No. P-1001K 4-Section

Portable Scale Length 60 ft and 70 ft

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 24..... | P716P..... | Main pivot                    |
| 20..... | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 5.....  | 10797..... | Nose iron pivot               |
| 5.....  | P701.....  | Parallel strap with bearing   |
| 4.....  | P702.....  | Horizontal strap with bearing |
| 20..... | 15280..... | Alignment pin for bearing     |

**\$3,511.00** Suggested list/100 lb shipping weight

### Kit No. P-1002K 4-Section

Suspension Kit for 107661 and P1001K

| QTY     | RL PN      | DESCRIPTION                 |
|---------|------------|-----------------------------|
| 16..... | 69784..... | Link                        |
| 8.....  | 71043..... | Upper block without bearing |
| 8.....  | P707.....  | Upper bearing pin           |
| 8.....  | P705.....  | Lower trunnion pin          |
| 8.....  | 15288..... | Roll pin                    |

**\$5,943.00** Suggested list/255 lb shipping weight



# Rice Lake PT-M Powell MP Pit Scale Parts

## Kit No. 107660 4-Section

32.5 Ton Sectional  
Pit Scale Lengths 50 ft, 60 ft and 70 ft  
Pivot and Bearing Kit

| QTY   | RL PN      | DESCRIPTION                   |
|---|------------|-------------------------------|
| 23.....   | P716P..... | Main pivot                    |
| 19.....   | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 5.....  | 10797..... | Nose iron pivot               |
| 5.....  | P701.....  | Parallel strap with bearing   |
| 4.....  | P702.....  | Horizontal strap with bearing |
| 19.....   | 15280..... | Alignment pin for bearing     |
| <b>\$3,439.00</b> Suggested list/100 lb shipping weight |            |                               |

## Kit No. P-1002K 4-Section

Suspension Kit for 107660

| QTY   | RL PN      | DESCRIPTION                 |
|---|------------|-----------------------------|
| 16.....   | 69784..... | Link                        |
| 8.....  | 71043..... | Upper block without bearing |
| 8.....  | P707.....  | Upper bearing pin           |
| 8.....  | P705.....  | Lower trunnion pin          |
| 8.....  | 15288..... | Roll pin                    |
| <b>\$5,943.00</b> Suggested list/255 lb shipping weight |            |                             |

# Rice Lake ATV-M Powell Portable MC Scale Parts

## Kit No. 107664 5-Section

32.5 Ton Sectional  
Portable Scale Length 70 ft  
Pivot and Bearing Kit

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 28..... | P716P..... | Main pivot                    |
| 23..... | H624.....  | Main bearing                  |
| 2.....  | H655P..... | Backbone pivot                |
| 2.....  | H691.....  | Backbone bearing              |
| 6.....  | 10797..... | Nose iron pivot               |
| 6.....  | P701.....  | Parallel strap with bearing   |
| 5.....  | P702.....  | Horizontal strap with bearing |
| 20..... | 15280..... | Alignment pin for bearing     |

**\$4,394.00** Suggested list/125 lb shipping weight

# Rice Lake PT-M Powell MP Pit Scale Parts

## Kit No. 107662 5-Section

32.5 Ton Sectional  
Pit Scale Length 70 ft and 80 ft  
Pivot and Bearing Kit

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 29..... | P716P..... | Main pivot                    |
| 24..... | H624.....  | Main bearing                  |
| 0.....  | H655P..... | Backbone pivot                |
| 0.....  | H691.....  | Backbone bearing              |
| 6.....  | 10797..... | Nose iron pivot               |
| 6.....  | P701.....  | Parallel strap with bearing   |
| 5.....  | P702.....  | Horizontal strap with bearing |
| 24..... | 15280..... | Alignment pin for bearing     |

**\$4,298.00** Suggested list/125 lb shipping weight

## Kit No. 107663 5-Section

Suspension Kit for 107662 and 107664

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 20..... | 69784..... | Link                          |
| 10..... | 71043..... | Upper block without bearing   |
| 10..... | P707.....  | Upper bearing pin             |
| 10..... | P705.....  | Lower trunnion pin            |
| 10..... | 15288..... | Pin, dowell 3/8 in x 1 1/2 in |

**\$7,542.00** Suggested list/255 lb shipping weight

# Rice Lake ATV-M Powell Portable MC Pit Scale Parts

## Kit No. 71021 6-Section

32.5 Ton Sectional  
Pit Scale Lengths 70 ft and 80 ft  
Pivot and Bearing Kit

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 32..... | P716P..... | Main pivot                    |
| 26..... | H624.....  | Main bearing                  |
| 4.....  | H655P..... | Backbone pivot                |
| 4.....  | H691.....  | Backbone bearing              |
| 7.....  | 10797..... | Nose iron pivot               |
| 7.....  | P701.....  | Parallel strap with bearing   |
| 6.....  | P702.....  | Horizontal strap with bearing |
| 30..... | 15280..... | Alignment pin for bearing     |

**\$5,304.00** Suggested list/145 lb shipping weight

## Kit No. 71062 6-Section

Suspension Kit for 71021

| QTY     | RL PN      | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 24..... | 69784..... | Link                          |
| 12..... | 71043..... | Upper block without bearing   |
| 12..... | P707.....  | Upper bearing pin             |
| 12..... | P705.....  | Lower trunnion pin            |
| 12..... | 15288..... | Pin, dowell 3/8 in x 1 1/2 in |

**\$8,914.00** Suggested list/385 lb shipping weight



# TECHNICAL SUPPORT

# UNDERSTANDING PIVOTS AND BEARINGS

## 1.0 INTRODUCTION

---

Levers are used to support the platform and transmit force throughout the scale. However, without pivots and bearings to support the levers, they are useless. Precision machining of pivots and bearings is necessary to ensure as little friction as possible is present in the lever system. This lesson will help you:

- ☐ Identify types of pivots and bearings
- ☐ Identify proper pivot and bearing hardening techniques
- ☐ Identify proper grinding and honing techniques
- ☐ Identify sources of avoidable and unavoidable friction
- ☐ Define range and sensitivity

## 2.0 PIVOTS AND BEARINGS

In studying levers we will talk about fulcrum, load and power points. Levers are supported at these points by pivots and bearings. Pivots are knife edges which rest in bearings to provide not only support, but as little friction and freedom to turn as possible. Of course it is not possible to totally eliminate friction, but its effects can be minimized. Pivots and bearings are designed so they can be removed and replaced. Pivots and bearings take the hardest wear and abuse of all scale parts.

### 2.1 Pivot Types

All pivots are designed to provide lever support with minimum friction. Since there are various scale manufacturers and designs available, the types of pivots that are used will vary.

#### Teardrop Pivot

The teardrop pivot derives its name from its shape. See Figure 1.




**FIGURE 1**

Teardrop pivots are used in scales up to 1000 lb capacity, feed mill scales, and beam scales. Other names for the teardrop pivot are the pear-shaped and pippin-shaped pivots. They are usually made from an amalgam of hardenable steel with a low carbon steel backing.

#### Square Pivot


Square pivots have four edges. Some square pivots have all four edges ground so they can be turned when one edge becomes worn. Some have three edges knocked off so they can be used only one way. They are used on Thurman and Cardinal hopper levers, and to support weigh beams. They are simple to change as they do not need to be gauged. Some square pivots are welded in place. Square pivots are sometimes called diamond pivots.



**FIGURE 2**

#### Block Pivot


Block pivots are also called pentagonal pivots because they have five sides. The tapered block pivot is flat on one side and machined to a knife edge on the opposite side. The pivot shown has one end tapered to provide minimum contact with the friction plate.



**FIGURE 3**

## Triangular Knife Edge

The triangular pivoted or knife edge is used in precision balances of capacities up to five kilograms. They are made of agate, stellate or high-carbon alloy steel.



**FIGURE 4**

## 2.2 Pivot Requirements

A pivot point must retain the following characteristics over a reasonable time frame.

### Sensitivity

A good knife edge in theory makes contact at one single point. However magnification of the edge will show some rounding. The rounding can be nonpermanent (elastic) or permanent. Wear will also cause increases in radius development. The bearing associated with this pivot will also yield to pivot pressure and will develop a rounded groove. The less contact the pivot makes with the bearing the more sensitive the pivot.

### Accuracy

Accuracy can be affected if the pivots do not return to their correct seating position. This can be caused by friction. The tendency to not return to their proper position is more pronounced with radiused and “V” bearings than with the flat bearings.

### Mechanical Stability

A pivot is caused to be mechanically unstable when subjected to shock loading and/or lateral forces when loading or unloading. Means must be provided to ensure that knife edges are not easily disturbed from their normal working positions and if disturbed come back to their original positions.

### Range of Movement

The angle of the knife edge must be sufficiently acute and the angle of the bearing must be sufficiently obtuse to provide sufficient range of movement and to withstand dirt buildup.

### Strength

There can be considerable pressure on the knife edge because of the weight of the platform and live load. The knife edge must be able to withstand pressures on the order of 22 tons/cm<sup>2</sup>.

### Durability

Application of a load on a truck scale will cause immediate flattening of the knife edge. Subsequent loading will not cause further flattening. However deterioration of the edge continues even where a pivot has been subjected to maximum loading early in its life. The radiusing of the knife edge increases by abrasion, proportional to the angular movement. Wear is also caused by shock loading, erosion and movement of the pivots in their bearings. A knife edge with an obtuse angle is more durable than one with an acute angle. Wear is increased rapidly if the angle of movement is greater than five degrees. Some stainless steel has been used but the hardness requirement is difficult to meet.




## 2.3 Hardening

Pivots and steel bearings are made from a steel alloy which gives the following properties:

- ☐ Hardness for wear resistance
- ☐ Toughness or strength
- ☐ Quality of not deforming during heat treatment
- ☐ Resistance to staining and corrosion

All pivots and bearings must be heat treated for hardness and tempered at the pivot knife edge and the bearing contact point. The pivot should be as hard as the bearing and vice-versa. Under large loads pivots may mushroom, but if manufactured correctly, they will return to their original shape. A pivot should be hardened as shown in Figure 7.



**FIGURE 7**

If the entire pivot or bearing is completely hardened and tempered, it will become brittle and crack under extreme loads. Conversely, if it is soft, it will wear out quickly and cause friction. Pivots and bearings, because of their hardness, very seldom wear out. Their biggest enemy is corrosion. To prevent corrosion while they are being stored, pivots and bearings are plated with nickel. However, under normal use the nickel will wear off. That is why it is necessary to grease bearings to keep them from corroding.

## Lapping

Lapping is the cutting or polishing of a surface with a lap. A lap is a tool made from soft metal (brass or aluminum) used to sharpen a pivot or bearing. Lapping sharpens the edge of the pivot or frees the pivot or bearing from scratches or gouges. Lapping must be done equally on both sides of the pivot or the angle will change, which will cause a change in lever ratio. Lapping takes off just a small portion of the surface.

## Grinding

In some cases it may be necessary to grind a pivot to smooth rough surfaces. Grinding can change the location of the pivot edge, thus changing the lever multiple. It is also possible to disturb the parallel of the knife edge which will cause friction. Care must be taken when grinding as case-hardened materials may have their hardness ground away. This leaves a soft metal which will not be able to stand up to the normal rigors of scale operation. In this case the part must be replaced. It is more advantageous to replace pivots than to grind them. Sometimes you have no choice but to grind if the pivots/bearings are not readily available. The heat produced during grinding can jeopardize the pivot hardness.



**FIGURE 8**

## Honing

Honing a pivot is accomplished to change a lever's ratio. Honing changes the position of the knife edge in relationship to the distance to the knife edge on another pivot. Honing is used to lengthen or shorten the distance between the load and fulcrum pivots.

To hone a load pivot that is fast, you must hone the side of the load pivot farthest away from the fulcrum pivot which shortens the distance between the two knife edges, increasing the ratio. To hone a load pivot that is slow, you must hone the side of the load pivot nearest the fulcrum pivot, which lengthens the distance between the two knife edges, decreasing the ratio.

A small, coarse handstone is normally used for honing. Do not use a file! Do not make a major change in the angle of the pivot side or the pivot will not seat properly in the bearing. The pivot also will bind, causing friction and repeatability problems.

## 2.4 Friction

Since scales are mechanical devices they contain moving parts. When parts move against one another friction develops. It is impossible to eliminate all friction but its effects can be decreased. We will look at causes of unavoidable and avoidable friction with regard to scales.

### 2.4.1 Unavoidable Friction

Surface resistance of a pivot edge as it revolves on the bearing surface is a source of unavoidable friction. Even a fine razor edge has a surface. No matter how fine the edge of the pivot is, it will develop a small radius because it cannot withstand the strain of load. After some usage the pivot edge will wear down to a point where it will be able to withstand the load strain for years without affecting the scale accuracy. Figure 9 shows a teardrop pivot before use. Figure 10 shows the same pivot after it has worn to the point where it will give years of service.




**FIGURE 9**




**FIGURE 10**

Another source of unavoidable friction is the anti-friction plate. The anti-friction plate keeps the pivot and/or bearing from sliding out of place. The anti-friction plate is often called a "friction plate" or just a "friction." The use of a friction plate in Figure 11 is the ideal method. The contact between the end of the pivot and the friction plate is reduced to a minimum.



**FIGURE 11**

This method should be used where economy will allow and when it is technically possible. This method is being used more frequently because of its dependability. Rough handling can cause the pivot tip and/or the plate to break.



Unavoidable Friction Point

**FIGURE 12**

The method shown in Figure 12 is commonly used on the understructures of commercial and industrial scales. It is cheaper to build and the friction plate is reinforced by the lever body and is less likely to break. Rough handling is less likely to break this antifriction system.

## 2.4.2 Avoidable Friction

Improperly made and/or aligned bearings can be a source of avoidable friction. Normally if the bearing is bad, the pivot is also bad. A sharp pivot and smooth bearing equal minimal friction. Using the wrong pivot can cause friction. The scale understructure generally receives a severe punishment when being loaded and unloaded. Therefore, it is not advisable to use a sharp bottom “V” bearing in the understructure. As the fine edge of the pivot wears it will jam into the sharply lapped bearing bottom. Round bottom “V” bearings are much more suited for understructure applications.

A soft, blunt, or broken pivot tip and/or coarsely finished anti-friction plate (steel) can be sources of friction. A crooked pivot will also cause tension and friction, as will soft pivots and bearings. A soft pivot dulls quickly and soft metal has a tendency to cling. A hard and sharp pivot edge will cut its way through bearings that are too soft, restricting the pivot's ability to rotate.

Incorrect pivot installation will cause friction. If the pivot is tapered on one end, it is to be installed in one direction only. The tapered end must fit against the friction plate. This makes sure the pivot touches the friction steel at only one point. If a non-tapered edge touches the friction plate there will be an increase of friction and binding. Friction plates keep the levers from sliding out of position, thus reducing friction. Frictions are hard and brittle and can break. Hardness of the pivot must match the hardness of the friction plate. If the pivot is harder than the plate, a groove will be worn into the friction plate and the pivot can be come caught and bind in the groove. It may be possible to take the nick out of the friction plate by grinding. If the plate is case hardened (hardened to only a certain depth) you may grind to soft metal. This will cause quick wearing of the friction plate and replacement with a friction plate of the correct hardness will be required.


There are other sources of friction, such as the steelyard rod rubbing against something or the platform rubbing against the frame. Keep all moving parts at a safe distance from stationary parts.

## 2.5 Parallel


The pivots must be straight, sharp and hard to eliminate friction and function with precision. They must also run parallel to each other on two planes.

### Gauge Parallel

Figure 13 shows pivots in proper gauge parallel. (Distance A = Distance B)



**FIGURE 13**




**FIGURE 14**


The pivots in Figure 14 are NOT in proper gauge parallel (Distance A is greater than Distance B). The ratio of the lever is smaller at A than at B. The pivots of a lever must have a certain amount of end play in their bearing to ensure freedom of movement. Because of this end play the levers can change their positions. When this occurs there will be a change in ratio with resultant inconsistent indication.

### Plane Parallel

Pivots must also be parallel to each other in a 90° plane; use a pivot gauge to measure. See Figure 15 for pivots in correct plane parallel.



**FIGURE 15**



**FIGURE 16**

Figure 16 illustrates pivots not in proper plane parallel. Pivots set in this manner will cause inconsistency. The bearings will have a tendency to slide down on the sloping pivot and jam against the friction points, causing friction. The lever will be less sensitive besides having poor repeatability.

## 2.6 Service Tips

- ☐ Use an old file to check pivot hardness. If the pivot is hard, it will cut the teeth of the file.
- ☐ When installing pivots, use round stock, or preferably a brass hammer. A hardened hammer can break the pivot.
- ☐ Use a pivot gauge when measuring.
- ☐ If the scale is not returning to zero, check for cut or worn bearings to be replaced or lapped. In a small capacity scale, cut bearings will have a large affect, while in large capacity scales, cut bearings may work well.
- ☐ When pounding out pivots, place a block behind the lever to support the lever casting. Without support, the lever may break when pounded.

## 3.0 SENSITIVITY

Sensitivity is the amount of structural displacement caused by the addition of any weight to any portion of a balanced structure.


The degree or amount of sensitivity depends on the distribution of mass above and below the fulcrum point of a lever.

When we talk about sensitivity in conjunction with scales, we are referring to the amount of beam travel from balance position to a new point of equilibrium.

**NOTE:** A beam is a graduated lever used to balance a scale. Weight can be read from the beam graduations.


### 3.1 Neutral Lever

If the pivot edges of a lever are on a straight line, see Figure 17, and the mass of the lever is equally distributed above, below, right and left of the edge of the fulcrum pivot, the lever will be neutral.



**FIGURE 17**

If the body of the lever is slightly heavier below the fulcrum pivot a pendulum effect will be created. The heavier the mass below the fulcrum pivot, the less sensitive the lever will be.



**FIGURE 18**

Figure 18 shows a neutral lever with an indicator and gravity ball attached. If a pan is hung on the load and power pivots the lever becomes an equal arm scale. The gravity ball will stabilize the otherwise neutral lever. The sensitivity can be increased by raising the gravity ball or decreased by lowering the gravity ball.

### Gravity

All objects, including levers, have a center of gravity. If an object is suspended by its center of gravity it will remain motionless until an external force is applied. We can say the lever is balanced. If the lever is moved in any direction it will stop in the position it is moved to. It will remain in this position until an external force is again exerted on it.

If we suspend the lever at a point below its center of gravity the lever will become top heavy and unstable. It will turn on its axis or fulcrum. The change in position will not be abrupt, but be preceded by oscillations caused by its momentum. The number of oscillations will depend on friction and the amount of fulcrum displacement from the center of gravity.


If we suspend the lever at a point above its center of gravity the lever will become very stable. However, it will also become very insensitive.

Let's refer back to our equal arm scale in Figure 18.

With the indicator pointing to the chart centerline we will place a 1/4 ounce weight on the right hand pan, moving the indicator to the right, two graduations. We will then remove the 1/4 ounce weight and the indicator points again to the center. Now we will place a 10 pound weight on each pan. Again we have a centerline indication. If the lever is solid and does not deflect under the load, a 1/4 ounce weight placed in the right hand pan will again move the indicator to the second graduation. This indicates that the sensitivity of the lever is constant. The reason the sensitivity is constant is because all pivots are in a straight line. In other words adding weight to the load and power pivots adds weight even with the fulcrum pivot, not above it nor below it.

### 3.2 Open Range

If the edges of the load and power pivots are below the straight line passing under the edge of the fulcrum pivot (see Figure 19) the lever would have what is referred to as open range.




**FIGURE 19**

If we raise the gravity ball the sensitivity may be increased to the point of neutrality or even to instability if we raise it far enough.

However, when weight is placed on the load and power pivots, the sensitivity will decrease. The bigger the load the less sensitive the lever will be. Remember the load and power pivots are below the fulcrum pivot line, so when weight is added to the load and power pivots, the weight is being added below the fulcrum pivot. The results are decreased sensitivity and increased stability.

### 3.3 Closed Range

Let's look at a lever that is said to have closed range. (Figure 20).



**FIGURE 20**

A lever is said to have closed range when the edges of the load and power pivots are higher than the edge of the fulcrum pivot.

When pans are hung on the power and load pivots the lever will be unstable (top heavy). The lever can be stabilized by lowering its gravity ball which increases the mass below the fulcrum pivot.

As the pans are loaded, the increasing load will gradually overcome the stabilizing effect of the gravity ball. This is true because the weight is felt at the loaded power pivots which are located above the fulcrum pivot line. As the weight increases it will first cause neutrality and finally a top heavy, unstable condition.

### 3.4 Lever Deflection

To construct a lever or weighbeam with no deflection, it may be necessary to over-dimension the body, making it very clumsy and heavy. Because of its great inertia, the lever would require more time to pick up momentum when changing directions during oscillation.

To ensure a reasonably uniform sensitivity, a slightly closed range can be used.

Levers are usually made as light as possible to decrease the weight of the lever system, minimize inertia, and to save material.

If the deflection is not too great and is temporary, it can be compensated by a closed range in the pivot line. A permanent deflection will render a scale useless. Deflection in any lever will decrease its sensitivity. If the lever is incorrectly proportioned it will change its ratio. A correctly proportioned lever with, let's say, a 10:1 ratio must have a similar deflection factor. If the load arm deflects 0.001" then the power arm should deflect 0.001" to maintain the lever ratio.

Closed range, to compensate for deflection, can be utilized only in scales with predetermined, one-spot indication (beam scales) or in a scale equipped with balance indicators that only have a zero indication. Scales with graduated charts (each graduation representing a certain weight value) must not utilize closed or open range.

Using a neutral pivot line on a flexible lever would result in gradual loss of sensitivity due to the increase in mass below the fulcrum pivot as the load and power pivots deflect downward.

Levers and beams are usually constructed so the larger mass of the lever body is below the pivot line. This produces sufficient pendulum action to stabilize the scale. Closed range has an opposite effect, causing the scale to become unstable.

The stabilizing effect of the lever body has to be greater than the unstabilizing effect of the closed range when the scale is unloaded. As the scale is being loaded, a gradual deflection will take place which will eventually eliminate the range. This stabilizing effect of the lever body must remain active until the load and power pivots sink to the level of the fulcrum pivot. Should the stabilizing effect of the lever mass be insufficient and become nullified before the pivot line becomes neutral, the scale will become unstable at this point. A further increase in load will result in a gradually increasing loss of sensitivity.

## 4.0 Sensitivity Requirement (SR)

The sensitivity of a scale is the distance the beam or indicator travels when a certain unit of weight is placed on the scale platform. The term "sensitivity" is not the same as the sensitivity requirement or SR.

SR is the amount of weight necessary to make the scale travel a certain specified distance. The SR requirements for commercial scales vary depending on the type of scale. SR tolerances are prescribed in Handbook 44.







## Notes:








## Notes:

Notes:







# 24/7 EMERGENCY SUPPORT

Your service doesn't stop when the office is closed and neither does ours. **Simply call 800-472-6703 and press 1** to reach on-call personnel outside of our normal business hours for emergency support.

When you need help, rely on Rice Lake.  
We look forward to answering your call.



230 W. Coleman St. • Rice Lake, WI 54868 • USA  
USA 800-472-6703 • CANADA/MEXICO 800-321-6703 • DIRECT 715-234-9171  
[www.ricelake.com](http://www.ricelake.com)

Customer Service Representative Hours (CST): 6:30AM to 6:30PM Monday through Friday; 8:00AM to Noon on Saturday  
An ISO 9001 registered company © 2025 Rice Lake Weighing Systems PN 25467 12/25 • Specifications subject to change without notice.