

PHYSICIAN SCALES

DIGITAL AND MECHANICAL



150-10-5 DIGITAL PHYSICIAN SCALE

The Rice Lake 150-10-5 digital physician scale has an eye-level digital display to provide a clear weight reading. With a height bar integrated into the scale column, healthcare professionals can quickly capture both height and weight information. Built-in wheels make the 150-10-5 easy to transport and the choice between using an AC adapter or batteries means this physician scale can be used nearly anywhere in a healthcare facility.

FEATURES

- Large push-button LCD display
- Antimicrobial keypad
- Large, stable scale base
- Integrated height rod
- Nonslip rubber mat, removable for cleaning
- Two wheels for easy transport
- Unit of measure toggle or locking
- Motiontrap™ movement compensation technology
- EMR capable
- Serial and USB data communication ports
- Wireless personal area network (WPAN) option available
- Hold function
- Zero function
- Body mass index (BMI) function
- Factory calibrated

SPECIFICATIONS

Capacity:

550 × 0.2 lb (250 × 0.1 kg)

Platform Dimensions:

(L × W × H)
14.70 × 14.70 × 3.00 in

Height Rod:

Measures from 27.50 to 82.00 in
(70 to 208 cm)

Power:

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

Battery Type:

Six AA alkaline (included)

Battery Use:

25 hours continuous use with batteries
Automatic power-off can be configured

Display:

Five-digit LCD display, 0.75 in (1.9 cm) digit height

Temperature:

Operating:
50 °F to 104 °F (10 °C to 40 °C)

Warranty:

Two-year limited





DIGITAL PHYSICIAN SCALE - EYE-LEVEL

PG
5

MODEL	CAPACITY	COMMUNICATION	PART#
150-10-5	550 x 0.2 lb (250 x 0.1 kg)	USB	119113
150-10-5BLE	550 x 0.2 lb (250 x 0.1 kg)	WPAN	194726

OPTIONS

DESCRIPTION	PART #
9VDC adapter, 100-240V, NEMA 1-15 plug, cULus power supply*	133077
9VDC adapter, 100-240V, NEMA 1-15 plug, medical grade power supply	115655
9VDC adapter, 100-240V, CEE 7/16 plug, medical grade power supply**	102508


*NEMA 1-15 Plug **CEE 7/16 Plug 

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
150-10-5	119113	30	18	9	26	35	35
150-10-5BLE	194726	30	18	9	26	35	35

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	54.00	137.2	C	14.70	37.5
B	22.40	56.9	D	3.00	7.6





WAIST-LEVEL

150-10-6 DIGITAL PHYSICIAN SCALE

The Rice Lake 150-10-6 digital physician scale is designed with a modern appearance and features a waist-level digital display at just over four feet for ease of use. The large, stable scale base is both comfortable and easily transported with two built-in rubber wheels. The 150-10-6 can be powered from an optional AC adapter or standard alkaline batteries. Its large push-button display lights up for simple viewing and an audible beep sounds at the end of each weigh cycle.

FEATURES

- Large push-button LCD display
- Antimicrobial keypad
- Large, stable scale base
- Two wheels for easy transport
- Nonslip rubber mat, removable for cleaning
- Unit of measure toggle or locking
- Motiontrap™ movement compensation technology
- EMR capable
- Serial and USB data communication ports
- Wireless personal area network (WPAN) option available
- Hold function
- Zero function
- Body mass index (BMI) function
- Factory calibrated

SPECIFICATIONS

Capacity:

550 × 0.2 lb (250 × 0.1 kg)

Platform Dimensions:(L × W × H)
14.70 × 14.70 × 3.00 in**Power:**

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

Battery Type:

Six AA alkaline (included)

Battery Use:25 hours continuous use with batteries
Automatic power-off can be configured**Display:**

Five-digit LCD display, 0.75 in (1.9 cm) digit height

Temperature:Operating:
50 °F to 104 °F (10 °C to 40 °C)**Warranty:**

Two-year limited





DIGITAL PHYSICIAN SCALE - WAIST-LEVEL

PG
7

MODEL	CAPACITY	COMMUNICATION	PART #
150-10-6	550 x 0.2 lb (250 x 0.1 kg)	USB	161786
150-10-6BLE	550 x 0.2 lb (250 x 0.1 kg)	WPAN	194732

OPTIONS

DESCRIPTION	PART #
9VDC adapter, 100-240V, NEMA 1-15 plug, cULus power supply*	133077
9VDC adapter, 100-240V, NEMA 1-15 plug, medical grade power supply	115655
9VDC adapter, 100-240V, CEE 7/16 plug, medical grade power supply**	102508

*NEMA 1-15 Plug


**CEE 7/16 Plug

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
150-10-6	161786	30	19	9	25	37	37
150-10-6BLE	194732	30	19	9	25	37	37

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	48.40	123.0	C	14.70	37.5
B	22.40	56.9	D	3.00	7.6



FLOOR-LEVEL

150-10-7

DIGITAL PHYSICIAN SCALE

The Rice Lake 150-10-7 digital physician scale provides precision weight measurements up to 550 pounds (250 kilograms). The large, stable scale base is both comfortable and easily transported with an optional carrying case. Whether powered from an optional AC adapter or standard alkaline batteries, the 150-10-7 is easy to use. Its large push-button display lights up for easy viewing and an audible beep sounds at the end of each weigh cycle.

PG
8

FEATURES

- Large push-button LCD display
- Antimicrobial keypad
- Large, stable scale base
- Nonslip rubber mat, removable for cleaning
- Unit of measure toggle or locking
- Motiontrap™ movement compensation technology
- EMR capable
- Serial and USB data communication port
- Wireless personal area network (WPAN) option available
- Hold function
- Zero function
- Body mass index (BMI) function
- Factory calibrated

SPECIFICATIONS

Capacity:

550 × 0.2 lb (250 × 0.1 kg)

Platform Dimensions:

(L × W × H)
14.70 × 14.70 × 3.00 in

Power:

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

Battery Type:

Six AA alkaline (included)

Battery Use:

25 hours continuous use with batteries
Automatic power-off can be configured

Display:

Five-digit LCD display, 0.75 in (1.9 cm) digit height

Cable Length:

6 ft (1.8 m) cable between scale base and indicator

Temperature:

Operating:
50 °F to 104 °F (10 °C to 40 °C)

Warranty:

Two-year limited





DIGITAL PHYSICIAN SCALE - FLOOR-LEVEL

MODEL	CAPACITY	COMMUNICATION	PART #
150-10-7	550 x 0.2 lb (250 x 0.1 kg)	USB	121304
150-10-7BLE	550 x 0.2 lb (250 x 0.1 kg)	WPAN	194728

OPTIONS

DESCRIPTION	PART #
Carrying case	107445
9VDC adapter, 100-240V, NEMA 1-15 plug, cULus power supply*	133077
9VDC adapter, 100-240V, NEMA 1-15 plug, medical grade power supply	115655
9VDC adapter, 100-240V, CEE 7/16 plug, medical grade power supply**	102508

*NEMA 1-15 Plug 

**CEE 7/16 Plug 




Optional carrying case

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
150-10-7	121304	25	18	6	17	20	20
150-10-7BLE	194728	25	18	6	17	20	20

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	14.70	37.5	D	7.80	19.8
B	14.70	37.5	E	6.70	17.0
C	3.00	7.6			





PG
10



150-10-8 DIGITAL PHYSICIAN SCALE FLOOR-LEVEL

The Rice Lake 150-10-8 digital physician scale has a compact design, making it ideal for environments where portability is essential. Its built-in handle provides convenient transportation between locations. With USB and wireless connection, medical staff can easily and securely transfer weight data to electronic medical records (EMR).

FEATURES

- Large push-button LCD display
- Antimicrobial keypad
- Large, stable scale base
- Nonslip rubber mat, removable for cleaning
- Unit of measure toggle or locking
- Motiontrap™ movement compensation technology
- EMR capable
- USB and Wireless personal area network (WPAN) option available
- Hold function
- Zero function
- Body mass index (BMI) function
- Factory calibrated

SPECIFICATIONS

Capacity:

550 × 0.2 lb (250 × 0.1 kg)

Platform Dimensions:

(L × W × H)
14.70 × 14.70 × 3.00 in

Power:

9 VDC, provided by six AA alkaline batteries (included) or AC adapter (optional)

Battery Type:

Six AA alkaline (included)

Battery Use:

25 hours continuous use with batteries
Automatic power-off can be configured

Display:

Five-digit LCD display, 0.75 in (1.9 cm) digit height

Temperature:

Operating:
50 °F to 104 °F (10 °C to 40 °C)

Warranty:

Two-year limited



DIGITAL PHYSICIAN SCALE - FLOOR-LEVEL

MODEL	CAPACITY	COMMUNICATION	PART #
150-10-8	550 x 0.2 lb (250 x 0.1 kg)	USB	224055
150-10-8BLE	550 x 0.2 lb (250 x 0.1 kg)	WPAN	224056

OPTIONS

DESCRIPTION	PART #
9VDC adapter, 100-240V, NEMA 1-15 plug, cULus power supply*	133077
9VDC adapter, 100-240V, NEMA 1-15 plug, medical grade power supply	115655
9VDC adapter, 100-240V, CEE 7/16 plug, medical grade power supply**	102508


*NEMA 1-15 Plug **CEE 7/16 Plug 

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
150-10-8	224055	12.7	22.4	14.7	25	37	37
150-10-8BLE	224056	12.7	22.4	14.7	25	37	37

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	12.70	32.3	C	14.70	37.4
B	22.40	56.9	D	3.00	7.6



160-10-7N

DIGITAL ATHLETIC SCALE

Rice Lake's 160-10-7N low-profile digital athletic scale offers superior accuracy and durability for repetitive use in settings where a Legal for Trade scale is needed. It is slip-resistant, demands little space and is exceptionally portable. The 160-10-7N low-profile scale features a very low, 1.65-inch rise.



Actual height of low profile (1.65 inches)

PG
12

FEATURES

- Push-button LCD display
- Antimicrobial keypad
- Large, stable scale base
- Unit of measure toggle or locking
- Motiontrap™ movement compensation technology
- EMR capable
- Zero function
- Factory calibrated

SPECIFICATIONS



Capacity:

550 x 0.2 lb (250 x 0.1 kg)

Platform Dimensions:

(L x W x H)

14.40 x 14.40 x 1.65 in

Power:

9 VDC, provided by six AA alkaline batteries (included) or 120V/230V AC adapter, NEMA 1-15 plug (included)

Battery Type:

Six AA alkaline (included)

Battery Use:

25 hours continuous use with batteries
Automatic power-off can be configured

Display:

Five-digit LCD display, 0.75 in (1.9 cm) digit height

Cable Length:

6 ft (1.8 m) cable between scale base and indicator

Temperature:

Operating:
50 °F to 104 °F (10 °C to 40 °C)

Approvals:

NTEP 18-011

Warranty:

Two-year limited





DIGITAL PHYSICIAN SCALE - LOW-PROFILE

MODEL	CAPACITY	COMMUNICATION	PART #
160-10-7N	550 x 0.2 lb (250 x 0.1 kg)	USB	193355

OPTIONS

DESCRIPTION	PART #
Carrying case	107445

SHIPPING WEIGHT


MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
160-10-7N	193355	20	18	6	18	16	18



Optional carrying case

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	1.65	4.2	D	7.80	19.8
B	14.40	36.6	E	6.70	17.0
C	14.40	36.6			



LB & KG

RL-MPS MECHANICAL PHYSICIAN SCALE



The RL-MPS mechanical physician scale is capable of weighing up to 440 pounds (200 kilograms). For added convenience, weight readings can be taken from either the front or back of the scale. Its base is designed with a removable, slip-resistant cover for easy cleaning, and can be easily transported with two built-in durable wheels.

FEATURES

- Sturdy, enameled steel body
- Painted beam
- Rugged scale understructure
- Two wheels for easy transport
- Simple operation with two sliding weights
- Removable, slip-resistant scale base cover
- Aluminum height rod

SPECIFICATIONS

Capacity:

440 lb \times 4 oz (200 kg \times 100 g)

Platform Dimensions:

(L \times W \times H)
14.75 \times 10.75 \times 4.13 in

Height Rod:

Measures 24 to 84 in
(60 to 212 cm)

Height Division:

0.125 in (0.1 cm)

Warranty:

Two-year limited





MECHANICAL PHYSICIAN SCALE - LB AND KG


MODEL	CAPACITY	PART #
RL-MPS	440 lb x 4 oz (200 kg x 100 g)	102613

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MPS	102613	60	21	7	42	64	64

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	10.75	27.3	D	22.30	56.6
B	14.75	37.5	E	58.50	148.6
C	4.13	10.5			



LB Only

RL-MPS-10 MECHANICAL PHYSICIAN SCALE



The RL-MPS-10 mechanical physician scale is capable of weighing up to 450 pounds. For added convenience, weight readings can be taken from either the front or back of the scale. Its base is designed with a removable, slip-resistant base cover for easy cleaning, and can be easily transported with two durable built-in wheels.

FEATURES

- Sturdy, enameled steel body
- Painted beam
- Rugged scale understructure
- Durable wheels for easy transport
- Simple operation with two sliding weights
- Removable, slip-resistant scale base cover
- Aluminum height rod

SPECIFICATIONS

Capacity:

450 lb x 4 oz

Platform Dimensions:

(L x W x H)
14.75 x 10.75 x 4.13 in

Height Rod:

Measures 24 to 84 in

Height Division:

0.125 in

Warranty:

Two-year limited





MECHANICAL PHYSICIAN SCALE - LB ONLY

PG
17


MODEL	CAPACITY	PART #
RL-MPS-10	450 lb x 4 oz	124223

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MPS-10	124223	60	21	7	42	64	64

DIMENSIONS


	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	10.75	27.3	D	22.30	56.6
B	14.75	37.5	E	58.50	148.6
C	4.13	10.5			





RL-MPS-30 MECHANICAL PHYSICIAN SCALE

The RL-MPS-30 mechanical physician scale features a hand post and is capable of weighing up to 180 kilograms. A handpost installed at a strategic height provides enhanced support for all patients. For added convenience, weight readings can be taken from either the front or back of the scale. The RL-MPS-30 can be easily transported with two built-in wheels, and its base is designed with a removable, slip-resistant cover for easy cleaning.



FEATURES

- Sturdy, enameled steel body
- Painted beam
- Rugged scale understructure
- Hand post
- Two wheels for easy transport
- Simple operation with two sliding weights
- Removable, slip-resistant scale base cover
- Aluminum height rod

SPECIFICATIONS

Capacity:

180 kg x 100 g

Platform Dimensions:

(L x W x H)
37.5 x 27.3 x 10.5 cm

Height Rod:

Measures 60 to 212 cm

Height Division:

0.1 cm

Warranty:

Two-year limited





MECHANICAL PHYSICIAN SCALE - KG ONLY

PG
19


MODEL	CAPACITY	PART #
RL-MPS-30	180kg x 100g	132703

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MPS-30	132703	60	21	7	40	64	64

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	10.75	27.3	D	22.30	56.6
B	14.75	37.5	E	58.50	148.6
C	4.13	10.5	F	31.50	80.0



LB & KG

RL-MPS-40 MECHANICAL PHYSICIAN SCALE

The RL-MPS-40 mechanical physician scale is a dual-read scale with a capacity of 440 pounds (200 kilograms) and 490 pounds (220 kilograms). Weight readings can be taken from either side of the scale with the two sliding weights and counterpoise weights that are included. Durable wheels at the base allow the scale to be portable, and for simple cleaning, the slip-resistant base has a removable cover.



FEATURES

- Dual-read capacity and height rod
- Sturdy enameled steel body
- Painted beam designed to hold counterpoise weights
- Rugged scale understructure
- Removable, slip-resistant plastic scale base cover
- Retractable aluminum height rod
- Simple operation with two sliding weights and two counterpoise weights (included)
- Two wheels for easy transport
- Aluminum height rod

SPECIFICATIONS

Capacity:

490 lb × 4 oz (220 kg × 100 g)

Platform Dimensions:

(L × W × H)
14.75 × 10.75 × 4.13 in

Height Rod:

Measures 24 to 84 in
(60 to 212 cm)

Height Division:

0.125 in (0.1 cm)

Warranty:

Two-year limited





MECHANICAL PHYSICIAN SCALE - LB AND KG

PG
21


MODEL	CAPACITY	PART #
RL-MPS-40	490 lb x 4 oz (220 kg x 100 g)	185289

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MPS-40	185289	60	21	7	44	64	64

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	10.75	27.3	D	22.30	56.6
B	14.75	37.5	E	58.50	148.6
C	4.13	10.5			



LB & KG

RL-MPS-50 MECHANICAL PHYSICIAN SCALE

Rice Lake's RL-MPS-50 mechanical physician scale is built to weigh patients up to 450 pounds (200 kilograms). The RL-MPS-50 features a height rod for monitoring growth and is designed with rear wheels for ease of transport. The poise travels freely along the weigh beam with just a tap of the finger. A distinctive, color-coded weigh beam is easy to read, with a kilogram weighing option available by flipping the beam.



PG
22

FEATURES

- Two wheels for easy transport
- Aluminum height rod included
- Poise travels free on weigh beam with simple finger tap
- Easy-to-read weigh beam
- Color-coded black inset shows lb markings and white inset shows kg markings
- The beam can be rotated to the desired unit of measure
- Aluminum height rod

SPECIFICATIONS

Capacity:

450 lb x 4 oz (200 kg x 100 g)

Platform Dimensions:

(L x W x H)
14.75 x 10.75 x 4.13 in

Height Rod:

Measures 29.50 to 78.75 in
(75 to 200 cm)

Height Division:

0.25 in (5 mm)

Warranty:

Two-year limited



Weigh beam with lb markings



Weigh beam with kg markings



MECHANICAL PHYSICIAN SCALE - LB AND KG

PG
23

MODEL	CAPACITY	PART #
RL-MPS-50	450 lb x 4 oz (200kg x 100g)	195264

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MPS-50	195264	60	21	5	39	46	46

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	10.75	27.3	D	22.30	56.6
B	14.75	37.5	E	58.50	148.6
C	4.13	10.5			

