

# Cast Iron Field Weights

## Applications:

Field standards for testing  
industrial devices Class III,  
Class IIIL or Class IIIL

Testing for non-marked scales  
without class designation

Verifying scales are within  
specified accuracy and tolerances

## Styles Available:

Grip-handle design for easy handling  
Nesting slab weights for heavy-capacity weighing  
Slotted weights and hangers for  
suspended weighing  
Counterpoise weights for ratio weighing

## Features:

Nominal value marked on weight  
Weight capacities of 10 kg/20 lb  
and up meet NIST Handbook 105-1  
and Handbook 44 specifications  
Metric weights designated by gold paint  
Avoirdupois (pound) weights designated  
by silver paint  
Serial numbers may be stamped  
on weights (optional)





*Grip-handle and Nesting Slab*

**110** Range: 3,000 lb – 1 lb

*Grip-handle*

**111** Range: 1,000 kg – 500 g

*Slotted Interlocking and Hanger*

**112** Range: 100 lb – 200 g

*Counterpoise and Hanger Weights*

**113** Range: 200 kg – 7 oz

*Avoirdupois Counterpoise and Hanger*

**114** Range: 500 lb – 7 oz

## CAST IRON / AVOIRDUPOIS GRIP-HANDLE AND NESTING SLAB

RANGE: 3,000 lb – 1 lb

## ASTM

## Class 6

## Optional Certificate

| Weight   | Part #       | Length              | Width               | Height               | Slot Width          | Slot Depth*        | Price       | Accredited |
|----------|--------------|---------------------|---------------------|----------------------|---------------------|--------------------|-------------|------------|
| 3,000 lb | <b>12872</b> | 20-3/4 in (527 mm)  | 20-3/4 in (527 mm)  | 29 in (737 mm)       | 3-1/2 in (89 mm)    | 2-3/4 in (70 mm)   | \$14,000.00 | \$310.00   |
| 2,500 lb | <b>12854</b> | 20-3/4 in (527 mm)  | 20-3/4 in (527 mm)  | 24-3/4 in (629 mm)   | 3-31/32 in (101 mm) | 2-3/4 in (70 mm)   | \$12,800.00 | \$235.00   |
| 2,000 lb | <b>12868</b> | 20-3/4 in (527 mm)  | 20-3/4 in (527 mm)  | 19-1/2 in (495 mm)   | 3-1/2 in (89 mm)    | 2-3/4 in (70 mm)   | \$11,500.00 | \$235.00   |
| 1,500 lb | <b>12864</b> | 15-1/8 in (384 mm)  | 15-1/8 in (384 mm)  | 26-7/8 in (683 mm)   | 2-1/2 in (64 mm)    | 2-1/4 in (57 mm)   | \$9,000.00  | \$235.00   |
| 1,250 lb | <b>12858</b> | 15 in (381 mm)      | 15 in (381 mm)      | 23-3/4 in (603 mm)   | 2-1/2 in (64 mm)    | 2-1/4 in (57 mm)   | \$7,700.00  | \$235.00   |
| 1,000 lb | <b>12850</b> | 15-1/2 in (394 mm)  | 15 in (381 mm)      | 18-11/16 in (478 mm) | 2-3/4 in (70 mm)    | 2-29/32 in (74 mm) | \$5,000.00  | \$235.00   |
| 500 lb   | <b>12844</b> | 12 in (305 mm)      | 11-1/2 in (292 mm)  | 15-3/4 in (400 mm)   | 2-1/2 in (64 mm)    | 1-29/32 in (48 mm) | \$4,000.00  | \$235.00   |
| 250 lb   | <b>12892</b> | 9-3/4 in (248 mm)   | 9-3/4 in (248 mm)   | 12 in (305 mm)       | 2-1/2 in (64 mm)    | 2 in (51 mm)       | \$2,600.00  | \$235.00   |
| 200 lb   | <b>12890</b> | 9-3/4 in (248 mm)   | 9-3/4 in (248 mm)   | 10 in (254 mm)       | 2-1/2 in (64 mm)    | 2 in (51 mm)       | \$2,350.00  | \$235.00   |
| 100 lb   | <b>12862</b> | 7 in (178 mm)       | 9-1/8 in (232 mm)   | 7-7/8 in (200 mm)    | 4-1/2 in (114 mm)   | 1-1/2 in (38 mm)   | \$760.00    | \$105.00   |
| 50 lb    | <b>12839</b> | 5-1/2 in (140 mm)   | 7-29/32 in (201 mm) | 6-9/16 in (167 mm)   | 4-1/2 in (114 mm)   | 1-21/32 in (42 mm) | \$190.00    | \$80.00    |
| 30 lb    | <b>12878</b> | 4-29/32 in (125 mm) | 8-1/4 in (210 mm)   | 4-1/2 in (114 mm)    | 4-15/32 in (114 mm) | 31/32 in (25 mm)   | \$210.00    | \$80.00    |
| 25 lb    | <b>12833</b> | 4-1/2 in (114 mm)   | 6-1/2 in (165 mm)   | 4-15/16 in (125 mm)  | 3-5/8 in (92 mm)    | 31/32 in (25 mm)   | \$145.00    | \$80.00    |
| 20 lb    | <b>12870</b> | 4-15/32 in (114 mm) | 5-3/4 in (146 mm)   | 5-3/32 in (129 mm)   | 3-31/32 in (101 mm) | 1-5/32 in (29 mm)  | \$115.00    | \$80.00    |

## Class 7

## Optional Certificate

| Weight | Part #       | Length             | Width            | Height             | Price   | Accredited |
|--------|--------------|--------------------|------------------|--------------------|---------|------------|
| 10 lb  | <b>12828</b> | 3-1/4 in (83 mm)   | 5 in (127 mm)    | 4-1/32 in (102 mm) | \$87.00 | \$80.00    |
| 5 lb   | <b>12823</b> | 2-9/16 in (65 mm)  | 4 in (102 mm)    | 3-7/32 in (82 mm)  | \$67.00 | \$80.00    |
| 2 lb   | <b>12874</b> | 2-1/8 in (54 mm)   | 3 in (76 mm)     | 1-3/4 in (45 mm)   | \$63.00 | \$65.00    |
| 1 lb   | <b>12876</b> | 1-11/16 in (43 mm) | 2-1/2 in (64 mm) | 1-13/32 in (38 mm) | \$58.00 | \$65.00    |

## Accessories

| Description           | Part #       | Price   |
|-----------------------|--------------|---------|
| Statement of Accuracy | <b>36092</b> | \$47.50 |
| Serial number         | <b>25836</b> | \$17.00 |



PN 12839 Grip-handle

## ASTM

## Class 6

|          |              |                     |                     |                     |                     |                    |             | Optional Certificate |  |
|----------|--------------|---------------------|---------------------|---------------------|---------------------|--------------------|-------------|----------------------|--|
| Weight   | Part #       | Length              | Width               | Height              | Slot Width          | Slot Depth*        | Price       | Accredited           |  |
| 1,000 kg | <b>12801</b> | 20-1/2 in (521 mm)  | 20-1/2 in (521 mm)  | 22 in (559 mm)      | 3-1/2 in (89 mm)    | 2-3/4 in (70 mm)   | \$12,000.00 | \$310.00             |  |
| 500 kg   | <b>12797</b> | 15-1/8 in (384 mm)  | 15-1/8 in (384 mm)  | 20-3/4 in (527 mm)  | 2-1/2 in (64 mm)    | 2 in (51 mm)       | \$7,700.00  | \$235.00             |  |
| 250 kg   | <b>12782</b> | 12-1/2 in (318 mm)  | 11-1/2 in (292 mm)  | 17-1/2 in (445 mm)  | 2-1/2 in (64 mm)    | 1-7/8 in (48 mm)   | \$4,300.00  | \$235.00             |  |
| 200 kg   | <b>12793</b> | 12 in (305 mm)      | 11-1/2 in (292 mm)  | 14-1/4 in (362 mm)  | 2-1/2 in (64 mm)    | 1-7/8 in (48 mm)   | \$4,000.00  | \$235.00             |  |
| 100 kg   | <b>12817</b> | 9-7/8 in (251 mm)   | 9-7/8 in (251 mm)   | 11 in (279 mm)      | 2-1/2 in (64 mm)    | 2 in (51 mm)       | \$2,500.00  | \$235.00             |  |
| 50 kg    | <b>12803</b> | 7 in (178 mm)       | 9-7/32 in (234 mm)  | 8-13/16 in (224 mm) | 4-15/32 in (114 mm) | 1-29/32 in (48 mm) | \$700.00    | \$130.00             |  |
| 35 kg    | <b>12805</b> | 5-1/2 in (140 mm)   | 7-7/8 in (200 mm)   | 9-15/32 in (252 mm) | 4-15/32 in (114 mm) | 1-1/16 in (27 mm)  | \$475.00    | \$130.00             |  |
| 25 kg    | <b>12775</b> | 5-1/2 in (140 mm)   | 7-21/32 in (195 mm) | 7-3/32 in (180 mm)  | 4-7/16 in (113 mm)  | 1-13/16 in (46 mm) | \$200.00    | \$75.00              |  |
| 20 kg    | <b>12771</b> | 5-19/32 in (142 mm) | 7-5/8 in (194 mm)   | 5-29/32 in (150 mm) | 4-5/8 in (118 mm)   | 1-19/32 in (41 mm) | \$175.00    | \$75.00              |  |
| 10 kg    | <b>12767</b> | 4-1/2 in (114 mm)   | 6 in (152 mm)       | 5 in (127 mm)       | 3-3/4 in (95 mm)    | 1-1/16 in (27 mm)  | \$170.00    | \$75.00              |  |

## Class 7

|        |              |                    |                     |                    |         | Optional Certificate |  |
|--------|--------------|--------------------|---------------------|--------------------|---------|----------------------|--|
| Weight | Part #       | Length             | Width               | Height             | Price   | Accredited           |  |
| 5 kg   | <b>12786</b> | 3-13/32 in (87 mm) | 5-15/32 in (139 mm) | 4-1/8 (105 mm)     | \$88.00 | \$75.00              |  |
| 2 kg   | <b>12809</b> | 2-9/16 in (65 mm)  | 3-31/32 in (101 mm) | 2-13/16 in (71 mm) | \$74.00 | \$75.00              |  |
| 1 kg   | <b>12813</b> | 2-1/8 in (54 mm)   | 3 in (76 mm)        | 1-27/32 in (47 mm) | \$63.00 | \$55.00              |  |
| 500 g  | <b>12815</b> | 1-5/8 in (41 mm)   | 2-1/2 in (64 mm)    | 1-17/32 in (39 mm) | \$58.00 | \$55.00              |  |

## OIML

## Class M1

|        |               |                     |                     |                     |                     |                    |            | Optional Certificate |  |
|--------|---------------|---------------------|---------------------|---------------------|---------------------|--------------------|------------|----------------------|--|
| Weight | Part #        | Length              | Width               | Height              | Slot Width          | Slot Depth*        | Price      | Accredited           |  |
| 500 kg | <b>156304</b> | 15-1/8 in (384 mm)  | 15-1/8 in (384 mm)  | 20-3/4 in (527 mm)  | 2-1/2 in (64 mm)    | 2 in (51 mm)       | \$7,700.00 | \$235.00             |  |
| 250 kg | <b>156305</b> | 12 in (305 mm)      | 11-1/2 in (292 mm)  | 17-1/2 in (445 mm)  | 2-1/2 in (64 mm)    | 1-7/8 in (48 mm)   | \$4,300.00 | \$235.00             |  |
| 100 kg | <b>156306</b> | 9.87 in (251 mm)    | 9.87 in (251 mm)    | 11 in (279 mm)      | 2-1/2 in (64 mm)    | 2 in (51 mm)       | \$1,590.00 | \$235.00             |  |
| 50 kg  | <b>105417</b> | 7 in (178 mm)       | 9-7/32 in (234 mm)  | 8-13/16 in (224 mm) | 4-15/32 in (114 mm) | 1-29/32 in (48 mm) | \$690.00   | \$130.00             |  |
| 20 kg  | <b>105416</b> | 5-19/32 in (142 mm) | 7-5/8 in (194 mm)   | 5-29/32 in (150 mm) | 4-5/8 in (118 mm)   | 1-19/32 in (41 mm) | \$165.00   | \$75.00              |  |
| 10 kg  | <b>105415</b> | 4-1/2 in (114 mm)   | 6 in (152 mm)       | 5 in (127 mm)       | 3-3/4 in (95 mm)    | 1-1/16 in (27 mm)  | \$160.00   | \$75.00              |  |
| 5 kg   | <b>105414</b> | 3-13/32 in (87 mm)  | 5-15/32 in (139 mm) | 4-1/8 in (105 mm)   | -                   | -                  | \$92.00    | \$75.00              |  |

\* Slot depth refers to distance between lifting bars and castings.

## Accessories

| Description           | Part #       | Price   |
|-----------------------|--------------|---------|
| Statement of Accuracy | <b>36092</b> | \$47.50 |
| Serial number         | <b>25836</b> | \$17.00 |



PN 12767 and PN 12771 OIML Grip-handle

## CAST IRON / AVOIRDUPOIS AND METRIC SLOTTED INTERLOCKING AND HANGER

RANGE: 100 lb – 200 g

## ASTM

## Class 6

Slotted

| Weight | Part #       | Slot Width       | Diameter           | Height             | Price    |
|--------|--------------|------------------|--------------------|--------------------|----------|
| 100 lb | <b>40828</b> | 1 in (25 mm)     | 17 in (432 mm)     | 1-15/16 in (49 mm) | \$680.00 |
| 50 lb  | <b>12856</b> | 3/4 in (9 mm)    | 10-5/8 in (270 mm) | 2-11/16 in (68 mm) | \$270.00 |
| 20 lb  | <b>12831</b> | 13/16 in (21 mm) | 8-1/8 in (206 mm)  | 1-31/32 in (50 mm) | \$120.00 |

## Optional Certificate

| Accredited |
|------------|
| \$105.00   |
| \$80.00    |
| \$80.00    |

## Class 7

Slotted

| Weight | Part #       | Slot Width       | Diameter          | Height             | Price   |
|--------|--------------|------------------|-------------------|--------------------|---------|
| 10 lb  | <b>12826</b> | 13/16 in (21 mm) | 6-1/8 in (156 mm) | 1-11/16 in (43 mm) | \$98.00 |
| 5 lb   | <b>12852</b> | 11/16 in (18 mm) | 5-1/8 in (130 mm) | 1-5/16 in (33 mm)  | \$79.00 |
| 2 lb   | <b>12848</b> | 9/16 in (14 mm)  | 5 in (127 mm)     | 23/32 in (18 mm)   | \$69.00 |
| 1 lb   | <b>12842</b> | 9/16 in (14 mm)  | 5 in (127 mm)     | 15/32 in (12 mm)   | \$69.00 |
| 1/2 lb | <b>12837</b> | 9/16 in (14 mm)  | 3-3/4 in (95 mm)  | 7/16 in (11 mm)    | \$52.00 |

## Optional Certificate

| Accredited |
|------------|
| \$80.00    |
| \$80.00    |
| \$65.00    |
| \$65.00    |
| \$40.00    |

## Class 7

Hanger

| Weight | Part #       | Capacity | Total Length         | Operational Length  | Diameter         | Price    |
|--------|--------------|----------|----------------------|---------------------|------------------|----------|
| 5 lb*  | <b>12846</b> | 500 lb   | 37-1/4 in (946 mm)   | 35 in (889 mm)      | 4 in (102 mm)    | \$315.00 |
| 2 lb   | <b>12841</b> | 200 lb   | 21-13/32 in (544 mm) | 19 in (483 mm)      | 3-3/4 in (95 mm) | \$160.00 |
| 2 lb   | <b>12835</b> | 200 lb   | 10-1/4 in (260 mm)   | 8 in (203 mm)       | 3-3/4 in (95 mm) | \$155.00 |
| 1 lb   | <b>12830</b> | 200 lb   | 21-29/32 in (556 mm) | 20-7/32 in (514 mm) | 3-3/4 in (95 mm) | \$140.00 |
| 1 lb   | <b>12825</b> | 200 lb   | 9-5/16 in (237 mm)   | 7-9/16 in (192 mm)  | 3-3/4 in (95 mm) | \$115.00 |

\* Stainless steel

## Optional Certificate

| Accredited |
|------------|
| \$80.00    |
| \$65.00    |
| \$65.00    |
| \$65.00    |
| \$65.00    |

## Class 6

Slotted

| Weight | Part #       | Slot Width       | Diameter            | Height             | Price    |
|--------|--------------|------------------|---------------------|--------------------|----------|
| 20 kg  | <b>12819</b> | 21/32 in (17 mm) | 10-5/16 in (262 mm) | 2-11/32 in (60 mm) | \$270.00 |
| 10 kg  | <b>12811</b> | 3/4 in (19 mm)   | 8-3/16 in (208 mm)  | 2-1/16 in (52 mm)  | \$150.00 |

## Optional Certificate

| Accredited |
|------------|
| \$75.00    |
| \$75.00    |

## Class 7

Slotted

| Weight | Part #       | Slot Width       | Diameter           | Height             | Price    |
|--------|--------------|------------------|--------------------|--------------------|----------|
| 5 kg   | <b>12807</b> | 13/16 in (21 mm) | 6-3/16 in (157 mm) | 1-13/16 in (46 mm) | \$140.00 |
| 2 kg   | <b>12799</b> | 9/16 in (14 mm)  | 5-1/8 in (130 mm)  | 1-3/16 in (30 mm)  | \$79.00  |
| 1 kg   | <b>12795</b> | 9/16 in (14 mm)  | 5-1/16 in (129 mm) | 3/4 in (19 mm)     | \$70.00  |
| 500 g  | <b>12791</b> | 9/16 in (14 mm)  | 5 in (127 mm)      | 15/32 in (12 mm)   | \$67.00  |
| 200 g  | <b>12780</b> | 5/8 in (16 mm)   | 3-21/32 in (93 mm) | 7/16 in (11 mm)    | \$54.00  |

## Optional Certificate

| Accredited |
|------------|
| \$75.00    |
| \$75.00    |
| \$55.00    |
| \$55.00    |
| \$55.00    |

## Class 7

Hanger

| Weight | Part #       | Capacity | Total Length         | Operational Length  | Diameter         | Price    |
|--------|--------------|----------|----------------------|---------------------|------------------|----------|
| 2 kg   | <b>12788</b> | 250 kg   | 37-1/4 in (946 mm)   | 35 in (889 mm)      | 4 in (102 mm)    | \$315.00 |
| 1 kg   | <b>12784</b> | 100 kg   | 21-13/32 in (544 mm) | 19 in (483 mm)      | 3-3/4 in (95 mm) | \$155.00 |
| 1 kg   | <b>12777</b> | 100 kg   | 10-1/4 in (260 mm)   | 8 in (203 mm)       | 3-3/4 in (95 mm) | \$155.00 |
| 500 g  | <b>12773</b> | 100 kg   | 21-29/32 in (556 mm) | 20-7/32 in (514 mm) | 3-3/4 in (95 mm) | \$140.00 |
| 500 g  | <b>12769</b> | 100 kg   | 9-5/16 in (237 mm)   | 7-9/16 in (192 mm)  | 3-3/4 in (95 mm) | \$125.00 |

## Optional Certificate

| Accredited |
|------------|
| \$75.00    |
| \$55.00    |
| \$55.00    |
| \$55.00    |
| \$55.00    |

## Accessories

| Description           | Part #       | Price   |
|-----------------------|--------------|---------|
| Statement of Accuracy | <b>36092</b> | \$47.50 |
| Serial number         | <b>25836</b> | \$17.00 |



Avoirdupois

Metric

# RANGE: 200 kg – 7 oz

## ASTM

### Class 7

#### Round

| Weight            | Part #       | Ratio           | Diameter           | Fairbanks® Part # | Price   |
|-------------------|--------------|-----------------|--------------------|-------------------|---------|
| 50 lb × 1/2 lb    | <b>10154</b> | 1 lb - 100 lb   | 2-7/8 in (73 mm)   | PA48              | \$42.00 |
| 100 lb × 1 lb     | <b>10156</b> | 1 lb - 100 lb   | 4-1/16 in (103 mm) | PA32              | \$48.00 |
| 200 lb × 2 lb     | <b>10158</b> | 1 lb - 100 lb   | 4-1/16 in (103 mm) | PA21              | \$42.00 |
| 500 lb × 5 lb     | <b>10160</b> | 1 lb - 100 lb   | 3-3/4 in (95 mm)   | Pb52              | \$48.00 |
| 100 lb × 1/2 lb   | <b>10152</b> | 1/2 lb - 100 lb | 2-7/8 in (73 mm)   | PBC32             | \$42.00 |
| 200 lb × 1 lb     | <b>10168</b> | 1/2 lb - 100 lb | 3-17/32 in (90 mm) | PBC21             | \$54.00 |
| 300 lb × 1 1/2 lb | <b>10189</b> | 1/2 lb - 100 lb | 3-1/2 in (89 mm)   | -                 | \$42.00 |
| 500 lb × 2 1/2 lb | <b>10170</b> | 1/2 lb - 100 lb | 3-1/2 in (89 mm)   | PBC52             | \$61.00 |
| 1,000 lb × 5 lb   | <b>10196</b> | 1/2 lb - 100 lb | 3-7/8 in (98 mm)   | -                 | \$73.00 |

### Class 7

#### Hexagon

| Weight        | Part #       | Diameter           | Price   |
|---------------|--------------|--------------------|---------|
| 10 kg × 100 g | <b>10266</b> | 2 in (51 mm)       | \$48.00 |
| 25 kg × 250 g | <b>10268</b> | 2-13/16 in (71 mm) | \$48.00 |
| 50 kg × 500 g | <b>10270</b> | 4 in (102 mm)      | \$52.00 |
| 100 g × 1 kg  | <b>10272</b> | 4 in (102 mm)      | \$58.00 |
| 200 kg × 2 kg | <b>10274</b> | 4 in (102 mm)      | \$63.00 |

### Class 7

#### Square

| Weight         | Part #       | Ratio         | Diameter          | Fairbanks Part # | Price   |
|----------------|--------------|---------------|-------------------|------------------|---------|
| 50 lb × 1/2 lb | <b>10191</b> | 1 lb - 100 lb | 2-5/16 in (59 mm) | 1A2349           | \$48.00 |
| 100 lb × 1 lb  | <b>10162</b> | 1 lb - 100 lb | 3-1/2 in (89 mm)  | 1A1469           | \$48.00 |
| 200 lb × 2 lb  | <b>10164</b> | 1 lb - 100 lb | 3-1/2 in (89 mm)  | 1A1470           | \$54.00 |
| 500 lb × 5 lb  | <b>10166</b> | 1 lb - 100 lb | 3-1/2 in (89 mm)  | 1A1471           | \$91.00 |

### Round and Square

#### Hangers

| Approx. Weight             | Part #       | Total Length       | Operational Length | Diameter            | Price   |
|----------------------------|--------------|--------------------|--------------------|---------------------|---------|
| <b>Round</b>               |              |                    |                    |                     |         |
| 7 oz                       | <b>10188</b> | 7-1/16 in (179 mm) | 5-1/8 in (130 mm)  | 3-31/32 in (101 mm) | \$78.00 |
| 10 oz<br>(Fairbanks® only) | <b>10184</b> | 7-1/16 in (179 mm) | 5-1/8 in (130 mm)  | 3-31/32 in (101 mm) | \$78.00 |
| 12 oz                      | <b>10185</b> | 7-1/16 in (179 mm) | 5-1/8 in (130 mm)  | 3-31/32 in (101 mm) | \$78.00 |
| 17 oz                      | <b>10186</b> | 7-1/16 in (179 mm) | 5-1/8 in (130 mm)  | 4 in (102 mm)       | \$78.00 |
| 21 oz                      | <b>10187</b> | 7-1/16 in (179 mm) | 5-1/8 in (130 mm)  | 4 in (102 mm)       | \$78.00 |
| <b>Square</b>              |              |                    |                    |                     |         |
| 21 oz                      | <b>10193</b> | 8-7/16 in (214 mm) | 6-5/16 in (160 mm) | -                   | \$78.00 |



PN 10193 21 oz Square Hanger

PN 10185 12 oz Round Hanger

ASTM  
PRECISIONOIML  
PRECISIONBALANCE  
CALIBRATIONSTAINLESS  
FIELD WEIGHTSCAST IRON  
FIELD WEIGHTS

SPECIALTY

ACCESSORIES

## CAST IRON / AVOIRDUPOIS COUNTERPOISE AND HANGER

RANGE: 500 lb – 7 oz

## ASTM

## Class 7

Round

| Weight         | Part #       | Diameter           | Howe™ Part # | Price   |
|----------------|--------------|--------------------|--------------|---------|
| 50 lb × 1/2 lb | <b>10367</b> | 3 in (76 mm)       | 42071831     | \$54.00 |
| 100 lb × 1 lb  | <b>10369</b> | 2-7/8 in (73 mm)   | 42076188     | \$54.00 |
| 200 lb × 2 lb  | <b>10371</b> | 2-31/32 in (75 mm) | 42076189     | \$54.00 |
| 300 lb × 3 lb  | <b>10373</b> | 2-31/32 in (75 mm) | 42076190     | \$54.00 |
| 500 lb × 5 lb  | <b>10385</b> | 3-1/8 in (79 mm)   | 42078947     | \$54.00 |

## Class 7 For Counting Scales

Round

| Weight                        | Part #       | Ratio  | Diameter           | Fairbanks® Part # | Price   |
|-------------------------------|--------------|--------|--------------------|-------------------|---------|
| 100 lb × 1 1/99 lb            | <b>10387</b> | 99 - 1 | 3 in (76 mm)       | 40810545          | \$61.00 |
| 500 lb × 5 5/99 lb            | <b>10391</b> | 99 - 1 | 3-3/32 in (79 mm)  | 42111567          | \$61.00 |
| 10 lb × 1 1/4 lb              | <b>10427</b> | 8 - 1  | 2-15/16 in (75 mm) | -                 | \$61.00 |
| 5 lb × 5/8 lb                 | <b>10425</b> | 8 - 1  | 2-15/16 in (75 mm) | -                 | \$54.00 |
| 2 lb × 1/4 lb                 | <b>10411</b> | 8 - 1  | 2-7/32 in (56 mm)  | -                 | \$54.00 |
| 80 lb × 1 3/5 lb              | <b>10421</b> | 50 - 1 | 3 in (76 mm)       | -                 | \$54.00 |
| 40 lb × 4/5 lb                | <b>10419</b> | 50 - 1 | 2-13/16 in (71 mm) | -                 | \$54.00 |
| 20 lb × 2/5 lb                | <b>10417</b> | 50 - 1 | 2-31/32 in (75 mm) | -                 | \$61.00 |
| 10 lb × 1/5 lb                | <b>10415</b> | 50 - 1 | 2 in (51 mm)       | -                 | \$54.00 |
| 5 lb × 1/10 lb                | <b>10413</b> | 50 - 1 | 1-1/2 in (38 mm)   | -                 | \$54.00 |
| 100 lb × 1 9/16 lb or 25 oz   | <b>10409</b> | 64 - 1 | 3 in (76 mm)       | 42111417          | \$54.00 |
| 50 lb × 28/32 lb or 12 1/2 oz | <b>10407</b> | 61 - 1 | 2-15/16 in (75 mm) | 40807082          | \$54.00 |
| 25 lb × 25/64 lb or 6 1/4 oz  | <b>10405</b> | 64 - 1 | 2-31/32 in (75 mm) | 40807092          | \$54.00 |
| 10 lb × 5/32 lb or 2 1/2 oz   | <b>10404</b> | 64 - 1 | 1-1/2 in (38 mm)   | 42111454          | \$54.00 |

## Round

Hangers

| Approx. Weight | Part #       | Total Length      | Operational Length | Diameter           | Price    |
|----------------|--------------|-------------------|--------------------|--------------------|----------|
| 7 oz           | <b>10382</b> | 8-1/4 in (210 mm) | 6-3/16 in (157 mm) | 2-31/32 in (75 mm) | \$73.00  |
| 10 oz          | <b>10379</b> | 8-1/4 in (210 mm) | 6-3/16 in (157 mm) | 2-31/32 in (75 mm) | \$73.00  |
| 12 oz          | <b>10380</b> | 8-1/4 in (210 mm) | 6-3/16 in (157 mm) | 2-31/32 in (75 mm) | \$125.00 |
| 16 oz          | <b>10381</b> | 8-1/4 in (210 mm) | 6-3/16 in (157 mm) | 2-31/32 in (75 mm) | \$125.00 |

## Triangle

| Approx. Weight | Part #       | Toledo® Part # | Price   |
|----------------|--------------|----------------|---------|
| 100 lb × 1 lb  | <b>11417</b> | 49868          | \$42.00 |
| 200 lb × 2 lb  | <b>11419</b> | 49869          | \$48.00 |
| 500 lb × 5 lb  | <b>11421</b> | 49870          | \$73.00 |

## Triangle

Hangers

| Approx. Weight | Part #       | Total Length      | Operational Length | Toledo® Part # | Price   |
|----------------|--------------|-------------------|--------------------|----------------|---------|
| 14 oz          | <b>11423</b> | 8-1/4 in (210 mm) | 6-3/16 in (157 mm) | 49857          | \$73.00 |



This image shows a full page of blank, lined paper. It features approximately 28 horizontal grey lines spaced evenly apart, typical of standard notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings present.