

# Accessories and Cases

## Guidelines for Selecting a Case:

Find the diameter, height  
and total mass of the weights  
that will need a case

Review case dimensions  
to determine best fit

Note weight limits of the case  
and choose accordingly

## Things to keep in mind:

Foam needs 0.5 inches between weights and  
edge of case

Always select the smallest case best fitting your need

Weights should always be stored and transported  
in the upright position

The shoulder edge of the weight should be level  
with the foam insert

Some cases are recommended for storage only and  
should not be used for shipping

*Accessories and Cases*

- 128** Cases  
*Industrial*
- 129** Cases  
*Medium-duty*
- 130** Cases  
*Light-duty*
- 131** Cases  
*Clean Room*
- 132** Sealing Plugs  
Canvas Dust Covers  
Gloves
- 133** Transfer Equipment  
Transfer Cart  
Touch-up Paint



# WEIGHT CASES

## Industrial

These heavy-duty cases are designed to be used in place of large wooden cases when portability is desired. The recessed latches provide protection assurance for your weights.

### Injection-molded Cases

- Designed for custom weight sets
- Ergonomic top-mounted handle provides ideal weight positioning
- Interior is custom-molded to the weights to be stored



#### Injection-molded Cases

Length	Width	Closed Height	Max Load	Part #	Price
12.63 in	9.50 in	4.75 in	20.00 lb	<b>158121</b>	\$345.00
7.70 in	5.00 in	3.30 in	10.00 lb	<b>226846</b>	\$200.00
10.10 in	8.20 in	4.70 in	20.00 lb	<b>226847</b>	\$265.00
15.90 in	11.20 in	6.00 in	60.00 lb	<b>227938</b>	\$315.00
10.20 in	8.30 in	8.30 in	30.00 lb	<b>229113</b>	\$295.00
12.70 in	9.50 in	4.80 in	20.00 lb	<b>226848</b>	\$275.00
15.90 in	11.20 in	10.00 in	65.00 lb	<b>229140</b>	\$290.00

### Pelican™ Cases

- Pick N Pluck™ with convoluted lid foam
- Watertight, crushproof and dustproof
- Durable, lightweight container design
- Rubber over-molded handle
- Secure, integrated latches
- Stainless steel padlock protectors
- Custom inserts available upon request



#### Pelican Cases

Length	Width	Closed Height	Max Load	Part #	Price
17.00 in	22.00 in	8.00 in	75.00 lb	<b>21230</b>	\$445.00
11.75 in	17.00 in	6.00 in	50.00 lb	<b>21229</b>	\$300.00

### Thermoformed Cases

- Excellent for transporting weights
- Recessed, heavy-duty latches confidently secure contents
- Ergonomic handles retain preferred treatment of weights
- Metal hardware resists natural wear and tear
- Special case cuttings are required for heavy duty cases at an additional charge



#### Thermoformed Cases

Length	Width	Closed Height	Max Load	Part #	Price
22.40 in	16.30 in	10.50 in	95.00 lb	<b>156989</b>	\$890.00
16.40 in	11.40 in	9.00 in	55.00 lb	<b>156285</b>	\$600.00
9.90 in	9.90 in	11.00 in	60.00 lb	<b>156284</b>	\$480.00



# WEIGHT CASES

Medium-duty

ASTM  
PRECISION

OIML  
PRECISION

BALANCE  
CALIBRATION

STAINLESS  
FIELD WEIGHTS

CAST IRON  
FIELD WEIGHTS

SPECIALTY

ACCESSORIES

Medium-duty cases are primarily used for manually transporting test weights as they effectively absorb shock and resist changes in environment.

## Wooden Cases

(Other cases and sizes available by custom order)

- Walnut-constructed and felt-lined
- Built-to-order and designed specifically for your weight sets
- Not available as an accessory purchase
- Available in 5 to 20 kg capacities
- Secured by hinged latches
- Case keeps weights free of dust and contaminants
- Protects your weights in storage and during transportation
- Cases should be packed in an external box during shipping to protect them

### Wooden

Description	Part #	Price
Wooden case built-to-order for field standards and balance calibration weights, 500 g to 1 mg range	34645	\$350.00



## PVC Cases

(Other cases and sizes available by custom order)

- Available in capacities from 100 g to 1 mg for Precision Mass Reference Standards
- Also available for ASTM Class 0 weights in 100 g to 1 mg capacities

### PVC

Description	Part #	Price
PVC case for precision laboratory mass reference standards, 100 g to 1 mg range (5-3-2-1 configuration)	11596	\$190.00
PVC case for precision laboratory mass reference standards, 100 g to 1 mg range (5-2-2-1 configuration)	11588	\$190.00
PVC case for precision laboratory mass reference standards, 1 mg to 500 mg range (5-2-2-1 configuration)	11763	\$90.00



# WEIGHT CASES

## Light-duty

Light-duty cases can be used to secure weights before packaging for shipment. These are primarily for single weights not exceeding 5 pounds.

### Plastic Weight Cases

- Light-duty plastic cases are used for shipping lighter capacity weights—typically single weights not exceeding 5 lb
- Plastic hinges, latches and side-mounted handle keep this case extremely lightweight and portable
- Uncut foam is included while custom-cut is available for an extra charge
- Custom-cut foam insert protects each weight from impact during transport



#### Plastic

Length	Width	Closed Height	Max Load	Part #	Price
8.00 in	12.00 in	3.50 in	5.00 lb	87982	\$86.00

### Leatherette Weight Cases

- Secure storage of single weights with snap lid
- Considered light duty and used for storage and shipping
- Leatherette in a non-porous material—ideal weight protection
- Three sizes of leatherette cases available

#### Leatherette

Length	Width	Closed Height	Max Load	Part #	Price
1.88 in	3.75 in	1.06 in	3 lb	69429	\$39.50
2.50 in	3.43 in	.875 in	1 lb	69229	\$39.50



# WEIGHT CASES

Clean Room

ASTM  
PRECISION

OIML  
PRECISION

BALANCE  
CALIBRATION

STAINLESS  
FIELD WEIGHTS

CAST IRON  
FIELD WEIGHTS

SPECIALTY

ACCESSORIES

Clean room weigh cases are durable solutions to protect weights while complying with strict clean room requirements.

## Acrylic

- Ideal for all clean room environments
- Tough, clear acrylic protects your valuable investment
- Provide compliance for stringent clean room requirements
- Not recommended for shipping; developed exclusively for storage
- Available as an accessory only
- Optional custom inserts available up request



Shown with optional insert

### Acrylic Clean Room

Length	Width	Closed Height	Part #	Price
3.04 in	6.04 in	1.80 in	<b>89179</b>	\$135.00
4.70 in	8.70 in	2.80 in	<b>89180</b>	\$245.00
5.25 in	12.00 in	4.00 in	<b>89181</b>	\$385.00
8.50 in	13.25 in	5.75 in	<b>89182</b>	\$605.00
PVC Insert			<b>Consult</b>	Consult

## Polycarbonate Cases

- Light-duty cases for single weights
- Suitable for clean room storage and shipping lighter capacity weights
- Three case sizes with different insert sizes
- Transparent lid for easy weight identification
- Secure-latch lid for weight protection

### Polycarbonate

Length	Width	Closed Height	Part #	Price
4.25 in	4.25 in	4.88 in	<b>Consult</b>	\$32.00
3.12 in	3.12 in	3.61 in	<b>Consult</b>	\$32.00
2.25 in	2.25 in	2.45 in	<b>Consult</b>	\$35.00

### Sealers Cube Wt - With Precut Foam Insert

Length	Width	Closed Height	Part #	Price
9.38 in	14.38 in	7.63 in	<b>40783</b>	\$380.00

### Protection Containers

Description	Part #	Price
Capsule	<b>80420</b>	\$5.25
Vial	<b>50038</b>	\$5.25



# SEALING PLUGS

## Lead

Diameter	Part #	Price
2.75 in (69.8 mm)	<b>11749</b>	\$6.00
1.88 in (47.6 mm)	<b>11750</b>	\$5.25
1.00 in (25.4 mm)	<b>11751</b>	\$4.75
0.50 in (12.7 mm)	<b>11752</b>	\$4.75
1.25 in (31.7 mm)	<b>11753</b>	\$4.75
0.56 in (14.3 mm)	<b>11760</b>	\$4.75
0.63 in (15.9 mm)	<b>11761</b>	\$4.75
0.75 in (19.1 mm)	<b>11765</b>	\$4.75
0.88 in (22.2 mm)	<b>11785</b>	\$4.75

## Aluminum

Diameter	Part #	Price
0.38 in (9.5 mm)	<b>11744</b>	\$2.75
0.50 in (12.7 mm)	<b>11745</b>	\$2.75
0.63 in (15.9 mm)	<b>11746</b>	\$2.75
1.00 in (25.4 mm)	<b>11762</b>	\$2.75
0.56 in (14.3 mm)	<b>11767</b>	\$4.75
0.88 in (22.2 mm)	<b>11775</b>	\$4.25
0.75 in (19.1 mm)	<b>11776</b>	\$2.75

## Backup

Diameter	Part #	Price
2.75 in (69.8 mm)	<b>11748</b>	\$6.75
0.75 in (19.1 mm)	<b>11766</b>	\$4.75
1.00 in (25.4 mm)	<b>11710</b>	\$2.75
1.88 in (47.6 mm)	<b>11699</b>	\$2.75

## Backup Stainless Steel

Diameter	Part #	Price
1.00 in (25.4 mm)	<b>44992</b>	\$2.75
0.63 in (15.9 mm)	<b>44993</b>	\$5.25
0.33 in (9.5 mm)	<b>44994</b>	\$6.00

## Stainless Steel

Diameter	Part #	Price
0.94 in (23.0 mm)	<b>11709</b>	\$4.75



# CANVAS DUST COVERS

## Canvas Dust Covers

Weight Part #	Capacity	Cover Part #	Price
<b>12890</b>	200 lb	<b>11720</b>	\$235.00
<b>12844</b>	500 lb	<b>11722</b>	\$235.00
<b>12880</b>	750 lb	<b>11723</b>	\$235.00
<b>12850</b>	1,000 lb	<b>11724</b>	\$235.00
<b>12858</b>	1,250 lb	<b>11727</b>	\$235.00
<b>12866</b>	2,000 lb	<b>11729</b>	\$235.00

Weight	Part #	Capacity	Cover Part #	Price
	<b>12817</b>	100 kg	<b>11738</b>	\$235.00
	<b>12782</b>	250 kg	<b>11740</b>	\$235.00
	<b>12797</b>	500 kg	<b>11741</b>	\$235.00
	<b>12801</b>	1,000 kg	<b>11742</b>	\$235.00
	<b>12821</b>	2,000 kg	<b>11743</b>	\$235.00



# GLOVES

## Cotton 11714

- Essential tool for proper weight-handling
- Proper protection for preventing hand residue
- Residue can impact a weight's calibration and certification for accuracy
- Rice Lake recommends using cotton gloves to handle all precision weights



## Nitrile 11773

- Nitrile glove are an acceptable handling tool to keep dirt and residue off your weights
- Better than handling precision weights bare-handed
- Nitrile glove are economical, disposable, convenient and help maintain the integrity of your weights



## Gloves

Description	Part #	Price
Cotton glove	<b>11714</b>	\$7.25
Nitrile glove	<b>11773</b>	\$3.50

# TRANSFER EQUIPMENT

## Transfer Equipment

Set Size	Part #	Price
Forceps, 3.63 in 100 g - 1 mg	<b>11711</b>	\$5.25
Forceps, 4.75 in	<b>50035</b>	\$45.50
Plastic bar 200 g - 3 kg, screw knob weights	<b>11747</b>	\$22.25
Metal handle 5 kg +, screw knob weights	<b>11712</b>	\$77.00
Metal forceps <i>Not recommended for use with polished weights.</i>	<b>65640</b>	\$22.25
Weight lifter, OIML 2 kg and 5 kg	<b>50037</b>	\$57.00
Tong assembly, 24 cm × 7.5 cm	<b>50000</b>	\$78.00
Tweezers, premium, 140 mm	<b>152414</b>	\$45.50
Tweezers, premium, 220 mm	<b>157109</b>	\$51.00




# TRANSFER CART

## Transfer Cart

Description	Part #	Price
36.50 × 74.50 × 29.00 in (927.1 × 1892.3 × 736.6 mm) <i>For use on smooth, level surfaces—especially for moving 500 or 1,000 lb heavy-capacity weights.</i>	<b>11700</b>	\$1,810.00
25.00 × 37.50 × 14.50 in (635 × 952.5 × 368.3 mm) <i>For use on smooth, level surfaces—for holding up to fifteen 50 lb grip-handle weights.</i>	<b>11702</b>	\$2,070.00

## Hook Replacement Parts

Description	Part #	Price
Short hook for 1,000 lb weight	<b>22643</b>	\$48.00
Long hook for 500 lb weight	<b>22644</b>	\$48.00



PN 11700 Transfer Cart

# TOUCH-UP PAINT

## Touch-up/Repair Paint

*Ships UPS ground only. These are NOT available for export.*

Description	Part #	Price
Aerosol spray (gold)	<b>88561</b>	\$34.00
Aerosol spray (silver)	<b>88562</b>	\$34.00
Aerosol spray (primer)	<b>88563</b>	\$34.00

