

| Part #     | Description   | Est. Weight | Price  |
|------------|---|-------------|--------|
| Kits       |   |             |        |
| 164748     | RailBoss assembly kit, full draft, 90 RA rail V2                    | 2,280 lb    | Consul |
| 215171     | RailBoss assembly kit, full draft, 90 RA rail, qty 8 joint bars     | 2,350 lb    | Consul |
| 164749     | RailBoss assembly kit, double draft, 90 RA rail V2                  | 1,150 lb    | Consul |
| 193391     | RailBoss assembly kit, full draft, 100 ARA-A                        | 2,500 lb    | Consul |
| 215173     | RailBoss assembly kit, full draft, 100 ARA-A rail, qty 8 joint bars | 2,350 lb    | Consul |
| 193390     | RailBoss assembly kit, double draft, 100 ARA-A                      | 1,100 lb    | Consul |
| 215172     | RailBoss assembly kit, full draft, 100 ARA-A                        | 2,300 lb    | Consul |
| 188023     | RailBoss assembly kit, double draft, 100 AREA                       | 1,100 lb    | Consul |
| 162515     | RailBoss assembly kit, full draft, 115RE rail V2                    | 2,550 lb    | Consul |
| 215174     | RailBoss assembly kit, full draft, 115RE rail, qty 8 joint bars     | 2,400 lb    | Consul |
| 162516     | RailBoss assembly kit, double draft, 115RE rail V2                  | 1,275 lb    | Consul |
| 164752     | RailBoss assembly kit, full draft, 132RE rail V2                    | 2,800 lb    | Consul |
| 215175     | RailBoss assembly kit, full draft, 132RE rail, qty 8 joint bars     | 2,450 lb    | Consul |
| 164753     | RailBoss assembly kit, double draft, 132RE rail V2                  | 1,400 lb    | Consul |
| 194678     | RailBoss assembly kit, full draft, 133 AREA                         | 2,900 lb    | Consul |
| 215176     | RailBoss assembly kit, full draft, 133 AREA rail, qty 8 joint bars  | 2,500 lb    | Consul |
| 194679     | RailBoss assembly kit, double draft, 133 AREA                       | 1,450 lb    | Consul |
| 169763     | RailBoss assembly kit, full draft, 136 AREA                         | 3,000 lb    | Consul |
| 215177     | RailBoss assembly kit, full draft, 136 AREA rail, qty 8 joint bars  | 2,550 lb    | Consul |
| 169762     | RailBoss assembly kit, double draft, 136 AREA                       | 1,500 lb    | Consul |
| Single Rai | l Gauge Assemblies  |             |        |
| 164750     | RailBoss 90 lb gauge assembly V2 (does not include cable)           | 290 lb      | Consul |
| 193389     | RailBoss 100 ARA-A gauge assembly V2 (does not include cable)       | 300 lb      | Consul |
| 188013     | RailBoss 100 ARA-A gauge assembly V2 (does not include cable)       | 320 lb      | Consul |
| 162517     | RailBoss 115 lb gauge assembly V2 (does not include cable)          | 320 lb      | Consul |
| 164754     | RailBoss 132 lb gauge assembly V2 (does not include cable)          | 350 lb      | Consul |
| 194677     | RailBoss 133 AREA gauge assembly V2 (does not include cable)        | 370 lb      | Consul |
| 169761     | RailBoss 136 AREA gauge assembly V2 (does not include cable)        | 390 lb      | Consul |

## **Standard Features**

- 80,000 lb axle capacity
- 320,000 lb full scale capacity
- 40,000 lb rail section capacity
- 90 RA, 100 ARA-A, 115 RE, 132 RE, 133 RE or 136 RE rail sections
- 5 ft 10 in rail sections, pre-drilled for joint bars
- Quick-disconnect cable connection with MS style connector

### Full Draft Package Includes

- (8) 5 ft 10 in rail sections
- 30 ft of connecting cable per rail section
- Pre-drilled joint bars with connection hardware
- (2) Rice Lake junction boxes with
- transient protection
- 30 ft of homerun cable

#### **Double Draft Package Includes**

- (4) 5 ft 10 in rail sections
- 30 ft of connecting cable per rail section
- Pre-drilled joint bars with connection hardware
- (1) Rice Lake junction box with transient protection
- 30 ft of homerun cable

# **Optional Features**

- Custom rail sizes are available
- 1280 Enterprise<sup>™</sup> Series indicator with RailBoss software for full-draft or double-draft applications\*
- 920i® indicator with RailBoss software for full-draft or double-draft applications\*
- Custom cable lengths
- \*Non-Legal for Trade

# **Calibration Unit Standard Features**

- 482 Legend Series indicator
- Attachment hardware for 90 RA, 115RE and 132RE rail

## Specifications

#### Load Cells:

- 40,000 lb
- Accuracy:
- = 0.25% error typical, interchangeable with other gauged rail products
- Full Scale Output: 0.8 mV/V ± 0.2%

#### Input Resistance: 765 ± 5 ohm

- Output Resistance:
- 700 ± 5 ohm
- Full Scale Capacity: 320,000 lb
- Axle Capacity: 80,000 lb
- Warranty:
- Two-year limited Intrinsic Safety:

# cFMus

Class I, II, III, Division 1, Groups ABCDEFG


**RAILROAD SCALES** 


# Part Number/Price


| Part #        | Description  | Est. Weight | Price   |
|---------------|--|-------------|---------|
| Instrumenta   | tion   |             |         |
| 119073        | Single-channel 920i® indicator double draft with RailBoss software                 | 10 lb       | Consult |
| 119072        | Dual-channel 920i® indicator full draft with RailBoss software                     | 10 lb       | Consult |
| 126304        | Three-channel 920i® indicator full draft with RailBoss software                    | 10 lb       | Consult |
| 190949        | Single-channel 1280 indicator double draft with RailBoss software                  | 11 lb       | Consult |
| 190951        | Dual-channel 1280 indicator full draft with RailBoss software                      | 11 lb       | Consult |
| 190952        | Three-channel 1280 indicator full draft with RailBoss software                     | 11 lb       | Consult |
| Hardware      |  |             |         |
| 126391        | 90 RA 24 in short toe joint bar set, 4 sets required (2 bars with bolts and nuts)  | 40 lb       | Consult |
| 129620        | 100 RE Short toe joint bar set, 4 sets required (2 bars with bolts and nuts)       | 58 lb       | Consult |
| 193468        | 100 ARA-A short tow joint bar set, 4 sets required (2 bars with bolts and nuts)    | 45 lb       | Consult |
| 126389        | 115 RE 24 in short toe joint bar set, 4 sets required (2 bars with bolts and nuts) | 50 lb       | Consult |
| 126390        | 132 RE 24 in short toe joint bar set, 4 sets required (2 bars with bolts and nuts) | 60 lb       | Consult |
| 194674        | 133 AREA short tow joint bar set, 4 sets required (2 bars with bolts and nuts)     | 70 lb       | Consult |
| 126390        | 136 AREA short tow joint bar set, 4 sets required (2 bars with bolts and nuts)     | 80 lb       | Consult |
| 126111        | 90 RA isolation joint bar set, 4 sets required (2 bars with bolts and nuts)        | 40 lb       | Consult |
| 112702        | 115 RE isolation joint bar set, 4 sets required (2 bars with bolts and nuts)       | 50 lb       | Consult |
| 119771        | 132 RE isolation joint bar set, 4 sets required (2 bars with bolts and nuts)       | 60 lb       | Consult |
| 194673        | 133 AREA isolation joint bar set, 4 sets required (2 bars with bolts and nuts)     | 70 lb       | Consult |
| 194344        | 136 AREA isolation joint bar set, 4 sets required (2 bars with bolts and nuts)     | 80 lb       | Consult |
| 198086        | 100RA Isolation Joint Bar Set, 4 sets required (2 bars with bolts and nuts)        | -           | Consult |
| 163004        | 30 ft interface cable  | -           | Consult |
| 164873        | 60 ft interface cable  | -           | Consult |
| 164874        | 100 ft interface cable   | -           | Consult |
| 188909        | Adaptor cable from AWT Weighline to Rice Lake RailBoss                             | -           | Consult |
| Calibration I | Equipment  |             |         |
| 115564        | RailBoss calibration/test unit   | 300 lb      | Consult |
| 119068        | Railboss calibration/test until rental   | 300 lb      | Consult |
| 208171        | Coupler, flush face, no drip for Enerpac FR400 pump                                | -           | Consult |

NOTE: Instrumentation with RailBoss software must be ordered separately and is not included with the RailBoss assembly kit

**RailBoss®** Full Draft and Double Draft







Full-draft RailBoss software display with a 1280 indicator

| 01/03/2018<br>Scale #1<br><b>100050</b> | 11:32AM<br>Scale #2<br><b>97000</b> |                                   | SCALE #1 |  |  |  |
|---|-------------------------------------|-----------------------------------|----------|--|--|--|
| Rail Truck #1: 1<br>Rail Truck #2: 9    |                                     | 197050 іb<br>98000 іb<br>99050 іb | Tare     |  |  |  |
| Ticket Printed - Exit Scale             |                                     |                                   |          |  |  |  |
| Double Draft                            | Reprint                             |                                   |          |  |  |  |

Double-draft RailBoss software display with a 920i indicator