



# Ishida Uni-8

Price Computing Printing Scales

## FEATURES

- Wi-Fi enabled
- Fixed side-load cassette with virtual function
- Prints safe handling instructions, country of origin, 2020 nutrition, custom text messages, custom images and more
- Batch printing
- Dynamically generated QR code printing
- Customizable color touchscreen with adjustable viewing angle
- Assign color images to preset keys
- Display videos with sound on the operator and customer displays
- PC-based with a solid-state drive for speed and reliability
- Secure remote access
- Self-service mode
- Cash register interface
- Fully compliant with RoHS regulations for a completely lead-free machine
- Top seller presets with scheduled or real-time updates
- Filter for third-party driver communication
- Dynamic search
- Optional linerless kit
- Compatible with third-party software, including Upshop 360®, ADC's InterScale®, Invafresh's ePlum®, Toast®, Square® and Droste®



Side loading printer



Large touchscreen operator facing



Label replacement training video

MULTI-PURPOSE  
RETAIL SCALESPRICE COMPUTING  
SCALESPRICE COMPUTING  
PRINTING SCALES

LABELERS

WRAPPING  
SYSTEMS

SOFTWARE

ACCESSORIES

POWER  
CONDITIONINGRETAIL  
LABELS

WARRANTY

## SPECIFICATIONS

|  |   |   |  |
|--|---|---|--|
| <p><b>Power:</b><br/>100 to 240 VAC, 50/60 Hz</p> <p><b>Power Consumption:</b><br/>In operation: 120 W<br/>Stand-by: 50 W</p> <p><b>Resolution:</b><br/>3,000 display divisions maximum</p> <p><b>Communications:</b><br/>LAN<br/>Static/DHCP<br/>Wi-Fi 802.11a/b/g/n/ac<br/>2.4 GHz/5 GHz<br/>Security: WEP/WPA/WPA2/PEAP<br/>w/MSCHAPv2</p> <p><b>Input/Output:</b><br/>LAN<br/>Two USB-A (service, transaction data)<br/>RJ11</p> | <p><b>Operating System:</b><br/>Linux</p> <p><b>Memory Capacity:</b><br/>SSD 2 GB</p> <p><b>Preset Keys:</b><br/>99 dynamically programmed groups<br/>with 99 sub pages</p> <p><b>Display:</b><br/>Operator: capacitive touch panel,<br/>TFT LCD color touchscreen with LED<br/>backlight with WSVGA, 10.1 in<br/>(800 × 600 px)<br/>Customer: color LCD, 7 in<br/>(1024 × 600 px)<br/>Unit price: eight digits<br/>Tare: four digits<br/>Weight: five digits<br/>Total price: eight digits</p> | <p><b>Printer:</b><br/>Printhead: 2.2 in (56 mm)<br/>direct thermal, effective 2.2 in (56 mm)<br/>Resolution: 200 dpi (8 dot/mm)<br/>Speed: 4.7 in/sec (120 mm/sec) max<br/>Min. weight: 0.015 lb (0.006 kg)<br/>Formats: customizable, up to 999<br/>Barcodes: UPC, JAN, EAN, EAN128,<br/>CODE128, ITF, GS1, QR, Custom</p> <p><b>Label Size:</b><br/>Type: die-cut, continuous,<br/>optional linerless label<br/>Width: with liner<br/>1.2 to 2.5 in (30 to 64 mm),<br/>linerless 1.2 to 2.4 in (30 to 60 mm)<br/>Length: with liner 1.2 to 7.9 in<br/>(30 to 200 mm), linerless 1.2 to 6.9 in<br/>(30 to 175 mm)</p> | <p><b>Label Roll:</b><br/>I.D.: 1.6-in (40 mm) min<br/>O.D.: 3.9-in (100 mm) max<br/>Backing width: 2.6-in (66 mm) max</p> <p><b>Platter:</b><br/>14.5 × 10.5 in (368 × 267 mm)</p> <p><b>Weight:</b><br/>Approx. 29 lb (13.2 kg)</p> <p><b>Temperature:</b><br/>Operating: 32 °F to 104 °F<br/>(0 °C to 40 °C)</p> <p><b>Humidity:</b><br/>20 to 85% RH<br/>(without condensation)</p> <p><b>Warranty:</b><br/>One-year limited</p> <p><b>Approvals:</b><br/>NTEP 23-036<br/>cULus Listed</p> |
|--|---|---|--|



## PART NUMBER/PRICE

| PART # | MODEL/DESCRIPTION | WIRELESS | SINGLE-RANGE<br>CAPACITY | DUAL-RANGE<br>CAPACITY                  | EST. SHIP<br>WEIGHT | PRICE   |
|--------|-------------------|----------|--------------------------|---|---------------------|---------|
| 220030 | Uni-8 Bench       | ✓        | 0 to 30 × 0.01 lb        | 0 to 15 × 0.005 lb / 15 to 30 × 0.01 lb | 31 lb               | Consult |
| 220031 | Uni-8 Pole        | ✓        | 0 to 30 × 0.01 lb        | 0 to 15 × 0.005 lb / 15 to 30 × 0.01 lb | 34 lb               | Consult |
| 220032 | Uni-8H Hanging    | ✓        | 0 to 30 × 0.01 lb        | 0 to 15 × 0.005 lb / 15 to 30 × 0.01 lb | 34 lb               | Consult |

# Ishida Uni-8

Price Computing Printing Scales

## OPTIONS/ACCESSORIES

| PART # | DESCRIPTION                                    | PRICE   |
|--------|--|---------|
| 46916  | Produce platter (L × W × D) 11.5 × 17 × 0.7 in | Consult |
| 46917  | Fish platter (L × W × D) 11.5 × 17 × 0.7 in    | Consult |
| 46916  | Produce platter (L × W × D) 11.5 × 17 × 0.7 in | Consult |
| 46917  | Fish platter (L × W × D) 11.5 × 17 × 0.7 in    | Consult |
| 170541 | Linerless label modification kit               | Consult |
| 225296 | Left side port cover                           | Consult |
| 160906 | USB flash memory, 1 GB                         | Consult |

## COMMUNICATION

| PART #  | DESCRIPTION   | PRICE   |
|---------|---|---------|
| 152628* | ScaleLink Pro 5 license file, one license required per computer (version 2.62 or higher required) | Consult |
| 78860   | Cross cable, Ethernet CAT5, 6 ft  | Consult |

\*Software key is provided after purchase and online registration is completed at [www.ricelake.com/ishida-software-form](http://www.ricelake.com/ishida-software-form)

NOTE: Manuals and software programs can be downloaded from the distributor section of [www.ricelake.com/retail](http://www.ricelake.com/retail)




## LABEL STOCK

| DESCRIPTION |
|-------------|
|-------------|

Please refer to labels section of this catalog for ordering information and case quantity pricing

## DIMENSIONS




| Uni-8 Bench |                  |   |                  |   |                  |
|-------------|------------------|---|------------------|---|------------------|
| A           | 10.5 in (266 mm) | D | 16.1 in (410 mm) | G | 6.3 in (159 mm)  |
| B           | 17.3 in (440 mm) | E | 7.8 in (197 mm)  | H | 20.3 in (515 mm) |
| C           | 14.6 in (370 mm) | F | 6.7 in (170 mm)  |   |                  |



## DIMENSIONS

Uni-8 Pole




|   |                  |   |                  |   |                            |
|---|------------------|---|------------------|---|----------------------------|
| A | 10.5 in (266 mm) | D | 16.1 in (410 mm) | G | 21.9 in (555 mm)           |
| B | 12.6 in (319 mm) | E | 7.8 in (197 mm)  | H | 15.0 in (382 mm)           |
| C | 14.6 in (370 mm) | F | 6.3 in (159 mm)  | I | 3.7 - 5.6 in (93 - 143 mm) |



## DIMENSIONS

Uni-8H Hanging

|   |                  |   |                  |
|---|------------------|---|------------------|
| A | 1.8 in (45 mm)   | D | 14.6 in (370 mm) |
| B | 1.8 in (45 mm)   | E | 8.2 in (207 mm)  |
| C | 28.3 in (719 mm) | F | 15.0 in (382 mm) |



MULTI-PURPOSE  
RETAIL SCALES

PRICE COMPUTING  
SCALES

PRICE COMPUTING  
PRINTING SCALES

LABELERS

WRAPPING  
SYSTEMS

SOFTWARE

ACCESSORIES

POWER  
CONDITIONING

RETAIL  
LABELS

WARRANTY