

PEDIATRIC SCALES

DIGITAL AND MECHANICAL

RL-DBS

DIGITAL BABY SCALE

The RL-DBS digital baby scale accurately weighs and measures even the most active babies. Simply place the baby on the scale, remove the baby and recall its weight by pressing the Recall key. The RL-DBS is portable, extremely durable, and easy to clean and maintain.

PG
70

FEATURES

- Large 1-in LCD display
- Unit of measure locking
- Recall function to view last weight
- Automatic shut-off for long battery life
- Built-in measuring tape
- Optional carrying case



Optional carrying case

SPECIFICATIONS

Capacity:
44 lb × 0.5 oz (20 kg × 10 g)

Power:
Four AA alkaline batteries (included)
or AC adapter (included)

Battery Type:
Four AA alkaline (included)

Measuring Tape:
0 to 22.5 in (0 to 57 cm)

Approvals:
AC adapter: cULus

Warranty:
Two-year limited





DIGITAL BABY SCALE

PG
71

MODEL	CAPACITY	PART #
RL-DBS	44 lb x 0.5 oz (20kg x 10g)	120V AC adapter
RL-DBS	44 lb x 0.5 oz (20kg x 10g)	230V AC adapter

OPTIONS




DESCRIPTION	PART #
Carrying case	112570

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-DBS 120 V	107423	27	18	7	10	21	21
RL-DBS 230 V	112571	27	18	7	10	21	21

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	3.90	9.9	D	23.60	59.9
B	15.00	38.1	E	11.00	27.9
C	3.10	7.8			



DUAL RANGE

RL-DBS-2 DIGITAL BABY SCALE

The RL-DBS-2 digital baby scale accurately weighs and measures even the most active babies, up to 44 pounds (20 kilograms). Dual-range functionality provides enhanced precision for weighments from zero to 22 pounds (10 kilograms) with accuracy within 0.2 ounces (5 grams). Simply place the baby on the scale, remove the baby and recall its weight by pressing the Recall key. The RL-DBS-2 is portable, extremely durable, and easy to clean and maintain.

PG
72

FEATURES

- Large 1-inch LCD display
- Dual-range capacity for increased precision
- Accuracy within 0.2 oz (5 g)
- Unit of measure locking
- Recall function to view last weight
- Automatic shut-off for long battery life
- Built-in measuring tape
- Optional carrying case



Optional carrying case

SPECIFICATIONS

Capacity:

Range 1: 0 to 22 lb \times 0.2 oz
(0 to 10 kg \times 5 g)

Range 2: 22 to 44 lb \times 0.5 oz
(10 to 20 kg \times 10 g)

Power:

Four AA alkaline batteries (included)
or AC adapter (included)

Battery Type:

Four AA alkaline (included)

Measuring Tape:

0 to 22.5 in (0 to 57 cm)

Approvals:

AC adapter: cULus

Warranty:

Two-year limited





DIGITAL BABY SCALE DUAL RANGE

MODEL	CAPACITY		PART #
RL-DBS-2	0 to 22 lb x 0.2 oz, 22 to 44 lb x 0.5 oz (0 to 10kg x 5g, 10 to 20kg x 10g)	120V AC adapter	155922
RL-DBS-2	0 to 22 lb x 0.2 oz, 22 to 44 lb x 0.5 oz (0 to 10kg x 5g, 10 to 20kg x 10g)	230V AC adapter	155923

OPTIONS




DESCRIPTION	PART #
Carrying case	112570

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-DBS-2 120 V	155922	27	18	7	10	21	21
RL-DBS-2 230 V	155923	27	18	7	10	21	21

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	3.90	9.9	D	23.60	59.9
B	15.00	38.1	E	11.00	27.9
C	3.10	7.8			



DUAL RANGE

650-10-1

NEONATAL SCALE

The 650-10-1 neonatal baby scale precisely weighs even the most active babies, up to 33 pounds (15 kilograms). Motiontrap™ movement compensation technology compensates for involuntary movements and provides a stable, accurate weight reading. Enhanced precision is essential especially when weighing premature infants. The 650-10-1 provides these precise weighments from zero to 10 pounds (5 kilograms) with accuracy within 0.05 ounces (1 gram). A two-sided removable tray keeps babies safe, and a built-in measuring tape ensures quick and easy measurements.

PG
74

FEATURES

- Large LCD display
- Dual-range capacity for increased precision
- Unit of measure locking
- Automatic shut-off for long battery life
- Motiontrap™ movement compensation technology
- Built-in measuring tape

SPECIFICATIONS

Capacity:

Range 1: 0 to 10 lb × 0.05 oz
(0 to 5 kg × 1 g)
Range 2: 10 to 33 lb × 0.1 oz
(5 to 15 kg × 2 g)

Measuring Tape:

0 to 23.5 in × 0.125 in
(0 to 60 cm × 0.25 cm)

Battery Type:

Six Li-FeS2 batteries

Temperature:

Operating:
50 °F to 95 °F (10 °C to 35 °C)

Display:

Five-digit LCD display, 0.75 in (1.9 cm) digit height

Warranty:

Two-year limited





NEONATAL SCALE

MODEL	CAPACITY	POWER	PART #
650-10-1	0 to 10lb x 0.05oz, 10 to 33lb x 0.1oz (0 to 5kg x 1g, 5 to 15kg x 2g)	120V/230V	161784

OPTIONS


DESCRIPTION	PART #
12 VDC adapter, 100-240 V, NEMA 1-15 plug, medical grade power supply	165138

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
650-10-1	161784	18	28	11	25	40	40

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	23.94	60.8	D	10.50	26.7
B	16.95	43.1	E	3.11	7.9
C	6.29	16.0	F	13.34	33.9



LB & KG

RL-MIS MECHANICAL BABY SCALE

The RL-MIS mechanical baby scale safely and reliably weighs babies and toddlers of all sizes in both kilograms and pounds. This dual-read scale features a maximum capacity of 135 pounds or 62 kilograms. The enameled body helps ensure scale longevity, and the rugged understructure ensures durability and stability. The ABS plastic tray is easy to clean and has a built-in measuring tape for easy reference.

PG
76



FEATURES

- Painted beam
- Sturdy, enameled steel body
- Easy-to-clean ABS plastic tray
- Dual-read capacity; lb and kg
- Built-in measuring tape

SPECIFICATIONS

Capacity:
135 lb × 1 oz (62 kg × 20 g)

Warranty:
Two-year limited

Measuring Tape:
Measures 0 to 23 in
(0 to 58 cm)



MECHANICAL BABY SCALE - LB AND KG BEAM


MODEL	CAPACITY	PART #
RL-MIS	135 lb x 1 oz (62 kg x 20 g)	131470

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MIS	131470	28	20	14	30	57	57

DIMENSIONS

	INCHES	CENTIMETERS		INCHES	CENTIMETERS
A	24.00	61.0	D	16.50	41.9
B	27.00	68.6	E	2.70	6.8
C	21.50	54.5	F	13.39	34.0



KG Only

RL-MIS-20 MECHANICAL BABY SCALE

The RL-MIS-20 mechanical baby scale safely provides metric measurements for babies and toddlers up to 70 kilograms. The ABS plastic tray is easy to clean and features a built-in measuring tape for quick measurements. The sturdy, enameled steel body ensures stable weighing procedures.

PG
78



FEATURES

- Painted beam
- Sturdy, enameled steel body
- Easy-to-clean ABS plastic tray
- Unit of measure: kg
- Built-in measuring tape

SPECIFICATIONS

Capacity:

70 kg × 20 g

Measuring Tape:

0 to 58 cm



MECHANICAL BABY SCALE


MODEL	CAPACITY	PART #
RL-MIS-20	70kg x 20g	131471

SHIPPING WEIGHT

MODEL #	PART #	L (IN)	W (IN)	H (IN)	PACKAGE WGT. (LB)	DIM WGT. (LB)	SHIPPING WGT. (LB)
RL-MIS-20	131471	28	20	14	30	57	57

DIMENSIONS

CENTIMETERS		CENTIMETERS	
A	61.0	D	41.9
B	68.6	E	6.8
C	54.5	F	34.0



RL-WMS-10

WALL MOUNT STADIOMETER

Rice Lake's RL-WMS-10 wall mount stadiometer accurately measures height between 23 and 82 inches (60 and 210 centimeters). The RL-WMS-10 measures divisions of 1/16 inch (one millimeter). Quickly and easily obtain heights in either inches or centimeters. The aluminum-constructed RL-WMS-10 can be folded for compact storage when not in use and includes hardware for wall mounting.



FEATURES

- Aluminum construction
- Compact design with folding headpiece
- Measures both inches and centimeters
- Hardware included for mounting to metal, wood or drywall walls

SPECIFICATIONS

Measurement Range:
23 to 82 in (60 to 210 cm)

Height Divisions:
1/16 in (1 mm)

Warranty:
One-year limited



STADIOMETER

PG
81

MODEL	CAPACITY	PART #
RL-WMS-10	23 to 82 x 1/16in (60 to 120 cm x 1 mm)	206553