## Pipe Lever Scales

TABLE OF CONTENTS 

Product names, logos, brands and other trademarks featured or referred to within this publication are the property of their respective trademark holders.

## **Pipe Lever Scale**



#### Approvals



#### **Part Number/Price**

Part #	Dimensions	Est. Weight	Price	
25,000 lb				
29587	62 5/8 × 62 5/8 in	532 lb	\$4,500.00	
29586	60 1/2 × 66 in	528 lb	\$4,500.00	
29588	66 1/2 × 91 in	640 lb	\$4,500.00	
29589	64 × 64 in	538 lb	\$4,500.00	
35008	62 × 92 in	561 lb	\$4,500.00	
35009	62 × 105 in	720 lb	\$4,500.00	
40409	72 × 72 in	618 lb	\$4,500.00	
83433	64 3/4 × 64 3/4 in	567 lb	\$4,500.00	
25,000 lb 9	Stainless Steel			
46264	62 5/8 × 62 5/8 in	405 lb	\$9,900.00	
46265	60 1/2 × 66 in	550 lb	\$9,900.00	
46266	66 1/2 × 91 in	610 lb	\$9,900.00	
50172	64 × 64 in	550 lb	\$9,900.00	
50173	62 × 92 in	680 lb	\$9,900.00	
50174	62 × 105 in	720 lb	\$9,900.00	
40,000 lb				
39152	5 × 5 ft	1,885 lb	\$11,200.00	
39153	6 × 6 ft	1,975 lb	\$11,200.00	
39154	7 × 7 ft	2,220 lb	\$11,200.00	
39155	8 × 8 ft	2,310 lb	\$11,200.00	
39156	9 × 9 ft	2,545 lb	\$11,200.00	
39157	10 × 10 ft	2,635 lb	\$11,200.00	
50,000 lb				
39158	5 × 5 ft	2,010 lb	\$11,200.00	
39159	6 × 6 ft	2,120 lb	\$11,200.00	
39160	7 × 7 ft	2,385 lb	\$11,200.00	
39161	8 × 8 ft	2,495 lb	\$11,200.00	
39162	9 × 9 ft	2,750 lb	\$11,200.00	
39163	10 × 10 ft	2,860 lb	\$11,200.00	

#### **Standard Features**

- NTEP Certified and Measurement Canada Approved models available
- RL20000 alloy steel load cell standard (prices include load cell and ITCM load cell assembly)
- Mild steel construction, black paint finish
- Stainless steel, hermetically sealed load cells available
- Custom sizes and capacities available from 5,000 to 60,000 lb

### **Specifications**

#### End Load Capacity:

- 100% full scale mV/V Output:
- 1.50 to 1.87 mV/V nominal
- Cable Length:
- 20 ft (6.1 m)
- Warranty:
- One-year limited
- Approvals: NTEP CC 94-126

Class III/IIIL Measurement Canada Approved, AM-5114,

Legal For Trade on sizes greater than 1.6 m, or a capacity greater than 10,000 kg



Custom sizes fit your tank/hopper system for fewer modifications and less installation time.

# **Pipe Lever Scale Questionnaire**



### Company \_\_\_\_\_ \_\_\_\_\_ Date \_\_\_\_\_ Name \_\_\_\_ Phone \_\_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

5K/10K Total Load*		25K Total Load*		30K Total Load*		40K/60K Total Load*	
Standard	Minimum	Standard	Minimum	Standard	Minimum	Standard	Minimum
-	48.00 in	-	48.00 in	-	60.00 in	-	60.00 in
-	48.00 in	-	48.00 in	-	60.00 in	-	60.00 in
12.25 in	4.50 in	15.50 in	7.00 in	15.62 in	7.00 in	18.00 in	7.00 in
6.00 in	6.00 in	9.50 in	8.75 in	9.50 in	8.75 in	13.00 in	12.00 in
6.00 in	6.00 in	9.50 in	8.75 in	9.50 in	8.75 in	13.00 in	12.00 in
8.62 in	8.62 in	13.56 in	13.56 in	13.81 in	13.81 in	18.18 in	18.18 in
4.50 in	3.50 in	6.50 in	4.75 in	6.50 in	4.75 in	9.25 in	6.50 in
4.50 in	3.50 in	6.50 in	4.75 in	6.50 in	4.75 in	9.25 in	6.50 in
24.00 in	24.00 in	32.25 in	32.25 in	32.25 in	32.25 in	37.25 in	37.25 in

c

A x B must be equal to or less than 64 square feet. If, over consult factory. \* Live and dead load

A x B must be equal to or less than 100 square feet. If, over consult factory.

÷ ₽

A x B must be equal to or less than 100 square feet. If, over consult factory.

А

В С D+ E+ F G\*\* H\*\* J

A x B must be equal to or less than 100 square feet. If, over consult factory.

TOP VIEW	C D+ E+ F G** J ** Sta ** sta
Capacity: □5K □10K □25K □30K	□40K □50K □60K
Material: Stainless Steel Mild Ste	el
NTEP Required: Yes No	
Finish:	
Load Cell: Mild Steel Model	Stainless Steel Hermetically Sealed Model

\*\* Stand hole dimensions +Chair hole dimensions.

Form #0652 New 08/2021

