



# Rice Lake RS-130/RS-160

Price Computing Scales

## FEATURES

- Toggle between lb/kg/oz\*
- PLU keys for direct price lookups
- Cash back calculation
- Large stainless steel platter
- In-use cover
- Pole swivels to face desired direction
- Battery charge indicator
- Internal sealed battery
- Customer display

\*Not Measurement Canada Approved



Customer Display



MULTI-PURPOSE  
RETAIL SCALES  
PRICE COMPUTING  
SCALES  
PRICE COMPUTING  
PRINTING SCALES  
LABELERS  
WRAPPING  
SYSTEMS  
SOFTWARE  
ACCESSORIES  
POWER  
CONDITIONING  
RETAIL  
LABELS  
WARRANTY

## SPECIFICATIONS

**Power:**  
Battery (rechargeable):  
6 VDC, 25 mA  
Adapter:  
115 VAC, 0.1 A max (included)  
**Battery Life:**  
100+ hours, 8 to 10 hours to recharge  
**Resolution:**  
Display: 3,000 divisions maximum

**Annunciators:**  
Net, zero, kg, lb, oz, change due,  
cash received  
**Display:**  
LCD backlit, 0.45 in (11.5 mm)  
**Display Items:**  
Weight: Five-digits  
Unit price: Five-digits  
Total price: Six-digits

**Keys/Buttons:**  
Change, unit, zero, tare buttons  
Nine PLU keys  
**Temperature Range:**  
Certified: 14 °F to 104 °F  
(-10 °C to 40 °C)  
**Warranty:**  
One-year limited

**Approvals:**  
NTEP 04-067



## PART NUMBER/PRICE

PART #	MODEL/DESCRIPTION	CAPACITY	EST. SHIP WEIGHT	PRICE
167941	RS-130 Bench	30 × 0.01 lb 15 × 0.005 kg 480 × 0.2 oz	12lb	Consult
168100	RS-130 Pole	30 × 0.01 lb 15 × 0.005 kg 480 × 0.2 oz	13lb	Consult
167942	RS-160 Bench	60 × 0.02 lb 30 × 0.01 kg 960 × 0.5 oz	12lb	Consult
168101	RS-160 Pole	60 × 0.02 lb 30 × 0.01 kg 960 × 0.5 oz	13lb	Consult

Quantity Discounts Available (order five or more of part numbers 167941, 168100, 167942, or 168101, get 50% off)

# Rice Lake RS-130/RS-160


Price Computing Scales

## OPTIONS/ACCESSORIES

PART #	DESCRIPTION	PRICE
47976	Fish platter, (W × D) 9.5 × 13.5 in	Consult
47977	Produce platter, (W × D) 9.5 × 13.5 in	Consult
85711	Additional in-use cover	Consult
85710	Replacement rechargeable battery, 6 V	Consult

## DIMENSIONS


Bench			
A	11.8 in (300 mm)	C	13.0 in (330 mm)
B	9.5 in (240 mm)	D	4.7 in (120 mm)



Bench

## DIMENSIONS

Pole			
A	11.8 in (300 mm)	E	16.1 in (410 mm)
B	9.5 in (240 mm)	F	3.1 in (78 mm)
C	13.0 in (330 mm)	G	11.0 in (280 mm)
D	4.7 in (120 mm)		



Pole